



Cordless Impact Driver

TD127D 18V *Li-ion* TD126D 14.4V *Li-ion*

Satisfy Professional's Needs

High operation efficiency  
with Li-ion battery.



**LIGHTER**

1.1Ah Lithium-ion Series

Photo:TD127D

Tool does not come with bit.

# Max fastening torque:

TD127D -140N.m **18V Li-ion**

TD126D -135N.m **14.4V Li-ion**



Photo:TD127D

## LED Job light with pre-glow function

On pulling switch trigger, the light automatically turns on before motor starts turning.



Push button type reverse switch

Variable speed control by trigger

- Ergonomically designed handle
- Rubberized soft grip provides comfortable grip and more control while minimizing hand fatigue and pain.

Belt clip (option) can be attached.



Tool does not come with bit.

**18V Li-ion**

Battery For Model:  
TD127D



BL1811G 1.1Ah

**14.4V Li-ion**

Battery For Model:  
TD126D



BL1411G 1.1Ah

Charger : DC18WA

Charging Time

**60 min.**








# LIGHTER

## 1.1Ah Lithium-ion Series

### Cordless Impact Driver

### TD127D / TD126D

-  Variable Speed
-  Brake
-  Reversing
-  Built-in Job Light
-  Carrying Case



	TD127D <b>18V Li-ion</b>	TD126D <b>14.4V Li-ion</b>
<b>Capacity</b>	Machine screw : M4 - M8 (5/32" - 5/16") Standard bolt : M5 - M14 (3/16" - 9/16") High tensile bolt : M5 - M12 (3/16" - 1/2")	Machine screw : M4 - M8 (5/32" - 5/16") Standard bolt : M5 - M14 (3/16" - 9/16") High tensile bolt : M5 - M12 (3/16" - 1/2")
	Coarse thread (in length): 22 - 125mm (7/8" - 4-7/8")	Coarse thread (in length): 22 - 125mm (7/8" - 4-7/8")
<b>Impacts per minute (ipm)</b>	0-3,000	0-3,000
<b>No load speed (rpm)</b>	0-2,300	0-2,400
<b>Max. fastening torque</b>	140N.m (1,240in.lbs)	135N.m (1,200in.lbs)
<b>Dimensions (L x W x H)</b>	173x82x225mm (6-13/16"x3-1/4"x8-7/8")	173x82x225mm (6-13/16"x3-1/4"x8-7/8")
<b>Net Weight*</b>	1.5kg (3.2lbs)	1.4kg (3.1lbs)

**Standard Equipment :**  
Charger, Battery Cartridge

\*weight according to EPTA-Procedure 01/2003 Items of standard equipment and specifications may vary by country or area.

## Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN BC-AF