

XGT

28 mm (1-1/8")



















AVT

Anti Vibration Technology

Vibration Level

7.0 m/s²



Active Feedback sensing Technology

turns the motor off if bit rotation is suddenly forced to stop. (HR001G / HR002G)

Redesigned Tool Balance for Increased Operability

The tool's center of gravity is located as close to the handle grip as possible, providing more control and less fatigue.





Auto-start Wireless System

connects to compatible vacuum cleaner with Bluetooth. The vacuum cleaner automatically runs while the switch is on. (HR001G / HR002G)











Lightweight

Model: HR001G Battery: BL4025

Work amount on a full battery charge*1

about 120 pcs

Drilled holes a depth of 60mm (2-3/8") with ø12.5mm bit Battery: BL4025





Dust Extraction System

DX12 / DX14



Large dust box cover

can be opened simply by pushing single push button for easy dust cleaning.



	Quick change drill chuck	AFT	<u>AWS</u>	Dust Extraction System
HR001G	_	~	~	DX12
HR002G	/	~	~	DX14
HR003G	-	-	_	DX12
HR004G	~	_	_	DX14

	HR001G/HR003G	HR002G / HR004G
Impact Energy	EPTA-Procedure 05/2009: 2.8 J	EPTA-Procedure 05/2009: 2.9 J
Capacity	Concrete / Steel / Wood / Core Bit /	Concrete / Steel / Wood / Core Bit /
	Diamond Core Bit (Dry Type):	Diamond Core Bit (Dry Type):
	28 / 13 / 32 / 54 / 65 mm	28 / 13 / 32 / 54 / 65 mm
Blows Per Minute (BPM)	(1-1/8" / 1/2" / 1-1/4" / 2-1/8" / 2-9/16")	(1-1/8" / 1/2" / 1-1/4" / 2-1/8" / 2-9/16")
No Load Speed (RPM)	0 - 5,000	0 - 5,000
Chuck Capacity	0 - 980	0 - 980
Sound Pressure Level	1.5 - 13 mm (1/16 - 1/2")	1.5 - 13 mm (1/16 - 1/2")
Sound Power Level	95 dB(A)	93 dB(A)
Dimensions (L x W x H)	106 dB(A)	104 dB(A)
	w/ BL4025: 358x102x232 mm	w/ BL4025: 389x102x232 mm
	(14-1/8"x4"x9-1/8")	(15-1/4"x4"x9-1/8")
	w/ BL4040: 373x102x238 mm	w/ BL4040: 404x102x238 mm
	(14-3/4"x4"x9-3/8")	(15-7/8"x4"x9-3/8")
Net weight	3.9 - 4.6 kg (8.6 - 10.1 lbs.)	HR002G: 4.1 - 4.6 kg (9.0 - 10.1 lbs.)
		HR004G: 40 - 45 kg (88 - 99 lbs)