



Transform Your Woodworking

Projects with the Perfect Tools: Pneumatic & Cordless Solutions for Professional Results.



BRAD NAILER'S

Makita

Cordless 18 Ga 40 mm (1-5/8") Brad Nailer

Beautiful
finish

XGT

FN001G

Cordless Brad Nailer

40V max

40Vmax XGT BL Cordless 18 Ga 40 mm (1-5/8") Brad Nailer



Capacity	Length: 15, 20, 25, 30, 35, 40 mm (5/8, 3/4, 1, 1-3/16, 1-3/8, 1-5/8")
	Gauge: 18 Ga
Magazine Capacity	100
Shot q'ty on a single full battery charge	w/ BL4025: 5,000
Dimensions (L x W x H)	w/ BL4020 / BL4025 : 265 x 86 x 243 mm (10-3/8 x 3-3/8 x 9-9/16") w/ BL4050F : 291 x 86 x 263 mm (11-1/2 x 3-3/8 x 10-3/8")
Net weight	2.6 - 3.2 kg (5.7 - 7.1 lbs.)

XGT BL XPT



Safety Goggles, Nose Adapter, Hex Wrench, Belt Clip, Battery, Charger

AF506

Pneumatic Brad Nailer

18 Ga 50 mm (2") Pneumatic Brad Nailer, Air Duster



Safety Goggles, Oil supply (country-specific), Nose Adapter, Hook

Capacity	Length: 15 - 50 mm (5/8 - 2")
	Gauge: 18 Ga
Operating Pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine Capacity	100
Dimensions (L x W x H)	250 x 70 x 256 mm (9-7/8 x 2-3/4 x 10-1/8")
Net weight	1.3 kg (2.9 lbs.)

Beautiful finish

Improved Driver durability

achieved by redesigning the shape of the driver tip and reducing thin places.



Low recoil mechanism

- enables easier nailing of long pins without pushing down the pin nailer firmly.
- achieves high-quality finish nailing.



PT001G

Cordless Pin Nailer

40V max

40Vmax XGT BL 23 GA 35 mm (1-3/8") Pin Nailer



Capacity	Length:
	15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")
	Dia.: 0.6 mm (1/32")
	Gauge: 23 Ga
Magazine Capacity	120
Dimensions (L x W x H)	218 x 86 x 226 mm (8-5/8 x 3-3/8 x 8-7/8")
Net weight	2.4 - 3.0 kg (5.3 - 6.6 lbs.)

XGT BL XPT



Nose Adapter, Safety Goggles, Belt Clip, Hex Wrench, Battery, Charger

DPT353

Cordless Pin Nailer

18V

18V LXT Li-Ion Cordless 23 GA 35 mm (1-3/8") Pin Nailer



LXT



Nose adapter, Belt clip, Hex wrench, Battery, Charger

Capacity	Length: 15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")
	Dia.: 0.6 mm (1/32")
	Gauge: 23 Ga
Magazine capacity	120
Dimensions (L x W x H)	257 x 79 x 226 mm (10-1/8 x 3-1/8 x 8-7/8")
Net weight	2 - 2.3 kg (4.4 - 5.1 lbs.)

PT354D

Cordless Pin Nailer

12V max

12V max CXT Li-Ion Cordless 23 GA 35 mm (1-3/8") Pin Nailer



Capacity	Length:
	15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")
	Dia.: 0.6 mm (1/32")
	Gauge: 23 Ga
Magazine Capacity	120
Dimensions (L x W x H)	231 x 66 x 226 mm (9-1/8 x 2-5/8 x 8-7/8")
Net weight	1.8 - 2 kg (4 - 4.4 lbs.)

CXT



Nose Adapter, Safety Goggles, Belt Clip, Hex Wrench, Battery, Charger

AF353

Pneumatic Pin Nailer

23 GA 35 mm (1-3/8") Pneumatic Pin Nailer, Air Duster



Oil supply (country-specific), Nose adapter, Hex wrench

Capacity	Length: 15 - 35 mm (5/8 - 1-3/8")
	Gauge: 23 Ga
Magazine capacity	130
Operating pressure	0.45 - 0.69 MPa (65 - 100 PSI)
Dimensions (L x W x H)	208 x 66 x 191 mm (8-3/16 x 2-5/8 x 7-1/2")
Net weight	0.9 kg (2 lbs.)

CORDLESS STAPLER'S



FAST SHOOTING FINE FINISH!



DST221

Cordless Stapler

18V

18V LXT Li-Ion Cordless 10 mm (3/8") Stapler



new

Staple	Width: 10 mm (3/8")
	Length: 10, 13, 16, 19, 22 mm (3/8, 1/2, 5/8, 3/4, 7/8")
	Gauge: 0.6 x 1.2 mm (1/32 x 1/16")
Magazine capacity	98
Dimensions (L x W x H)	251 x 91 x 212 mm (9-7/8 x 3-5/8 x 8-3/8")
Net weight	2.1 - 2.4 kg (4.7 - 5.3 lbs.)

LXT



Hook, Battery, Charger

DST112

Cordless Stapler

18V

18V LXT Li-Ion Cordless 10 mm (3/8") RT Stapler



new

Staple	Width: 10 mm (3/8")
	Length: 7 - 10 mm (9/32 - 3/8")
Magazine capacity	150 (max 160)
Shot q'ty on a single full battery charge	w/ BL1830B: 6,000
Dimensions (L x W x H)	235 x 79 x 165 mm (9-1/4 x 3-1/8 x 6-1/2")
Net weight	1.5 - 1.8 kg (3.4 - 4 lbs.)

LXT XPT



Hook, Battery, Charger

AT638A

Narrow Crown Stapler

18 GA 38 mm (1-1/2") Narrow Crown Stapler, Air Duster



new

Capacity	Length: 13 - 38 mm (1/2 - 1-1/2")
	Gauge: 18 Ga / Width: 5.7 mm
Magazine capacity	100
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Dimensions (L x W x H)	230 x 75 x 251 mm (9 x 2-15/16 x 9-7/8")
Net weight	1.2 kg (2.7 lbs.)



Oil supply (country-specific), Nose adapter



CROWN STAPLER

Makita

LIGHTWEIGHT DESIGN FOR COMFORT AND CONTROL



AT2550A

Wide Crown Stapler

16 Ga 25 mm (1") Wide Crown Stapler



Capacity	Length: 25 - 50 mm (1 - 2")
	Width: 25 mm (1")
	Gauge: 16 Ga
Operating pressure	0.44 - 0.83 MPa (65 - 120 PSI)
Magazine capacity	140
Dimensions (L x W x H)	370 x 76 x 260 mm (14-1/2 x 3 x 10-1/4")
Net weight	2.3 kg (5.1 lbs.)



Oil supply (country-specific), Hook, Hex wrench

AT1150A

Medium Crown Stapler

16 Ga 11 mm (7/16") Medium Crown Stapler



Capacity	Length: 25 - 50 mm (1 - 2")
	Width: 11 mm (7/16")
	Gauge: 16 Ga
Operating pressure	0.44 - 0.83 MPa (65 - 120 PSI)
Magazine capacity	140
Dimensions (L x W x H)	370 x 87 x 290 mm (14-1/2 x 3-7/16 x 11-3/8")
Net weight	2.3 kg (5.1 lbs.)



Oil supply (country-specific), Hook, Hex wrench

PNEUMATIC COIL NAILER'S



Hook can be attached on either left or right side



AN613

Pneumatic Coil Nailer

65 mm (2-9/16") Pneumatic Coil Nailer



Oil supply (country-specific), Nose adapter, Hook, Hex wrench

Capacity	Length: 38 - 65 mm (1-1/2 - 2-9/16")
	Gauge: 2.3 - 2.5 mm (3/32")
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	200 - 300
Dimensions (L x W x H)	275 x 127 x 319 mm (10-7/8 x 5 x 12-1/2")
Net weight	2.2 kg (4.9 lbs.)

AN454

Pneumatic Coil Nailer

45 mm (1-3/4") Pneumatic Coil Nailer



Hook, Oil supply (country-specific), Hex wrench

Capacity	Length: 19 - 45 mm (3/4 - 1-3/4")
	Nail gauge: 3.05 mm (0.120")
Driving stroke	82 mm
Cylinder bore diameter	41.6 mm (1-5/8")
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	120
Dimensions (L x W x H)	w/o Hook: 256 x 117 x 271 mm (10-1/8 x 4-5/8 x 10-5/8")
	w/ Hook: 256 x 142 x 271 mm (10-1/8 x 5-5/8 x 10-5/8")
Net weight	2.4 kg (5.2 lbs.)

AN961

Pneumatic Pallet Coil Nailer

100 mm Pneumatic Pallet Coil Nailer



Oil supply (country-specific)

Capacity	Length: 55 - 100 mm
Magazine capacity	225 - 300
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Dimensions (L x W x H)	338 x 153 x 418 mm (7-1/2 x 6 x 16-1/2")
Net weight	5.3 kg (11.7 lbs.)



PNEUMATIC FINISH NAILER'S



TOOLLESS NAIL JAM CLEARING



AF635

Pneumatic Finish Nailer

15 GA 64 mm (2-1/2") Pneumatic Finish Nailer, Air Duster



new



Capacity	Length: 32 - 64 mm (1-1/4 - 2-1/2")
	Gauge: 15 Ga
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	100
Dimensions (L x W x H)	339 x 100 x 309 mm (13-3/8 x 3-15/16 x 12-1/8")
Net weight	1.8 kg (4 lbs.)



Oil supply (country-specific), Nose adapter

AF601

Pneumatic Finish Nailer

16 GA 64 mm (2-1/2") Pneumatic Finish Nailer, Air Duster



new



Capacity	Length: 25 - 64 mm (1 - 2-1/2")
	Gauge: 16 Ga
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	100
Dimensions (L x W x H)	304 x 95 x 297 mm (12 x 3-3/4 x 11-3/4")
Net weight	1.7 kg (3.8 lbs.)



Oil supply (country-specific), Nose adapter

AN924

Pneumatic Framing Nailer

90 mm (3-1/2") Pneumatic Framing Nailer, 21° Full Round Head



new



Capacity	Length: 50 - 90 mm (2 - 3-1/2")
	Dia.: 2.9 - 3.76 mm (0.113 - 0.148")
	Angle: 21°
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	64 - 73
Driving stroke	126 mm (5")
Cylinder bore diameter	57 mm (2-1/4")
Dimensions (L x W x H)	560 x 117 x 348 mm (22 x 4-5/8 x 13-3/4")
Net weight	3.8 kg (8.3 lbs.)



Oil supply (country-specific), Hook, Hex wrench



CORDLESS AIR COMPRESSOR

Makita

Lightweight design for
increased job site
portability

XGT

Low noise

68 dB(A)

Tank capacity

7.6 L

Max Pressure

0.93 MPa

Lightweight

Battery: BL4020-BL4080F

11.6-12.8 kg



AC001G

Cordless Air Compressor

40V max

40Vmax XGT BL Cordless Air Compressor



new

No load speed (RPM)	Motor shaft: 6,000 / Crank shaft: 2,075
Air flow	at 0.62 MPa (90 PSI): 34 L/min (1.2 SCFM)
Tank	7.6 L (2 gal)
Max air pressure in tank	0.93 MPa (135 PSI)
Cut-in pressure	0.72 MPa (105 PSI)
Cut-out pressure	0.93 MPa (135 PSI)
Number of outlets	1
Recovery time (from empty to full)	100 sec
Actual nail-driving performance	w/ BL4040: 717 pcs
Dimensions (L x W x H)	w/ European spec tank: 302 x 434 x 382 mm (11-7/8 x 17-1/8 x 15")
	w/ European spec tank: 302 x 434 x 382 mm (11-7/8 x 17-1/8 x 15")
Net weight	11.6-12.8 kg (25.6-28.2 lbs.)

XGT BL



Brad Nail



Model No.	Type	Length	Part No.
AF506, AF552H, DBN500,DFN350, FN001G	18Ga Brad Nail (5,000 pcs/box)	15mm (5/8")	F-31867
		20mm (3/4")	F-31870
		25mm (1")	F-31883
		30mm (1-3/16")	F-31896
AF506, DBN500,DFN350, FN001G		32mm (1-1/4")	F-31902
AF506, DBN500,DFN350, FN001G		35mm (1-3/8")	F-31915
AF506, DBN500, FN001G		38mm (1-1/2")	F-31928
AF506, AF552H, DBN500, FN001G		40mm (1-9/16")	F-31931
AF506, AF552H, DBN500		45mm (1-3/4")	F-31944
		50mm (2")	F-31957
AF552H		55mm (2-3/16")	F-32946

Pin nail



Model No.	Type	Length	Part No.
AF201Z, AF502HP, AF353, DPT351, DPT353, PT354D, PT001G	23Ga(φ0.6) Pin Nail (10,000 pcs/box)	18mm (11/16")	F-31825
		25mm (1")	F-31838
		30mm (1-3/16")	F-31841
		35mm (1-3/8")	F-31854
		45mm (1-3/4")	F-32920
AF502HP		50mm (2")	F-32933
AF201Z, AF502HP, PT001G, DPT353, PT354D	23Ga(φ0.6) Stainless Pin Nail (10,000 pcs/box)	18mm (11/16")	F-32142
		25mm (1")	F-32155
		30mm (1-3/16")	F-32168
		35mm (1-3/8")	F-32171

Wire coil Nails (Roofing Nail)

(7,200 pcs/box)
For Model: AN454



Dia	Length	Shank	Nails/ carton	Part No.
3.1mm (0.120")	22mm (7/8")	Smooth	7,200	F-30762
	25mm (1")	Smooth	7,200	F-30775
	32mm (1-1/4")	Smooth	7,200	F-30788
	38mm (1-1/2")	Smooth	7,200	F-30791
	45mm (1-3/4")	Smooth	7,200	F-30807

Finish Nail

Model No.	Type	Length	Part No.
AF601 DBN600	16 ga Finish Nail (2,000 pcs/box)	25mm (1")	F-33922
		30mm (1-3/16")	F-33935
		32mm (1-1/4")	F-33948
		35mm (1-3/8")	F-33951
		38mm (1-1/2")	F-33964
		40mm (1-9/16")	F-33977
		45mm (1-3/4")	F-33980
		50mm (2")	F-33993
		57mm (1-1/4")	F-34001
		60mm (2-3/8")	F-34014
AF635	15Ga Finish Nail 34deg (4,000 pcs/box)	64mm (2-1/2")	F-34027
		32mm (1-1/4")	F-31960
		38mm (1-1/2")	F-31973
		45mm (1-3/4")	F-31986
		50mm (2")	F-31999
		57mm (1-1/4")	F-32007
		64mm (2-1/2")	F-32010

Wire coil Nails (Flat Type)



Dia	Length	Shank	Nails/ carton	Part No.
For Model: AN560, AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H				
2.5mm (0.099")	45mm (1-3/4")	Smooth	10,800	F-30810
		Screw Chisel	10,800	F-30865
	50mm (2")	Smooth	10,800	F-31243
For Model: AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H, AN960, AN961				
2.5mm (0.099")	57mm (2-1/4")	Screw Chisel	8,100	F-30878
		Smooth	8,100	F-31256
	65mm (2-1/2")	Smooth	8,100	F-30900
		Screw Chisel	8,100	F-31269

For Model: AN560, AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H				
2.8mm (0.110")	50mm (2")	Smooth	9,000	F-30823
2.9mm (0.113")		Smooth	9,000	F-30849
2.9mm (0.113")		Screw Chisel	9,000	F-30971

For Model: AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H, AN960, AN961				
2.9mm (0.113")	57mm (2-1/4")	Screw Chisel	6,750	F-31272
		Screw Chisel	6,750	F-30881
3.1mm (0.120")	65mm (2-1/2")	Smooth	6,075	F-30836
3.3mm (0.131")		Smooth	4,050	F-30852

For Model: AN760, AN901, AN902, AN935H, AN953H, AN960, AN961				
2.9mm (0.113")	71mm (2-13/16")	Screw Chisel	6,750	F-31285
3.1mm (0.120")	75mm (3")	Smooth	4,050	F-31298
3.2mm (0.120")	75mm (3")	Screw Chisel	4,050	F-31320

For Model: AN901, AN902, AN935H, AN953H, AN960, AN961				
3.4mm (0.135")	75mm (3")	Smooth	3,600	F-31359
For Model: AN901, AN902, AN935H, AN953H, AN960, AN961				

Dia	Length	Shank	Nails/ carton	Part No.
3.1mm (0.120")	85mm (3-1/4")	Smooth	4,050	F-31304
		Screw Chisel	4,050	F-31333
	90mm (3-1/2")	Smooth	4,050	F-31317
3.2mm (0.120")		Screw Chisel	4,050	F-31346
3.8mm (0.146")		Smooth	2,700	F-31362

Staple



Model No.	Type	Length	Part No.
AT2550A	1" Wide Crown Staple16Ga (10,000pcs/box)	22mm (7/8")	F-32197
		25mm (1")	F-32023
		32mm (1-1/4")	F-32036
		38mm (1-1/2")	F-32049
		45mm (1-3/4")	F-32052
		51mm (2")	F-32065
		57mm (2-1/8")	F-32078
AT1150A	7/16" Medium Crown Staple16Ga (10,000 pcs/box)	28mm (1-1/8")	F-32081
		32mm (1-1/4")	F-32094
		35mm (1-3/8")	F-32100
		40mm (1-9/16")	F-32113
		45mm (3/4")	F-32126
		51mm (2")	F-32139
		57mm (2-1/8")	F-32142

