



Transform Your Woodworking

Projects with the Perfect Tools: Pneumatic & Cordless Solutions for Professional Results.



Cordless 18 Ga 40 mm (1-5/8") Brad Nailer



FN001G

Cordless Brad Nailer

40V max

40Vmax XGT BL Cordless 18 Ga 40 mm (1-5/8") Brad Nailer



Capacity	Length: 15, 20, 25, 30, 35, 40 mm (5/8, 3/4, 1, 1-3/16, 1-3/8, 1-5/8")
	Gauge: 18 Ga
Magazine Capacity	100
Shot q'ty on a single full battery charge	w/ BL4025: 5,000
Dimensions (L x W x H)	w/ BL4020 / BL4025 : 265 x 86 x 243 mm (10-3/8 x 3-3/8 x 9-9/16") w/ BL4050F : 291 x 86 x 263 mm (11-1/2 x 3-3/8 x 10-3/8")
Net weight	2.6 - 3.2 kg (5.7 - 7.1 lbs.)

XGT BL XPT



Safety Goggles, Nose Adapter, Hex Wrench, Belt Clip, Battery, Charger

AF506

Pneumatic Brad Nailer

18 Ga 50 mm (2") Pneumatic Brad Nailer, Air Duster



new



Capacity	Length: 15 - 50 mm (5/8 - 2")
	Gauge: 18 Ga
Operating Pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine Capacity	100
Dimensions (L x W x H)	250 x 70 x 256 mm (9-7/8 x 2-3/4 x 10-1/8")
Net weight	1.3 kg (2.9 lbs.)




Safety Goggles, Oil supply (country-specific), Nose Adapter, Hook

Beautiful finish


Improved Driver durability

achieved by redesigning the shape of the driver tip and reducing thin places.



Low recoil mechanism

- enables easier nailing of long pins without pushing down the pin nailer firmly.
- achieves high-quality finish nailing.



PT001G Cordless Pin Nailer 40V max

40Vmax XGT BL 23 GA 35 mm (1-3/8") Pin Nailer



Capacity	Length:
	15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")
	Dia.: 0.6 mm (1/32")
	Gauge: 23 Ga
Magazine Capacity	120
Dimensions (L x W x H)	218 x 86 x 226 mm (8-5/8 x 3-3/8 x 8-7/8")
Net weight	2.4 - 3.0 kg (5.3 - 6.6 lbs.)



Nose Adapter, Safety Goggles, Belt Clip, Hex Wrench, Battery, Charger

DPT353 Cordless Pin Nailer 18V

18V LXT Li-Ion Cordless 23 GA 35 mm (1-3/8") Pin Nailer

new



Capacity	Length: 15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")
	Dia.: 0.6 mm (1/32")
	Gauge: 23 Ga
Magazine capacity	120
Dimensions (L x W x H)	257 x 79 x 226 mm (10-1/8 x 3-1/8 x 8-7/8")
Net weight	2 - 2.3 kg (4.4 - 5.1 lbs.)



Nose adapter, Belt clip, Hex wrench, Battery, Charger

PT354D Cordless Pin Nailer 12V max

12V max CXT Li-Ion Cordless 23 GA 35 mm (1-3/8") Pin Nailer



Capacity	Length:
	15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")
	Dia.: 0.6 mm (1/32")
	Gauge: 23 Ga
Magazine Capacity	120
Dimensions (L x W x H)	231 x 66 x 226 mm (9-1/8 x 2-5/8 x 8-7/8")
Net weight	1.8 - 2 kg (4 - 4.4 lbs.)



Nose Adapter, Safety Goggles, Belt Clip, Hex Wrench, Battery, Charger

AF353 Pneumatic Pin Nailer

23 GA 35 mm (1-3/8") Pneumatic Pin Nailer, Air Duster

new



Capacity	Length: 15 - 35 mm (5/8 - 1-3/8")
	Gauge: 23 Ga
Magazine capacity	130
Operating pressure	0.45 - 0.69 MPa (65 - 100 PSI)
Dimensions (L x W x H)	208 x 66 x 191 mm (8-3/16 x 2-5/8 x 7-1/2")
Net weight	0.9 kg (2 lbs.)



Oil supply (country-specific), Nose adapter, Hex wrench

CORDLESS STAPLER'S



FAST SHOOTING FINE FINISH!



DST221

Cordless Stapler

18V

18V LXT Li-Ion Cordless 10 mm (3/8") Stapler



new

Staple	Width: 10 mm (3/8")
	Length: 10, 13, 16, 19, 22 mm (3/8, 1/2, 5/8, 3/4, 7/8")
	Gauge: 0.6 x 1.2 mm (1/32 x 1/16")
Magazine capacity	98
Dimensions (L x W x H)	251 x 91 x 212 mm (9-7/8 x 3-5/8 x 8-3/8")
Net weight	2.1 - 2.4 kg (4.7 - 5.3 lbs.)

LXT



Hook, Battery, Charger

DST112

Cordless Stapler

18V

18V LXT Li-Ion Cordless 10 mm (3/8") RT Stapler



new

Staple	Width: 10 mm (3/8")
	Length: 7 - 10 mm (9/32 - 3/8")
Magazine capacity	150 (max 160)
Shot qty on a single full battery charge	w/ BL1830B: 6,000
Dimensions (L x W x H)	235 x 79 x 165 mm (9-1/4 x 3-1/8 x 6-1/2")
Net weight	1.5 - 1.8 kg (3.4 - 4 lbs.)

LXT XPT



Hook, Battery, Charger

AT638A

Narrow Crown Stapler

18 GA 38 mm (1-1/2") Narrow Crown Stapler, Air Duster



new

Capacity	Length: 13 - 38 mm (1/2 - 1-1/2")
	Gauge: 18 Ga / Width: 5.7 mm
Magazine capacity	100
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Dimensions (L x W x H)	230 x 75 x 251 mm (9 x 2-15/16 x 9-7/8")
Net weight	1.2 kg (2.7 lbs.)



Oil supply (country-specific), Nose adapter



PNEUMATIC COIL NAILER'S

Hook can be attached on either left or right side



AN613

Pneumatic Coil Nailer

65 mm (2-9/16") Pneumatic Coil Nailer



Capacity	Length: 38 - 65 mm (1-1/2 - 2-9/16")
	Gauge: 2.3 - 2.5 mm (3/32")
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	200 - 300
Dimensions (L x W x H)	275 x 127 x 319 mm (10-7/8 x 5 x 12-1/2")
Net weight	2.2 kg (4.9 lbs.)



Oil supply (country-specific), Nose adapter, Hook, Hex wrench

AN454

Pneumatic Coil Nailer

45 mm (1-3/4") Pneumatic Coil Nailer



Capacity	Length: 19 - 45 mm (3/4 - 1-3/4")
	Nail gauge: 3.05 mm (0.120")
Driving stroke	82 mm
Cylinder bore diameter	41.6 mm (1-5/8")
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	120
Dimensions (L x W x H)	w/o Hook: 256 x 117 x 271 mm (10-1/8 x 4-5/8 x 10-5/8")
	w/ Hook: 256 x 142 x 271 mm (10-1/8 x 5-5/8 x 10-5/8")
Net weight	2.4 kg (5.2 lbs.)



Hook, Oil supply (country-specific), Hex wrench

AN961

Pneumatic Pallet Coil Nailer

100 mm Pneumatic Pallet Coil Nailer



Capacity	Length: 55 - 100 mm
Magazine capacity	225 - 300
Operating pressure	0.49 - 0.83 MPa (71 - 120 PSI)
Dimensions (L x W x H)	338 x 153 x 418 mm (7-1/2 x 6 x 16-1/2")
Net weight	5.3 kg (11.7 lbs.)



Oil supply (country-specific)





TOOLLESS NAIL JAM CLEARING

AF635

Pneumatic Finish Nailer

15 GA 64 mm (2-1/2") Pneumatic Finish Nailer, Air Duster



Oil supply (country-specific), Nose adapter

Capacity	Length: 32 - 64 mm (1-1/4 - 2-1/2")
	Gauge: 15 Ga
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	100
Dimensions (L x W x H)	339 x 100 x 309 mm (13-3/8 x 3-15/16 x 12-1/8")
Net weight	1.8 kg (4 lbs.)

AF601

Pneumatic Finish Nailer

16 GA 64 mm (2-1/2") Pneumatic Finish Nailer, Air Duster



Oil supply (country-specific), Nose adapter

Capacity	Length: 25 - 64 mm (1 - 2-1/2")
	Gauge: 16 Ga
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	100
Dimensions (L x W x H)	304 x 95 x 297 mm (12 x 3-3/4 x 11-3/4")
Net weight	1.7 kg (3.8 lbs.)

AN924

Pneumatic Framing Nailer

90 mm (3-1/2") Pneumatic Framing Nailer, 21° Full Round Head



Oil supply (country-specific), Hook, Hex wrench

Capacity	Length: 50 - 90 mm (2 - 3-1/2")
	Dia.: 2.9 - 3.76 mm (0.113 - 0.148")
Angle: 21°	
Operating pressure	0.49 - 0.83 MPa (70 - 120 PSI)
Magazine capacity	64 - 73
Driving stroke	126 mm (5")
Cylinder bore diameter	57 mm (2-1/4")
Dimensions (L x W x H)	560 x 117 x 348 mm (22 x 4-5/8 x 13-3/4")
Net weight	3.8 kg (8.3 lbs.)



CORDLESS AIR COMPRESSOR

Lightweight design for increased job site portability

Low noise

68 dB(A)

Tank capacity

7.6 L

Max Pressure

0.93 MPa

Lightweight

Battery: BL4020-BL4080F

11.6-12.8 kg



AC001G

Cordless Air Compressor

40V max

40Vmax XGT BL Cordless Air Compressor



new

No load speed (RPM)	Motor shaft: 6,000 / Crank shaft: 2,075
Air flow	at 0.62 MPa (90 PSI): 34 L/min (1.2 SCFM)
Tank	7.6 L (2 gal)
Max air pressure in tank	0.93 MPa (135 PSI)
Cut-in pressure	0.72 MPa (105 PSI)
Cut-out pressure	0.93 MPa (135 PSI)
Number of outlets	1
Recovery time (from empty to full)	100 sec
Actual nail-driving performance	w/ BL4040: 717 pcs
Dimensions (L x W x H)	w/ European spec tank: 302 x 434 x 382 mm (11-7/8 x 17-1/8 x 15")
	w/ European spec tank: 302 x 434 x 382 mm (11-7/8 x 17-1/8 x 15")
Net weight	11.6-12.8 kg (25.6-28.2 lbs.)

XGT BL



Brad Nail



Model No.	Type	Length	Part No.
AF506, AF552H, DBN500, DFN350, FN001G	18Ga Brad Nail (5,000 pcs/box)	15mm (5/8")	F-31867
		20mm (3/4")	F-31870
		25mm (1")	F-31883
		30mm (1-3/16")	F-31896
AF506, DBN500, DFN350, FN001G	18Ga Brad Nail (5,000 pcs/box)	32mm (1-1/4")	F-31902
AF506, DBN500, DFN350, FN001G		35mm (1-3/8")	F-31915
AF506, DBN500, FN001G		38mm (1-1/2")	F-31928
AF506, AF552H, DBN500, FN001G		40mm (1-9/16")	F-31931
AF506, AF552H, DBN500		45mm (1-3/4")	F-31944
AF552H	18Ga Brad Nail (5,000 pcs/box)	50mm (2")	F-31957
		55mm (2-3/16")	F-32946

Pin nail



Model No.	Type	Length	Part No.
AF201Z, AF502HP, AF353, DPT351, DPT353, PT354D, PT001G	23Ga(φ0.6) Pin Nail (10,000 pcs/box)	18mm (11/16")	F-31825
		25mm (1")	F-31838
AF502HP, AF353, DPT351, DPT353, PT354D, PT001G	23Ga(φ0.6) Pin Nail (10,000 pcs/box)	30mm (1-3/16")	F-31841
		35mm (1-3/8")	F-31854
		45mm (1-3/4")	F-32920
AF502HP	23Ga(φ0.6) Pin Nail (10,000 pcs/box)	50mm (2")	F-32933
AF201Z, AF502HP, PT001G, DPT353, PT354D		18mm (11/16")	F-32142
AF502HP, DPT351, DPT353, PT354D, PT001G	23Ga(φ0.6) Stainless Pin Nail (10,000 pcs/box)	25mm (1")	F-32155
		30mm (1-3/16")	F-32168
		35mm (1-3/8")	F-32171

Wire coil Nails (Roofing Nail)

(7,200 pcs/box)
For Model: AN454



Dia	Length	Shank	Nails/ carton	Part No.
3.1mm (0.120")	22mm (7/8")	Smooth	7,200	F-30762
	25mm (1")	Smooth	7,200	F-30775
	32mm (1-1/4")	Smooth	7,200	F-30788
	38mm (1-1/2")	Smooth	7,200	F-30791
	45mm (1-3/4")	Smooth	7,200	F-30807

Wire coil Nails (Flat Type)



Dia	Length	Shank	Nails/ carton	Part No.
For Model: AN560, AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H				
2.5mm (0.099")	45mm (1-3/4")	Smooth	10,800	F-30810
		Screw Chisel	10,800	F-30865
2.5mm (0.099")	50mm (2")	Smooth	10,800	F-31243
		Screw Chisel	8,100	F-30878
		Smooth	8,100	F-31256
2.5mm (0.099")	57mm (2-1/4")	Screw Chisel	8,100	F-30878
		Smooth	8,100	F-31256
		Smooth	8,100	F-30900
2.5mm (0.099")	65mm (2-1/2")	Screw Chisel	8,100	F-31269
		Smooth	8,100	F-30900
		Smooth	8,100	F-31269
For Model: AN560, AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H, AN960, AN961				
2.8mm (0.110")	50mm (2")	Smooth	9,000	F-30823
2.9mm (0.113")		Smooth	9,000	F-30849
2.9mm (0.113")		Screw Chisel	9,000	F-30971
For Model: AN611, AN621, AN635H, AN760, AN901, AN902, AN935H, AN953H, AN960, AN961				
2.9mm (0.113")	57mm (2-1/4")	Screw Chisel	6,750	F-31272
3.1mm (0.120")		Screw Chisel	6,750	F-30881
3.1mm (0.120")	65mm (2-1/2")	Smooth	6,075	F-30836
3.3mm (0.131")		Smooth	4,050	F-30852
For Model: AN760, AN901, AN902, AN935H, AN953H, AN960, AN961				
2.9mm (0.113")	71mm (2-13/16")	Screw Chisel	6,750	F-31285
3.1mm (0.120")	75mm (3")	Smooth	4,050	F-31298
3.2mm (0.120")	75mm (3")	Screw Chisel	4,050	F-31320
For Model: AN901, AN902, AN935H, AN953H, AN960, AN961				
3.4mm (0.135")	75mm (3")	Smooth	3,600	F-31359
For Model: AN901, AN902, AN935H, AN953H, AN960, AN961				
Dia	Length	Shank	Nails/ carton	Part No.
3.1mm (0.120")	85mm (3-1/4")	Smooth	4,050	F-31304
		Screw Chisel	4,050	F-31333
3.2mm (0.120")	90mm (3-1/2")	Smooth	4,050	F-31317
		Screw Chisel	4,050	F-31346
3.8mm (0.146")		Smooth	2,700	F-31362



Finish Nail

Model No.	Type	Length	Part No.
AF601 DBN600	16 ga Finish Nail (2,000 pcs/box)	25mm (1")	F-33922
		30mm (1-3/16")	F-33935
		32mm (1-1/4")	F-33948
		35mm (1-3/8")	F-33951
		38mm (1-1/2")	F-33964
		40mm (1-9/16")	F-33977
		45mm (1-3/4")	F-33980
		50mm (2")	F-33993
		57mm (1-1/4")	F-34001
		60mm (2-3/8")	F-34014
AF635	15Ga Finish Nail 34deg (4,000 pcs/box)	32mm (1-1/4")	F-31960
		38mm (1-1/2")	F-31973
		45mm (1-3/4")	F-31986
		50mm (2")	F-31999
		57mm (1-1/4")	F-32007
		64mm (2-1/2")	F-32010

Makita Power Tools India Pvt. Ltd.

Unit II Sy. Nos. 93/3 & 93/4, Koralur village,
Kasaba Hobli, Hoskote Taluk, Bengaluru - 560067

Tel: +91-80-2205-8200 | Website: www.makita.in



Follow us on Social Media