

Experience Deep Clean with Advanced Vacuum Technology



Cordless Vacuum Cleaner VC006GM





Cordless Vacuum Cleaner

VC006GM



Variable Speed



Static Free Hose



VC006GM
Wet / Dry: 40 / 30 L
w/ Hose 38-2.5, at dial Max: 350 W / w/ Hose 38-2.5, at dial Min: 75 W
18 kPa
at Hose end, w/ Hose 38-2.5: 3.7 m³/min / at Turbine: 4.9 m³/min
w/ BL4050F, at dial Min: 80 min. / w/ BL4050F, at dial Max: 25 min.
2.5 m/s² or less
1.5 m/s²
70 dB(A) or less
586 x 385 x 598 mm (23 x 15-1/8 x 23-1/2")
18.4 - 20.8 kg (40.6 - 45.9 lbs.)

Standard Equipment:

Hose complete (country-specific), Straight pipe (country-specific), Bending pipe (country-specific), Nozzle (country-specific), Corner nozzle (country-specific), Cap (country-specific), Front cuff (country-specific), Joint (country-specific), Wireless unit set (country-specific), Filter bag set (country-specific), Battery, Charger

Cordless Vacuum Cleaner VC001GL/VC002GL/VC003GL/VC005GL







Wet & Dry



For Dust Collecting

Airborne particles

HEPA BL AWS ON XPT





For Cleaning

Dry (for building maintenance industry)



Cordless Vacuum Cleaner

VC001GL / VC002GL / VC003GL / VC005GL



Capacity Max Air Flow Max Sealed Suction Continuous Use (min.) Static Free Hose

Vibration Level Sound Pressure Level Dimensions (L x W x H)

Net weight

w/BL4050F at Dial 1 / 5: 220 / 28 2.5 m/s² or less 70 dB(A) or less 366 x 334 x 425 mm (14-3/8 x 13-1/8 x 16-3/4") 8.1 - 11.2 kg (17.9 - 24.7 lbs.)

VC001GL

3.2 m³/min

23 kPa

Dust/Water: 8/6L

VC002GL Dust: 8 L 1 8 m³/min 23 kPa w/BL4050F at Dial 1/ 5: 220 / 28 2.5 m/s² or less 70 dB(A) or less 366 x 334 x 425 mm (14-3/8 x 13-1/8 x 16-3/4")

VC003GL Dust / Water: 15 / 12 L 3.2 m³/min 23 kPa w/BL4050F at Dial 1 / 5: 220/28 2.5 m/s² or less 70 dB(A) or less 366 x 334 x 475 mm (14-3/8 x 13-1/8 x 18-3/4")

8.4 - 11.5 kg (18.5 - 25.4 lbs.)

VC005GL Dust: 8 L 2.8 m³/min 23 kPa w/BL4050F at Dial 1/ 5: 220 / 28 2.5 m/s² or less 70 dB(A) or less

366 x 334 x 397 mm (14-3/8 x 13-1/8 x 15-5/8") 7.9 - 11.0 kg (17.4 - 24.3 lbs.)

Standard Equipment: ALL: Floor Nozzle, Straight Pipe, Bent Pipe, Hose, Plastic Dust Bag, Stopper, Multi Hook, Battery, Charger

 $VC001GL/VC003GL: Plastic Dust Bag \times 10, Fent Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag \times 10, Front Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag \times 10, Front Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag \times 10, Front Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag \times 10, Front Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag \times 10, Front Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag \times 10, Front Cuff (country-specific)/VC005GL: Paper Dust Bag, \\ VC002GL/VC004GL: Plastic Dust Bag,$ Telescopic pipe assembly, Long Sash Nozzle

8.3 - 11.4 kg (18.3 - 25.1 lbs.)



HIGH POWER & LOW NOISE



Cordless Vacuum Cleaner

DVC155L/DVC865L



Variable Speed





Static Free Hose

Max air flow	at
	at
Max sealed suction	11
Suction power	10
Vibration level	2.5
Sound pressure level	70
Noise K factor	2.5
Dimensions (L x W x H)	36
Naturalaht	7 .

DVC155L Wet/Dry: 15/12L Capacity Continuous use w/BL1860B: 100 min. Hose end, at dial 1, w/ ø32 x 1.7 m hose: 1.5 m³/min, at Hose end, dial 5, w/ ø32 x 1.7 m hose: 2.1 m³/min, at Turbine: 3.4 m³/min 05 W 5 m/s² or less 0 dB(A) or less 5 dB(A) 66 x 334 x 421 mm (14-3/8 x 13-1/8 x 16-1/2") 7.2 - 7.9 kg (15.9 - 17.4 lbs.) Net weight

DVC865L Wet/Dry:8/6L w/BL1860B: 100 min. at Hose end, at dial 1, w/ø32 x 1.7 m hose: 1.5 m³/min, at Hose end, at dial 5, w/ ø32 x 1.7 m hose: 2.1 m³/min, at Turbine: 3.4 m³/min 105 W 2.5 m/s² or less 70 dB(A) or less 366 x 334 x 368 mm (14-3/8 x 13-1/8 x 14-1/2")

7.0 - 7.7 kg (15.4 - 17.0 lbs.)

Standard Equipment:

 $Floor \ nozzle, Long \ sash \ nozzle, Telescopic \ pipe \ assembly, Bent \ pipe, Pipe, Hose, Plastic \ dust \ bag \ x10, Filter, Tool \ box, Battery, Charger \ pipe \ assembly, Bent \ pipe, Plose, Plastic \ dust \ bag \ x10, Filter, Tool \ box, Battery, Charger \ pipe \ pi$





Cordless Backpack Vacuum Cleaner **VC011G**









Paper dust baa: 6.0 L / Cloth dust baa: 5.5 L Capacity w/BL4050F x2, Mode 4: 40 min. / w/BL4050F x2, Mode 3: 75 min. Continuous use w/BL4050F x2, Mode 2: 130 min./w/BL4050F x2, Mode 1: 260 min. Max air flow Paper dust bag: 6.0 L / Cloth dust bag: 5.5 L Max sealed suction 20 kPa

Mode 1: 25 W / Mode 2: 55 W / Mode 3: 100 W / Mode 4: 195 W Suction power Operation w/o load: 2.5 m/s² or less Vibration level

Sound pressure level 70 dB(A) or less Dimensions (L x W x H) w/BL4040 x2: 301 x 185 x 526 mm (11-7/8 x 7-1/4 x 20-3/4 ") Net weight 6.4 - 9.5 kg (14.1 - 20.9 lbs.)

Standard Equipment:

Hose, Hose band, Dust bag, Switching nozzle, Nozzle (country-specific), Bent pipe with pipe locking mechanism, telescopic pipe with pipe locking mechanism (country-specific), Aluminum telescopic pipe with pipe locking mechanism (country-specific), Long sash nozzle (country-specific), Battery, Charger







Cordless Backpack Vacuum Cleaner

VC008G



Electronic 4-Speed



Revolving Hose



≣○ Built-in Job Light

Static Free Hose

Paper dust bag: 2.0 L / Cloth dust bag: 1.5 L Capacity w/BL4050F, Mode 4: 14 min. / w/BL4050F, Mode 3: 30 min. Continuous use w/BL4050F, Mode 2:55 min./w/BL4050F, Mode 1:110 min. Max air flow 2.4 m³/min Max sealed suction 18 kPa Suction power Mode 1: 25 W / Mode 2: 55 W / Mode 3: 100 W / Mode 4: 195 W Operation w/o load: 2.5 m/s² or less Vibration level Sound pressure level 72 dB(A) Dimensions (L x W x H) w/o Battery: 233 x 150 x 375 mm (9-1/8 x 5-7/8 x 14-3/4") Net weight 4.1 - 5.3 kg (9.0 - 11.7 lbs.)

Standard Equipment:

Switching nozzle, Hose, Hose band, Nozzle, Telescopic pipe assembly, Bent pipe, Long sash nozzle, Filter, Dust bag, Battery, Charger







Cordless Backpack Vacuum Cleaner

DVC660 / DVC665



Electronic 3-Speed (DVC660)



Variable Speed (DVC665)



Static Free Hose



≣○ Built-in Job Light (DVC660)

Capacity Continuous use Max air flow

Paper dust bag: 6 L / Cloth dust bag: 5.5 L w/BL1860B (Normal): 140 min.

Max sealed suction Vibration level

Sound pressure level Net weight

DVC660 w/BL1860B (Max): 40 min. / w/BL1860B (High): 75 min. w/ Hose 38-1.5: 2.3 m³/min / w/ Hose 32-1.0: 2.2 m³/min w/ Hose 28-1.0: 2 m³/min / w/ Hose 28-1.5: 1.8 m³/min 11 kPa Operation w/o load: 2.5 m/s2 or less

70 dB(A) or less Dimensions (L x W x H) 297 x 174 x 523 mm (11-3/4 x 6-7/8 x 20-5/8") 6.1 - 6.7 kg (13.4 - 14.8 lbs.)

DVC665

Paper dust bag: 6 L / Cloth dust bag: 5.5 L w/BL1860B (Max): 40 min. / w/BL1860B (High): 75 min. w/BL1860B (Normal): 140 min. w/ Hose 28-1.5: 1.8 m³/min

Operation w/o load: 2.5 m/s² or less 70 dB(A) or less 297 x 174 x 523 mm (11-3/4 x 6-7/8 x 20-5/8")

6.1 - 6.7 kg (13.5 - 14.9 lbs.)

Standard Equipment:

Floor nozzle, Hose, Hose band, Nozzle, Telescopic pipe assembly, Bent pipe, Switching nozzle, Free nozzle, Dust bag, Front cuffs (22, 24), Battery, Charger

Cordless Backpack Vacuum Cleaner DVC261





Cordless Backpack Vacuum Cleaner

DVC261



Electronic 3-Speed



Revolving Hose



≣○ Built-in Job Light

Static Free Hose

Paper dust bag: 2.0 L / Cloth dust bag: 1.5 L Capacity Continuous use w/BL1860B (Max): 40 min. / w/BL1860B (High): 75 min. w/BL1860B (Normal): 140 min. Max air flow w/ Hose 38-1.5: 2.3 m³/min / w/ Hose 32-1.0: 2.2 m³/min w/ Hose 28-1.0: 2.0 m³/min / w/ Hose 28-1.5: 1.8 m³/min Max sealed suction 11 kPa Operation w/o load: 2.5 m/s2 or less Vibration level Sound pressure level 70 dB(A) or less Dimensions (L x W x H) 230 x 152 x 373 mm (9 x 6 x 14-3/4") Net weight 3.8 - 4.5 kg (8.5 - 9.9 lbs.)

Standard Equipment:

Floor nozzle, Hose, Hose band, Nozzle, Telescopic pipe assembly, Bent pipe, Switching nozzle, Free nozzle, Dust bag, Front cuffs (22, 24), Battery, Charger







Cordless Upright Cleaner

VC010G







Anti-restart function

Capacity w/BL4050F, High / Normal / Low noise: 25 / 50 / 100 min. Continuous use Cleaning width 381 mm (15") Max air flow 1.8 m³/min Suction power High / Normal / Low noise: 110 / 50 / 25 W

Max sealed suction 15 kPa Dust pick-up rate High/Normal/Low noise: 55/45/36%

Vibration level 2.5 m/s2 or less

Dimensions (L x W x H) 326 x 381 x 1,146 mm (12-7/8 x 15 x 45") Net weight 8.0 - 9.2 kg (17.6 - 20.3 lbs.)

Standard Equipment:

Long sash nozzle, Round brush, Filter bag, Main filter H set, Filter bag set, Battery, Charger







Cordless Upright Cleaner

DVC560



Electronic 3-Speed



Revolving Hose



■ Built-in Job Light

Capacity Continuous use Cleaning width Max air flow Suction power Max sealed suction

w/BL1860B x2 High / Normal / Low noise: 30 / 60 / 120 min. 318 mm (12-1/2")

1.9 m³/min High/Normal/Low noise: 85/50/25 W

12 kPa High/Normal/Low noise: 47/44/40% Dust pick-up rate

Vibration level 2.5 m/s2 or less

Dimensions (L x W x H) 326 x 318 x 1,146 mm (12-7/8 x 12-1/2 x 45") Net weight 8.3 - 9.0 kg (18.3 - 19.8 lbs.)

Standard Equipment:

Long sash nozzle, Filter bag, Filter H, Filter bag set, Battery, Charger





Maximum cleaning area 600m²















Robotic Cleaner

Constant Speed



DRC300

 $\begin{array}{lll} \text{Max cleaning area} & \textit{w/BL1860B x2:600 } m^2 \\ \text{Continuous use (min.)} & \textit{w/BL1860B x2:240} \\ \text{Max registrable mapping area} & \textit{10,000 } m^2 \end{array}$

Rotation speed Main brush: 1,600 RPM / Side brush: 200 RPM

Max running speed 0.3 m/sec
Dust box capacity 3.0 L
Noise level 62 dB(A)

Dimensions (L x W x H) 500 x 500 x 204 mm (19-3/4 x 19-3/4 x 8")

Net weight 9.6 - 10.6 kg (21.2 - 23.4 lbs.)

Standard Equipment:

RF remote controller (including two AAA alkaline batteries), Side brush



Mapping added as a new feature

Equipped with LiDAR sensor (2D) and Camera sensor, the cleaner can map and memorize the rooms to clean.

LiDAR module (LiDAR sensor)

Grasping and mapping the two-dimensional shape of rooms with a rotating laser displacement gauge.



Vision camera (Camera sensor)

Grasping the characteristic shape of ceilings and walls, and memorizing them by connecting them with the self-location of the Robotic cleaner to increase mapping precision.



Running mode

Equipped with LiDAR sensor (2D) and Camera sensor, the cleaner can map and memorize the rooms to clean. Then, based on the map, the cleaner can track an optimal route for efficient cleaning.



Free cleaning

In "Free cleaning" mode, cleaning can be started immediately without registering room information





Improved repairability



Due to Bottom plate and Side brushes removable without tool



Can be attached/ detached from the top of the machine.



Large carry handle

RF remote controller



Continuous run time (approx.) on a full battery charge





The number of rooms that can be memorized is 5



Compatible with Smartphone app [Makita RoboPro DRC300]











https://play.google.com/store/apps/ details?id=com.makita.cleanbotmanager





Cleaning history, such as cleaning date and time, percentage of completed cleaning area and more, can be displayed and saved as evidence.





Cleaning prohibited areas can be specified on the map on the screen (up to 100 areas).


#2 Area 2 10:00 AM - 11:00 AM

Checking the past histories Up to 15 histories can be recorded.

Maximum cleaning area on a full battery charge

The area where the coverage rate can be 95% or more within the operating time

[with two BL1860B batteries]



Dust box capacity



Vacuum fan sucks up small debris into upper compartment.

Power brush picks up large debris into lower compartment.

Dual compartment structure - one for small debris, the other for large debris - is ideal for commercial use.






Makita's Intelligent Robotic Cleaner

RF remote controller (including two AAA alkaline batteries), Side brush, Boundary tape



Robo PRC




Powered by two 18V Li-ion battery in parallel [Also able

[Also able to run with a single battery]

With BL1850Bx2, able to clean surface area of



"Vacuum plus Power brush" mode for collecting both small and large debris





*about 300m2 with BL1830Bx2

Long run time

About 200_{min}

Tile carpet: About 170min with BL1850Bx2

About 120min

Tile carpet: About 100min with BL1830Bx2


Continuous run time on a single full battery charge

When collecting large debris only, with the vacuum fan off...



- Turning the vacuum fan OFF *about 1000m² with BL1850Bx2


"Power brush only" mode for collecting large debris only





Excellent cleaning features useful in commercial applications

Large side brushes + Large power brush



Side brushes enable to clean alongside walls, around obstacles or tight corners in either of pattern/random.




ø50mm x 260mm Large power rotating brush



Dust box with 2.5L capacity

Dual compartment structure - one for small debris, the other for large debris - is ideal for commercial use.



Vacuum fan sucks up small debris into upper compartment.

Power brush picks up large debris into lower compartment.



Outstanding in its class, large dust box capacity

Equipped with a highly efficient filter that features the same quality as the filter of Makita vacuum cleaners has.









Cordless Cleaner

CL002G / CL003G





Anti-restart function

	CL002G	CL003G
Capacity	Cloth dust bag: 500 mL / Paper dust bag: 330 mL	250mL
Continuous use	w/BL4025, Mode 1/2/3/4: 80/40/25/16 min	w/BL4025, Mode 1 / 2 / 3 / 4:80 / 40 / 25 / 16 min
	w/BL4040, Mode 1 / 2 / 3 / 4: 128 / 64 / 40 / 25 min	
Max sealed suction	21 kPa (2,100 mmH₂O)	20 kPa (2,000 mmH₂O)
Max air flow	1.2 m³/min	1.0 m³/min
Dimensions (L x W x H)	w/o Pipe & Nozzle, w/ BL4020 / BL4025:	w/o Pipe & Nozzle, w/ BL4020 / BL4025:
	505 x 114 x 152 mm (19-7/8 x 4-1/2 x 6")	545 x 113 x 177 mm (21-1/2 x 4-7/16 x 7")
Net weight	1.8 - 3.0 kg (4.0 - 6.6 lbs.)	1.9 - 2.5 kg (4.2 - 5.5 lbs.)

Standard Equipment:

CL002G - Floor nozzle, Sash nozzle, Sash nozzle holder, Pipe, High performance dust bag, Paper dust bag (country-specific), Hand strap (country-specific), Cyclone attachment with pipe locking mechanism (country-specific), Straight pipe (country-specific), Battery, Charger

CL003G-Floor nozzle, Sash nozzle holder, Pipe, Battery, Charger, High performance filter (country-specific), Nozzle, Efficient collection fi







4-mode suction power selection with mode memory function

- The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.
- \cdot Power mode can be selected before the cleaner is turned on.
- · Selected power mode is indicated by 4 green LEDs.



Redesigned Floor/ Carpet T-nozzle

- Redesigned structure reduces the resistance caused by suction, providing smooth running.
- Redesigned inside air flow path reduces the noise made inside the nozzle.

Low noise

54 [Mode 1] dB(A)

[Mode 4: 65 dB(A)]





Cordless Cleaner



Electronic 4-Speed



■ Built-in Job Light

DCL284F

DCL284F

Capacity

w/BL1830B, 1/2/3/4: 36/20/13/7 Continuous use Max sealed suction

18 kPa (1,836 mmH₂O) 1.2 m³/min

Max air flow 503 x 113 x 153 mm (19-3/4 x 4-7/16 x 6-1/16") Dimensions (L x W x H)

Net weight 1.6 kg (3.5 lbs.)

Standard Equipment:

Nozzle assembly, Sash nozzle, Sash nozzle holder, Pipe, Battery, Charger



Cordless Cleaner DCL184





Cordless Cleaner

DCL184



Max sealed suction
Max air flow
Max air velocity
Suction power
Continuous use w/ BL1830B,
Noise level
Vibration level
Dimensions (L x W x H)

Net weight

5.4 kPa (550 mmH₂O)
Cleaning: 1.4 m³/min / Blowing: 0.4 m³/min Blowing: 100 m/s
Max / High / Normal: 38 / 23 / 5 W
Max / High / Normal: 20 / 30 / 80 min.
Max / High / Normal: 68 / 65 / 58 dB(A)
0.4 m/s²
w/ BL1830B / BL1840B / BL1850B / BL1860B:
365 x 138 x 202 mm (14-3/8 x 5-7/16 x 8")
1.8 - 2.2 kg (4.0 - 4.9 lbs.)

Standard Equipment:Seat nozzle, Mat nozzle, Rubber nozzle, Soft brush, Blower attachment, Dust bag, Paper dust bag, Shoulder belt,




Please refer to page 33 of the Accessory section.

Battery, Charger

Constantly Strong Suction

Automatic self-cleaning filter

obtained by Triple filter structure composed of: **Powder filter + Damper + Prefilter**



When the power is switched on, Prefilter collapses into itself to compress Damper, and fits closely over Damper and Powder filter.

When the power is switched off, Damper expands back to its original size and shakes off dust from Prefilter automatically with its expanding power.

Wet & Dry

Powder filter

Damper

Prefilter

VC3210L

22.0 kPa (2,240 mmH₂O) 2.0 m³/min

552 x 398 x 685 mm (21-3/4 x 15-5/8 x 27")

Dry: 32 L / Wet: 27 L

14.5 kg (32 lbs.) 5.0 m (16.4 ft)

173 1.050W

Allows for:

Constantly high suction power Easy filter cleaning simply by tapping dust off of Prefilter Quiet cleaning because Damper and Prefilter make no noise

Vacuum Cleaner



Variable Speed



Static Free Hose



Stainless Tank (VC3210L)

VC2510L/VC3210L

	VC2510L
Carbon Brush	173
Continuous Rating Input	1,050W
Max sealed suction (water column)	22.0 kPa (2,240 mmH₂O)
Max peak air flow	2.0 m³/min
Tank capacity	Dry: 25 L / Wet: 14 L
Dimensions (L x W x H)	432 x 416 x 451 mm (17 x 16-3/8 x 17-3/4")
Net weight	10.5 kg (23.2 lbs.)
Power supply cord	5.0 m (16.4 ft)

Standard Equipment:

Hose, Holder, Front cuffs (22, 24, 38), Poly bag set



Vacuum Cleaner





VC2000L

 Continuous Rating Input
 1,000W

 Max sealed suction
 21.0 kPa

 Tank capacity
 20 L

 Dimensions (L x W x H)
 390 x 385 x 505 mm

 Net weight
 7.5 kg (N/A lbs.)

 Power supply cord
 5 m (16.4 ft)



Vacuum Cleaner VC4210L / VC3012L / VC2512L



Vacuum Cleaner	VC4210L / VC3012L / VC2512L			
	VC4210L	VC3012L	VC2512L	
Continuous Rating Input	1,200W	1,500W	1,000W	
Max sealed suction	25.0 kPa	25.0 kPa	21.0 kPa	
Max peak air flow	4.5 m³/min	3.7 m³/min	3.6 m³/min	
Tank capacity	Dry: 34 L / Wet: 30 L	Dry: 24 L / Wet: 19 L	Dry: 21 L / Wet: 18 L	
Sound level	60 dB(A)	59 dB(A)	72 dB(A)	
Dimensions (L x W x H)	565 x 385 x 605 mm	450 x 380 x 595 mm	390 x 390 x 530 mm	
Net weight	16 kg (35.3 lbs.)	11 kg (25.3 lbs.)	7 kg (15.5 lbs.)	
Power supply cord	7.5 m (24.6 ft)	7.5 m (24.6 ft)	5 m (16.4 ft)	
Standard Equipment:	Static Free Hose	Static Free Hose	Static Free Hose	

VC2512L - Hose, Hand tube, Crevice nozzle, Floor nozzle, Tool adapter, Aluminum tube, Fleece filter bag, Disposal bag





Cordless Vacuum Sweeper





Electronic 2-Speed



₩ Dust Collection





Cleaning width

Continuous use

Charging time approx.

Main brush: 480 mm (18-7/8") / Side brush: 650 mm (25-1/2")

Dust container capacity 24 L (6.3 gal) Dust collection volume 15.6 L (4.1 gal) Dust bag capacity 47 L (12.4 gal) (Optional accessory)

Quiet: 290, 480 min./ Standard: 120, 200 min.

50.76 min

Charging time (Battery) BL4050F x2, BL4080F x2

Charging time (Charger) DC40RB Sound pressure level 70 dB(A) or less Vibration level 2.5 m/s² or less Vibration K factor 1.5 m/s²

Dimensions (L x W x H) w/ Handle in upright position: 830 x 677 x 1,146 mm

(32-3/4 x 26-3/4 x 45") Net weight 29.9 - 33.1 kg (65.9 - 73.0 lbs.)



Cordless Vacuum Cleaner VC001GL / VC002GL / VC003GL / VC004GL VC005GL / VC006GM



Accessories - VC006GM



System charts





Powder filter M set

Part No. 1911B6-0



Powder filter H set

Part No. 1911B7-8

HEPA filter with high efficiency in capturing dust and capability of capturing fine airborne dust.



Damper set

Part No. 1911B4-4

During automatic self-cleaning, this part pushes Pre-filter back to remove the dust adhering to the filter.



Pre filter set

Part No. 1911B5-2

A component part of Filter, which is made of material that allows for easy dust removal.



Filter for water set

Part No. 1910N0-0

This is a special filter designed for water suction applications. It uses a material that allows water to easily pass when a large amount water is suctioned repeatedly.



Filter bag set (5 pcs)

Part No. 1910Y4-9

With shutter of non-woven fabric



Poly bag set (10 pcs)

Part No. 1910R3-2



Accessories - VC001GL / VC003GL / VC002GL / VC004GL / VC005GL

Filter for water set

Model: VC001GL, VC003GL Part No. 191V67-2



Poly bag set (10pcs)

Part No. 195432-5



Damper set Model: VC002GL

Part No. 191V68-0



Filter bag set 15L (5pcs)

Part No. 195557-5



Pre filter set Powder filter H set

Model: VC002GL Part No. 191V70-3



Cloth filter set

Model: VC001GL, VC003GL, VC002GL Part No.



Accessories - VC006GM / VC002GL DVC665

Bruetooth unit 198901-5 198900-7(EU)


Model: VC002GL

Part No. 191V69-8



Cordless Vacuum Cleaner DVC155L/DVC865L





Filter complete, Pre filter and Damper



197166-6













Filter for water set

Water only Part No. 195555-9



Paper filter set (5pcs)

for dry dust except powder Part No. 194556-4 (A-48430)





195432-5

Cordless Backpack Vacuum Cleaner VC011G





*These nozzles cannot be attached directly to Bending pipe assembly use with telescopic pipes or straight pipes.

**for others vacuum cleaner nozzles 32mm (1-1/4")

Accessories

Harness cover set

Washable harness cover made of a mesh material for improved breathability















Cordless Backpack Vacuum Cleaner VC008G



Accessories for Cleaning - VC008G

Nozzle assembly set Flat type

191X06-4



Floor/carpet t-nozzle

For rug / carpet



Corner nozzle 330

Part No.

198919-6

Seat nozzle 28 For automobile

Flooring & carpet

191G86-8

Part No.

Nozzle assembly set

199038-1

Part No.

Crevice nozzle 415

Part No.

199439-3

F/C switching t-nozzle 28

Flooring & carpet

Part No.

198532-0

For automobile

140H95-0

Round brush

198878-4

Part No.

Part No.

Seat nozzle 120 set

Nozzle assembly Flat type

Mat nozzle 120

Part No.

199454-7



Snow-white Makita-blue

Part No.

Nozzle assembly

Floor t-nozzle 28

123486-2

Corner nozzle

Part No.

410306-2



Brush nozzle set

Part No.





Shelf brush



Soft brush 360 complete set

Part No.



Harness cover set

Part No. 191Y14-1

Washable harness cover made of a mesh material for improved breathability



Main filter H set

Part No. 191Y27-2

Made of HEPA material which can capture fine dust particles



Flexible rubber nozzle 28*

Part No.

197901-2 *These nozzles cannot be attached

directly to Bending pipe assembly use with telescopic pipes or straight pipes.

Hose

Part No. 199453-9 (32mm x 1.0m) 199388-4 (38mm x 1.5m)



Bending pipe complete

Part No. 140G26-3



Accessories for Dust Collecting

Telescopic pipe complete

Part No. 140G19-0



Dust bag assembly

Part No. 197898-5



Filter bag set (Paper dust bag) 10 pcs

Part No. 197903-8



Hose 28mm



22 and 38 Supplied with

24 and 38



Attachments





Cordless Backpack Vacuum Cleaner DVC660 / DVC665





Cordless Backpack Vacuum Cleaner DVC261



Accessories - DVC261











Hose 38mm-1.5m with front sleeve









without front sleeve **1m** Part No. 143787-2 1.5m Part No. 144408-9





Part No. 195547-8



Bending pipe assembly

For aluminum straight pipe with lock Part No. 140G26-3 Part No. *127093-3 *with Hose 28 sleeve





For plastic straight pipe Part No. 458184-2 Part No. *126756-8 *with Hose





Straight pipe Part No. 192563-1

Aluminum Telescopic pipe

Pipe length is variably

Plastic Telescopic pipe assembly

Pipe length is variably adjustable from 500 to 850mm.

Part No. 198559-0

Tapered nozzle set Part No. 192236-6

assembly

adjustable from 590 to 942mm.

Part No. 140G19-0





Corner nozzle

Part No. 198918-8

300-28

Part No. 199454-7

Flat type

Floor/carpet t-nozzle Part No. 198525-7

Part No. 198183-9 Floor t-nozzle 28

Part No. 123486-2

Crevice nozzle

Part No. 199439-3

Filter bag set 10pcs / set



Round brush

Part No. 198877-6

Part No. 197900-4

Tapered nozzle set

Shelf brush

Part No. 198872-6

Part No. 192236-6



Flat type





Universal Type Nozzle assembly 38

Part No. 199455-5

Part No. 198184-7 Part No. 195551-7

Compact Type



Round brush



Corner nozzle



Part No. 195549-4

Part No. 191657-9

Part No. 410306-2

Hose band

Seat nozzle

28



Part No. 199037-3

166116-2



197903-8

Filter set assembly

HEPA filter



123636-9

Dust bag assembly



197898-5



Cordless Upright Cleaner - VC010G / DVC560 Robotic Cleaner - DRC300 / DRC200



Accessories -VC010G

Long sash nozzle set Round brush set Part No. 191D65-8 Part No. 191D67-4









Main filter H set Part No. 191E39-5



Filter bag set Part No. 191T96-3



Dust bag set

Part No. 191Y86-6 5L/1pcs. set



Accessories - DVC560







Round brush set







Main filter h set

Part No. 191E39-5

Filter bag set 10pcs. set Part No. 191D63-2











Accessories - DRC300

Magnet tape set

Part No. 191P18-9

This tape laid on the floor prevents the cleaner from entering in cleaning prohibited areas.

5m long,







Main brush complete set

Part No. 191P20-2



Bottom plate assembly set

Part No. 191P24-4



Side brush assembly set

Part No. 191P28-6

with double-sided tape



Side brush assembly set

Part No. 191P26-0



Filter H complete set

Part No. 191P31-7



Sponge sheet set

Part No. 191X35-7

Sponge part to be attached to Bumper for protection of surrounding objects from damage



Accessories - DRC200

Boundary line tape (15m roll)

Part No. SH00000231(EU)




SH00000240 (USA, AU)

Part No. SH00000065

Power brush

Part No. SH00000063





Side brushes



Part No. SH00000213



Cordless Cleaner CL002G







(cloth) Part No. 198746-1



Paper filter set 5pcs/set

5pcs/set Part No. 194566-1



High performance dust bag set

Part No. 1910M4-5 CL002G only



Valve stay complete


Part No. 143677-9



Guard


Part No. 413J77-0





Cordless Cleaner CL003G / DCL184







Cordless Cleaner DCL284F





DCL283F / DCL284F / DCL285F only

Cyclone attachment set with pipe lock

190mm

Part No. 191D71-3 191D73-9 **Holder Set**

198915-4

Part No. 199971-7



DCL285F only

198751-8

Dust bag set (cloth) Part No. 198747-9

Paper filter set 5pcs/set Part No. 198745-3

199966-0

Part No. 198744-5

(D)11 MARINE dust bag set

HEPA

High performance Part No. 1910M4-5

DCL283F / DCL284F / DCL286F only

Cyclone unit set Part No. 1910D3-4

1910D4-2 1910D5-0



Only for Cyclone unit set

High performance filter set Part No. 1910C7-9




Filter H set Part No. 1910C9-5

HEPA



*Standard Equipment



Vacuum Cleaner VC3210L/VC2510L/VC2000L **Cordless Vacuum Sweeper - VS001G**



Accessories - VC3210L / VC2510L

Front cuff 22

Part No.417765-1

Part No.1912G4-5

Cleaning set

Part No.P-195439-1

Telescopic pipe complete set

PIPE



Vacuum Connector

Part No.191M77-5 Joint A32 set



Part No.191F82-0



FILTER

Powder filter H set



Accessories - VC2000L

Part No.191G76-1 Mesh sleeve hose 28-5 set



Stopper Part No.451350-0

Vacuum Nozzle

Nozzle assembly A set

Nozzle assembly

Part No.195549-4

Part No.122512-4



Dust Bag

Part No.195440-6 Poly bag set



SUCTION HOSE

Part No.P-81739 D32X3500 W/TUBE.



Holder 10-33

Part No.417764-3

Front cuff 24

Part No.424379-9



FILTER BAG

Part No.P-72899



Shelf brush Part No.P-70297



Portable Power Pack

Accessories - VS001G

Multi adapter set

Part No. 1913F5-2

- MAKPAC (all types) can be installed, which is also convenient for storing cleaning accessories.
- Portable power pack PDC01 /1200 /1500 can be installed to improve run time.



PDC1500









Battery Powered



Adapter set

for 40Vmax models Part No. 191N62-4

UB002C





Dust bag set

Part No. 1913F7-8

- Capacity: 47L (12.4 gal)
- Dust bag suitable for collecting bulky waste such as fallen leaves.
- Dust bag can be reused.







Vacuum Cleaner System charts

For Dust Collecting













Front cuffs, Joint & Hose Connection



















Vacuum Cleaner Series















H.O.: Makita Power Tools India Pvt. Ltd.

Unit II Sy. Nos. 93/3 & 93/4, Koralur village, Kasaba Hobli, Hoskote Taluk, Bengaluru - 560067 Email: info@makita.in Website: www.makita.in

Follow us on Social Media







Marketed By:

Makita Service Centre:

<u>Assam</u>

Guwahati: +91-36-1351-4572

Kerala

Cochin: +91-85904-32003

<u>Delhi</u>

New Delhi: +91-11-28341102 +91-93192-90771

Maharashtra

Mumbai: +91-96633-10048

+91-22-4974-4092

Pune: +91-63648-98763

+91-63648-98772

Gujarat

Ahmedabad: +91-96563-49664 Vadodara: +91-82383-57480

Madhya Pradesh

Indore: +91-73135-93608

Jharkhand

Jamshedpur: +91-657-2383024

Tamil Nadu

Chennai: +91-44-2479-2522 Coimbatore: +91-98400-17796

Karnataka

Bengaluru: +91-08-2222-8200 Peenya: +91-89518-59831

Uttarakhand

Rudrapur: +91-70425-97756

West Bengal

kolkata: +91-85850-72679 +91-33-2439-1030 / 60