# Smart Cleaning Starts Here: The Ultimate Vacuum Cleaner Series

makita



makita

**Experience Deep Clean with Advanced Vacuum Technology** 



## **Cordless Vacuum Cleaner VC006GM**



Wet & Dry





Wireless unit not integrated with the cleaner's body

#### **Cordless Vacuum Cleaner**

Variable Speed

Revolving Hose

Static Free Hose

VC006GM VC006GM Wet / Drv: 40 / 30 L Suction power w/ Hose 38-2.5, at dial Max: 350 W / w/ Hose 38-2.5, at dial Min: 75 W Max sealed suction 18 kPa Max air flow at Hose end, w/ Hose 38-2.5: 3.7 m<sup>3</sup>/min / at Turbine: 4.9 m<sup>3</sup>/min Continuous use

w/ BL4050F, at dial Min: 80 min. / w/ BL4050F, at dial Max: 25 min. 2.5 m/s<sup>2</sup> or less 1.5 m/s<sup>2</sup> 70 dB(A) or less levelDimensions (L x W x H) 586 x 385 x 598 mm (23 x 15-1/8 x 23-1/2")

HOTOR AWS

Net weight

Capacity

Vibration level

Vibration K factor Sound pressure

#### **Standard Equipment:**

Hose complete (country-specific), Straight pipe (country-specific), Bending pipe (country-specific), Nozzle (country-specific), Corner nozzle (country-specific), Cap (country-specific), Front cuff (country-specific), Joint (country-specific), Wireless unit set (country-specific), Filter bag set (country-specific), Battery, Charger

18.4 - 20.8 kg (40.6 - 45.9 lbs.)

## **Cordless Vacuum Cleaner** VC001GL / VC002GL / VC003GL / VC005GL





#### **For Cleaning**



#### **For Dust Collecting**

**Airborne particles** HEPA BL AWS ME XPT VC002GL 8L



#### **For Cleaning**

Dry (for building maintenance industry)



### Cordless Vacuum Cleaner VC001GL / VC002GL / VC003GL / VC005GL

		VC001GL	VC002GL	VC003GL	VC005GL
Variable Speed	Capacity	Dust/Water: 8/6 L	Dust: 8 L	Dust / Water: 15 / 12 L	Dust: 8 L
	Max Air Flow	3.2 m³/min	1.8 m³/min	3.2 m³/min	2.8 m³/min
Revolving Hose	Max Sealed Suction	23 kPa	23 kPa	23 kPa	23 kPa
Static Free Hose	Continuous Use (min.)	w/ BL4050F at Dial 1 /	w/ BL4050F at Dial 1 /	w/ BL4050F at Dial 1 / 5:	w/ BL4050F at Dial 1 /
Static Hee Hose		5:220/28	5:220/28	220/28	5:220/28
	Vibration Level	2.5 m/s² or less	2.5 m/s <sup>2</sup> or less	2.5 m/s <sup>2</sup> or less	2.5 m/s <sup>2</sup> or less
	Sound Pressure Level	70 dB(A) or less			
	Dimensions (L x W x H)	366 x 334 x 425 mm	366 x 334 x 425 mm	366 x 334 x 475 mm	366 x 334 x 397 mm
		(14-3/8 x 13-1/8 x 16-3/4")	(14-3/8 x 13-1/8 x 16-3/4")	(14-3/8 x 13-1/8 x 18-3/4")	(14-3/8 x 13-1/8 x 15-5/8")
	Net weight	8.1 - 11.2 kg (17.9 - 24.7 lbs.)	8.3 - 11.4 kg (18.3 - 25.1 lbs.)	8.4 - 11.5 kg (18.5 - 25.4 lbs.)	7.9 - 11.0 kg (17.4 - 24.3 lbs.)

Standard Equipment: ALL: Floor Nozzle, Straight Pipe, Bent Pipe, Hose, Plastic Dust Bag, Stopper, Multi Hook, Battery, Charger

VC001GL / VC003GL: Plastic Dust Bag x10, Fent Cuff (country-specific) / VC005GL: Paper Dust Bag, 10, Font Cuff (country-specif Telescopic pipe assembly, Long Sash Nozzle

Cordless Vacuum Cleaner DVC155L / DVC865L

**P**.**P** 

Thakita



# **HIGH POWER & LOW NOISE**

#### **Cordless Vacuum Cleaner**

#### DVC155L / DVC865L

NY THIN

	DVC155L	DVC865L
Capacity	Wet / Dry: 15 / 12 L	Wet/Dry:8/6L
Continuous use	w/ BL1860B: 100 min.	w/ BL1860B: 100 min.
Max air flow	at Hose end, at dial 1, w/ ø32 x 1.7 m hose: 1.5 m <sup>3</sup> /min, at Hose end,	at Hose end, at dial 1, w/ø
	at dial 5, w/ ø32 x 1.7 m hose: 2.1 m³/min, at Turbine: 3.4 m³/min	at dial 5, w/ ø32 x 1.7 m h
Max sealed suction	11 kPa	11 kPa
Suction power	105 W	105 W
Vibration level	2.5 m/s <sup>2</sup> or less	2.5 m/s² or less
Sound pressure level	70 dB(A) or less	70 dB(A) or less
Noise K factor	2.5 dB(A)	2.5 dB(A)
Dimensions (L x W x H)	366 x 334 x 421 mm (14-3/8 x 13-1/8 x 16-1/2")	366 x 334 x 368 mm (14-3,
Net weight	7.2 - 7.9 ka (15.9 - 17.4 lbs.)	7.0 - 7.7 kg (15.4 - 17.0 lbs.

naku

Wet & Dry

Wet / Dry: 8 / 6 L w/ BL 1860B: 100 min. at Hose end, at dial 1, w/ ø32 x 1.7 m hose: 1.5 m<sup>3</sup>/min, at Hose end, at dial 5, w/ ø32 x 1.7 m hose: 2.1 m<sup>3</sup>/min, at Turbine: 3.4 m<sup>3</sup>/min 11 kPa 105 W 2.5 m/s<sup>2</sup> or less 70 dB(A) or less 2.5 dB(A) 66 x 334 x 368 mm (14-3/8 x 13-1/8 x 14-1/2") 7.0 - 7.7 kg (15.4 - 17.0 lbs.)

#### Standard Equipment:

Variable Speed

Static Free Hose

Floor nozzle, Long sash nozzle, Telescopic pipe assembly, Bent pipe, Pipe, Hose, Plastic dust bag x10, Filter, Tool box, Battery, Charger



# **IMPROVEMENTS FOR MORE COMFORTABLE BACKPACKING EXPERIENCE**

Max sealed suction

20 kPa

**Continuous run time** on full battery charge

mode: 4 / 3 / 2 / 1 40 / 75 / 130 / 260 min

With two BL4050F batteries







#### **Cordless Backpack Vacuum Cleaner VC011G**

A Electronic 4-Speed

makita

Revolving Hose Static Free Hose

≣D Built-in Job Light

Anti-restart function

Continuous use
Max air flow
Max sealed suction
Suction power
Vibration level
Sound pressure level

Capacity

Paper dust baa: 6.0 L / Cloth dust baa: 5.5 L w/ BL4050F x2, Mode 4: 40 min. / w/ BL4050F x2, Mode 3: 75 min. w/BL4050F x2, Mode 2: 130 min. /w/BL4050F x2, Mode 1: 260 min. Paper dust bag: 6.0 L / Cloth dust bag: 5.5 L 20 kPa Mode 1: 25 W / Mode 2: 55 W / Mode 3: 100 W / Mode 4: 195 W Operation w/o load: 2.5 m/s<sup>2</sup> or less 70 dB(A) or less

Dimensions (L x W x H) w/BL4040 x2: 301 x 185 x 526 mm (11-7/8 x 7-1/4 x 20-3/4 ") Net weight 6.4 - 9.5 kg (14.1 - 20.9 lbs.)

#### **Standard Equipment:**

Hose, Hose band, Dust bag, Switching nozzle, Nozzle (country-specific), Bent pipe with pipe locking mechanism, telescopic pipe with pipe locking mechanism (country-specific), Aluminum telescopic pipe with pipe locking mechanism (country-specific), Long sash nozzle (country-specific), Battery, Charger



HEPA filter re very fine particles effectively Able to capture 99.97% of particles as small as 0.3-1 µm

<u>BL</u>

Powered by 40Vmax XGT Li-lon battery (two in parallel or one)





#### Cordless Backpack Vacuum Cleaner VC008G

**Electronic 4-Speed** 

Revolving Hose

Static Free Hose

■D Built-in Job Light

Continuous use
Max air flow
Max sealed suction
Suction power
Vibration level
Sound pressure lev
D: : // )//

Capacity

Dimensions (L x W x H) Net weight Paper dust bag: 2.0 L / Cloth dust bag: 1.5 L w/ BL4050F, Mode 4: 14 min. / w/ BL4050F, Mode 3: 30 min. w/ BL4050F, Mode 2: 55 min. / w/ BL4050F, Mode 1: 110 min. 2.4 m<sup>3</sup>/min 18 kPa Mode 1: 25 W / Mode 2: 55 W / Mode 3: 100 W / Mode 4: 195 W Operation w/o load: 2.5 m/s<sup>2</sup> or less 72 dB(A)

H) w/o Battery: 233 x 150 x 375 mm (9-1/8 x 5-7/8 x 14-3/4")
 4.1 - 5.3 kg (9.0 - 11.7 lbs.)

# Trakita

#### Standard Equipment:

Switching nozzle, Hose, Hose band, Nozzle, Telescopic pipe assembly, Bent pipe, Long sash nozzle, Filter, Dust bag, Battery, Charger

/el

# Cordless Backpack Vacuum Cleaner DVC660 / DVC665



makita.

HEPA

# HIGH GAPACITY TANK & LOW NOISE STRUCTURE

100

Makita

**Max Sealed Suction** 

11 kPa

Capacity

Continuo

Max air fle

Max seale

Vibration

Sound pr

Dimensio

Net weial

#### Cordless Backpack Vacuum Cleaner

#### DVC660 / DVC665

	DVC660
	Paper dust bag: 6 L / Cloth dust bag: 5.5 L
ous use	w/ BL1860B (Max): 40 min. / w/ BL1860B (High): 75 min.
	w/ BL1860B (Normal): 140 min.
ow	w/ Hose 38-1.5: 2.3 m³/min / w/ Hose 32-1.0: 2.2 m³/min
	w/ Hose 28-1.0: 2 m³/min / w/ Hose 28-1.5: 1.8 m³/min
ed suction	11 kPa
level	Operation w/o load: 2.5 m/s <sup>2</sup> or less
ressure level	70 dB(A) or less
ons (L x W x H)	297 x 174 x 523 mm (11-3/4 x 6-7/8 x 20-5/8")
ht	6.1 - 6.7 kg (13.4 - 14.8 lbs.)

#### DVC665

LXT BL HEPA

Paper dust bag: 6 L / Cloth dust bag: 5.5 L w/ BL1860B (Max): 40 min. / w/ BL1860B (High): 75 min. w/ BL1860B (Normal): 140 min. w/ Hose 28-1.5: 1.8 m<sup>3</sup>/min

(DVC665)

11 kPa Operation w/o load: 2.5 m/s<sup>2</sup> or less 70 dB(A) or less 297 x 174 x 523 mm (11-3/4 x 6-7/8 x 20-5/8") 6.1 - 6.7 kg (13.5 - 14.9 lbs.)

#### Standard Equipment:

Electronic 3-Speed (DVC660)

Variable Speed (DVC665)

ED Built-in Job Light (DVC660)

Revolving Hose

Static Free Hose

Floor nozzle, Hose, Hose band, Nozzle, Telescopic pipe assembly, Bent pipe, Switching nozzle, Free nozzle, Dust bag, Front cuffs (22, 24), Battery, Charger





#### **Cordless Backpack Vacuum Cleaner DVC261**

Electronic 3-Speed

Revolving Hose

Static Free Hose

ED Built-in Job Light

Capacity Continuous use

Max air flow Max sealed suction

Vibration level Sound pressure level Net weight

Paper dust bag: 2.0 L / Cloth dust bag: 1.5 L w/ BL1860B (Max): 40 min. / w/ BL1860B (High): 75 min. w/ BL1860B (Normal): 140 min. w/ Hose 38-1.5: 2.3 m³/min / w/ Hose 32-1.0: 2.2 m³/min w/ Hose 28-1.0: 2.0 m<sup>3</sup>/min / w/ Hose 28-1.5: 1.8 m<sup>3</sup>/min 11 kPa Operation w/o load: 2.5 m/s<sup>2</sup> or less 70 dB(A) or less Dimensions (L x W x H) 230 x 152 x 373 mm (9 x 6 x 14-3/4") 3.8 - 4.5 kg (8.5 - 9.9 lbs.)



#### Standard Equipment:

Floor nozzle, Hose, Hose band, Nozzle, Telescopic pipe assembly, Bent pipe, Switching nozzle, Free nozzle, Dust bag, Front cuffs (22, 24), Battery, Charger





#### **Cordless Upright Cleaner**

VC010G

Electronic 3-Speed

- Revolving Hose
- ■D Built-in Job Light
- Anti-restart function
- Continuous use Cleaning width Max air flow Suction power Max sealed suction Dust pick-up rate Vibration level

Net weight

Capacity

5.0 L (1.3 aal) w/BL4050F, High / Normal / Low noise: 25 / 50 / 100 min. 381 mm (15") 1.8 m³/min High / Normal / Low noise: 110 / 50 / 25 W 15 kPa High / Normal / Low noise: 55 / 45 / 36 % 2.5 m/s<sup>2</sup> or less Dimensions (L x W x H) 326 x 381 x 1,146 mm (12-7/8 x 15 x 45") 8.0 - 9.2 kg (17.6 - 20.3 lbs.)

## **TOOLLESS BRUSHROLL CHANGE** FOR EASY MAINTENANCE



#### **Standard Equipment:**

Long sash nozzle, Round brush, Filter bag, Main filter H set, Filter bag set, Battery, Charger



# Ideal for carpet cleaning

**Max Sealed Suction** 

12 kPa

#### Cordless Upright Cleaner

Electronic 3-Speed

- Revolving Hose
- ED Built-in Job Light

**Standard Equipment:** 

Long sash nozzle, Filter bag, Filter H, Filter bag set, Battery, Charger

- Dust pick-up rate
  - Vibration level Dimensions (L x W x H

Capacity Continuous use

Cleaning width Max air flow

Suction power Max sealed suction

Net weight

**DVC560** 

	Dust Water: 5
	w/BL1860B x2 High / Normal / Low noise: 30 / 60 / 120 min.
	318 mm (12-1/2")
	1.9 m³/min
	High / Normal / Low noise: 85 / 50 / 25 W
	12 kPa
	High / Normal / Low noise: 47 / 44 / 40 %
	2.5 m/s <sup>2</sup> or less
I)	326 x 318 x 1,146 mm (12-7/8 x 12-1/2 x 45")
	8.3 - 9.0 kg (18.3 - 19.8 lbs.)

Thakita

MEPA



<u>LX r</u>

HEPA filter - 80



LXT

HEPA filter

# Maximum cleaning area 600m<sup>2</sup>



#### **Robotic Cleaner**

#### **DRC300**

Constant Speed

Built-in Job Light

Max cleaning area Continuous use (min.) Max registrable mapping area Rotation speed Max running speed Dust box capacity Noise level Dimensions (L x W x H)

Net weight

w/ BL1860B x2: 600 m<sup>2</sup> w/ BL1860B x2: 240 10,000 m<sup>2</sup> Main brush: 1,600 RPM / Side brush: 200 RPM 0.3 m/sec 3.0 L 62 dB(A) 500 x 500 x 204 mm (19-3/4 x 19-3/4 x 8") 9.6 - 10.6 kg (21.2 - 23.4 lbs.)



Standard Equipment:

RF remote controller (including two AAA alkaline batteries), Side brush

## Equipped with LiDAR sensor (2D) and Camera sensor, the cleaner can map and memorize the rooms to clean.

## LiDAR module (LiDAR sensor) Grasping and mapping the two-dimensional shape of rooms with a rotating laser displacement gauge.

Cost

#### Vision camera (Camera sensor)

Grasping the characteristic shape of ceilings and walls, and memorizing them by connecting them with the self-location of the Robotic cleaner to increase mapping precision.



#### Mapping

Equipped with LiDAR sensor (2D) and Camera sensor, the cleaner can map and memorize the rooms to clean. Then, based on the map, the cleaner can track an optimal route for efficient cleaning.



#### **Free cleaning**

In "Free cleaning" mode, cleaning can be started immediately without registering room information



#### **RF** remote controller

Start point button –	-
Location beacon-	



- Action buttons
- Start/stop button
- Sound ON/OFF

¥

.....

makita

- button Vacuum fan
- **ON/OFF** button



Due to Bottom plate and Side brushes removable without tool

Improved repairability



Can be attached/ detached from the top of the machine.

Thaki

Large carry handle




TOT



buzzer/light button Shift button



The area where the coverage rate can be 95% or more within the operating time [with two BL1860B batteries]



Small debri compartment.

Large debris

Power brush picks up large debris into lower

compartment.

Dual compartment structure - one for small debris, the other for large debris - is ideal for commercial use.





# **Makita's Intelligent Robotic Cleaner**

#### **Robotic Cleaner**

#### **DRC200**

Max cleaning area Continuous use Max running speed Dust box capacity Dimensions (L x W x H) Net weight w/ BL1850B x2: 500 m<sup>2</sup> / w/ BL1830B x2: 300 m<sup>2</sup> w/ BL1850B x2: 200 min. / w/ BL1830B x2: 120 min. 0.3 m/sec 2.5 L

460 x 460 x 180 mm (18-1/8 x 18-1/8 x 7-1/8") 7.8 kg (16.1 lbs.)



#### Standard Equipment:

RF remote controller (including two AAA alkaline batteries), Side brush, Boundary tape



# Powered by two 18V Li-ion battery in parallel

[Also able to run with a single battery]

# With BL1850Bx2, able to clean surface area of



"Vacuum plus Power brush" mode for collecting both small and large debris

Long run time About 200<sub>min</sub> Tile carpet: About 170min with BL1850Bx2

#### About 120min

Tile carpet: About 100min with BL1830Bx2 Continuous run time on a single full battery charge

When collecting large debris only, with the vacuum fan off...




Turning the vacuum \*at fan OFF wit

\*about 1000m<sup>2</sup> with BL1850Bx2

Power brush only" mode for collecting large debris only



\*about 300m<sup>2</sup> with BL1830Bx2



\*with a coverage rate of 80%



# Excellent cleaning features useful in commercial applications

# Large side brushes + Large power brush




Side brushes enable to clean alongside walls, around obstacles or tight corners in either of pattern/ random.



ø50mm x 260mm Large power rotating brush

# **Dust box with 2.5L capacity**

Dual compartment structure - one for small debris, the other for large debris - is ideal for commercial use.



Vacuum fan sucks up small debris into upper compartment.

Power brush picks up large debris into lower compartment.



Outstanding in its class, large dust box capacity

Equipped with a highly efficient filter that features the same quality as the filter of Makita vacuum cleaners has.



16

## Cordless Cleaner CL002G / CL003G





#### **Cordless Cleaner**

🕂 Electronic 4-Speed

ED Built-in Job Light

( Anti-restart function

CL002G / CL003G CL002G

Capacity
Continuous use
Max sealed suction
Max air flow

Max air flow Dimensions (L x W x H)

Net weight

Cloth dust bag: 500 mL / Paper dust bag: 330 mL w/ BL4025, Mode 1 / 2 / 3 / 4: 80 / 40 / 25 / 16 min w/ BL4040, Mode 1 / 2 / 3 / 4: 128 / 64 / 40 / 25 min 21 kPa (2,100 mmH<sub>2</sub>O) 1.2 m<sup>3</sup>/min w/o Pipe & Nozzle, w/ BL4020 / BL4025: 505 x 114 x 152 mm (19-7/8 x 4-1/2 x 6") 1.8 - 3.0 kg (4.0 - 6.6 lbs.) CL003G

250mL w/ BL4025, Mode 1 / 2 / 3 / 4:80 / 40 / 25 / 16 min

20 kPa (2,000 mmH₂O) 1.0 m³/min w/o Pipe & Nozzle, w/ BL4020 / BL4025: 545 x 113 x 177 mm (21-1/2 x 4-7/16 x 7") 1.9 - 2.5 kg (4.2 - 5.5 lbs.)

#### Standard Equipment:

CL002G - Floor nozzle, Sash nozzle, Sash nozzle holder, Pipe, High performance dust bag, Paper dust bag (country-specific), Hand strap (country-specific), Cyclone attachment with pipe locking mechanism (country-specific), Straight pipe (country-specific), Battery, Charger

CL003G - Floor nozzle, Sash nozzle holder, Pipe, Battery, Charger, High performance filter (country-specific), Nozzle, Efficient collection filter



Cordless Cleaner CL002G



# Quiet & Powerful vacuuming

#### 4-mode suction power selection with mode memory function

- The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.
- · Power mode can be selected before the cleaner is turned on.
- Selected power mode is indicated by 4 green LEDs.



matila

#### Redesigned Floor/ Carpet T-nozzle

- Redesigned structure reduces the resistance caused by suction, providing smooth running.
- Redesigned inside air flow path reduces the noise made inside the nozzle.





Elle



STRONG SUCTION POWER FOR FAST CLEANING WITH MORE RUN TIME

# **Max Sealed Suction**

18 kPa



#### **Cordless Cleaner**

DCL284F

Capacity

Continuous use Max sealed suction Max air flow Dimensions (L x W x H) Net weight DCL284F 730mL w/ BL1830B, 1 / 2 / 3 / 4: 36 / 20 / 13 / 7 18 kPa (1,836 mmH<sub>2</sub>O) 1.2 m<sup>3</sup>/min 503 x 113 x 153 mm (19-3/4 x 4-7/16 x 6-1/16") 1.6 kg (3.5 lbs.)

#### Single LED job light

also functions as a battery capacity warning lamp.

#### Standard Equipment:

ED Built-in Job Light

DCL180 - Floor nozzle, Sash nozzle, Sash nozzle holder, Pipe, Filter, Prefilter, Battery, Charger

## Cordless Cleaner DCL184





#### **Cordless Cleaner**

#### DCL184

Max sealed suction

Continuous use w/ BL1830B,

Max air flow

Max air velocity

Suction power

Vibration level

Dimensions (L x W x H)

Noise level

Net weight

Electronic 3-Speed

Standard Equipment:

Seat nozzle, Mat nozzle, Rubber nozzle, Soft brush, Blower attachment, Dust bag, Paper dust bag, Shoulder belt, Battery, Charger



5.4 kPa (550 mmH₂O)

1.8 - 2.2 kg (4.0 - 4.9 lbs.)

Blowing: 100 m/s

0.4 m/s<sup>2</sup>

Cleaning: 1.4 m³/min / Blowing: 0.4 m³/min

w/BL1830B/BL1840B/BL1850B/BL1860B:

365 x 138 x 202 mm (14-3/8 x 5-7/16 x 8")

Max / High / Normal: 38 / 23 / 5 W


Max / High / Normal: 20 / 30 / 80 min. Max / High / Normal: 68 / 65 / 58 dB(A)

## Vacuum Cleaner VC3210L / VC2510L

# **Constantly Strong Suction**

# **Automatic self-cleaning filter**

obtained by Triple filter structure composed of: Powder filter + Damper + Prefilter



When the power is switched on, Prefilter collapses into itself to compress Damper, and fits closely over Damper and Powder filter. When the power is switched off, Damper expands back to its original size and shakes off dust from Prefilter automatically with its expanding power.

Wet & Dry

Powder filter

Damper

Prefilter

Allows for: Constantly high suction power Easy filter cleaning simply by tapping dust off of Prefilter Quiet cleaning because Damper and Prefilter make no noise

#### Vacuum Cleaner

#### VC2510L / VC3210L

 Variable Speed

 Revolving Hose

 Static Free Hose

Stainless Tank

Carbon Brush Continuous Rating Input Max sealed suction (water column) Max peak air flow Tank capacity Dimensions (L x W x H) Net weight

Power supply cord

173 1,050W 22.0 kPa (2,240 mmH₂O) 2.0 m³/min Dry: 25 L / Wet: 14 L 432 x 416 x 451 mm (17 x 16-3/8 x 17-3/4") 10.5 kg (23.2 lbs.) 5.0 m (16.4 ft)

#### VC3210L

VIPPI

173 1,050W 22.0 kPa (2,240 mmH<sub>2</sub>O) 2.0 m<sup>3</sup>/min Dry: 32 L / Wet: 27 L 552 x 398 x 685 mm (21-3/4 x 15-5/8 x 27") 14.5 kg (32 lbs.) 5.0 m (16.4 ft)

Standard Equipment:

Hose, Holder, Front cuffs (22, 24, 38), Poly bag set

VC2510L

20 L LARGE DUST BAG GAPACITY ENABLES CONTINUOUS **<u>GLEANING WORK</u>** 

**Max Sealed Suction** 

21.0 kPa

#### Vacuum Cleaner

VC2000L

Static Free Hose

Continuous Rating Input 1,000W Max sealed suction Tank capacity Dimensions (L x W x H) Net weight Power supply cord

21.0 kPa 20 L 390 x 385 x 505 mm 7.5 kg (N/A lbs.) 5 m (16.4 ft)



kin.



# Dust pickup rate

about **90%** 

Suction mode: Standard Brush rotation speed: Standard Value when the side brush is off Floor type: Hard floor Dust type: Cement powder (particle size: approx 10µm) Dust volume: Spreading density: 250 g/m<sup>2</sup> Sweeper travel distance: 700mm



Cleaning width with Side brush



#### **Cordless Vacuum Sweeper**

#### Anti-restart function

- Electronic 2-Speed
- Constant Speed
- Reference Provident Collection
- 🛞 Toolless blade change
- ≣D Built-in Job Light

Cleaning width Dust container capacity Dust collection volume Dust bag capacity (Optional accessory) Continuous use Charging time approx. Charging time (Battery) Charging time (Charger) Sound pressure level Vibration level Vibration K factor Dimensions (L x W x H)

Net weight

V	5(	)(	)1	G	

Main brush: 480 mm (18-7/8") / Side brush: 650 mm (25-1/2") 24 L (6.3 gal) 15.6 L (4.1 gal) 47 L (12.4 gal) 47 L (12.4 gal) Quiet: 290, 480 min./ Standard: 120, 200 min. 50, 76 min BL4050F x2, BL4080F x2 DC40RB 70 dB(A) or less 2.5 m/s<sup>2</sup> or less 1.5 m/s<sup>2</sup> w/Handle in upright position: 830 x 677 x 1,146 mm (32-3/4 x 26-3/4 x 45") 29.9 - 33.1 kg (65.9 - 73.0 lbs.)

makita






#### Accessories - VC006GM







25

## Cordless Backpack Vacuum Cleaner - VC011G Cordless Upright Cleaner - DVC560





## Cordless Backpack Vacuum Cleaner - VC008G Robotic Cleaner - DRC300








HEPA filter

27


## Cordless Backpack Vacuum Cleaner DVC660 / DVC665







Accessories - DVC261





Filter set assembly HEPA filter

166116-2

123636-9

Part No.

197903-8




## Cordless Cleaner - CL002G / DCL180 Cordless Backpack Vacuum Cleaner - DVC665





## Cordless Cleaner - CL003G Cordless Upright Cleaner - VC010G





Accessories -VC010G				
Long sash nozzle set	Round brush set			
Part No. 191D65-8	Part No. 191D67-4			










Main filter H set Part No. 191E39-5 HEPA Filter bag set Part No. 191T96-3 10pcs. set Dust bag set Part No. 191Y86-6 5L /1pcs. set





## Cordless Cleaner - DCL284F Cordless Vacuum Sweeper - VS001G









## Vacuum Cleaner Series







Marketed By:

# Tnakita H.O.: Makita Power Tools India Pvt. Ltd.

Unit II Sy. Nos. 93/3 & 93/4, Koralur village, Kasaba Hobli, Hoskote Taluk, Bengaluru - 560067 Email: info@makita.in Website: www.makita.in

#### Makita Service Centre:

Gujarat Ahmedabad: +91-96563-49664 Vadodara: +91-82383-57480

Madhya Pradesh Indore: +91-73135-93608

#### **Jharkhand**

Jamshedpur: +91-657-2383024

**Tamil Nadu** Chennai: +91-44-2479-2522 Coimbatore: +91-98400-17796

#### Karnataka

Bengaluru: +91-08-2222-8200 Peenya: +91-89518-59831

Uttarakhand

Rudrapur: +91-70425-97756

#### West Bengal

Cochin: +91-859

Kerala

kolkata: +91-85850-72679 +91-33-2439-1030 / 60

48

92

<u>Assam</u>	<u>Delhi</u>
Guwahati: +91-36-1351-4572	New Delhi: +91-11-28341102
	+91-93192-90771

	<u>Maharashtra</u>			
904-32003	Mumbai:	+91-96633-100		
		+91-22-4974-40		
	Pune:	+91-63648-987		
		+91-63648-987		

Makita	Sorvio	o Cont