

Accessories



Filter complete, Pre filter and Damper



Charging Time

	Fast Charging	DC40RA	DC40RC
*1 BL4020 2.0Ah		22 min	30 min
*1 BL4025 2.5Ah		28 min	38 min
*1 BL4040/F 4.0Ah		45 min	67 min
*1 BL4050F 5.0Ah		50 min	85 min
*1 BL4080F 8.0Ah		76 min	170 min

*1 Recommended battery

Cordless Vacuum Cleaner

VC013GL / VC014GL

Variable Speed	Suction power	25 - 165 W
Anti-restart function	Max sealed suction	4.5 - 15 kPa
	Air volume	1.0 - 2.0 m³/min
	Capacity	Dust / Water: 7.5 / 4.5 L
	Continuous use	22 - 120 min.
	(Battery)	BL4050F
	Vibration level (EN60335-2-69)	2.5 m/s² or less
	Vibration K factor (EN60335-2-69)	1.5 m/s²
	Sound power level (EN60335-2-69)	75 dB(A)
	Noise K factor (EN60335-2-69)	2.5 dB(A)
	Dimensions (L x W x H)	400 x 251 x 282 mm (15-3/4 x 9-7/8 x 11-1/8")
	Net weight	5.0 - 6.2 kg (11.0 - 13.7 lbs.)
	(Battery)	BL4020 - BL4080F
	(Attachment)	Supplied hose and nozzle

Standard Equipment : Hose complete, Wide nozzle, Sash nozzle, Shoulder belt, Damper (VC013GL), Prefilter, Filter bag (VC013GL), Wireless unit set (VC013GL), Paper filter set, Wet filter, Battery, Charger

The weight includes accessories (Hose, Wide nozzle, Sash nozzle) and battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table.

Items of standard equipment and specifications may vary by country or area.



High-power vacuuming
and Low noise level

Max
sealed suction *1
15 *3 kPa
Hose size: ø28mm x 2m

Air flow
volume *1
2.0 *3 m³/min
Hose size: ø28mm x 2m

Noise level *2
75 *3 dB(A)
Hose size: ø28mm x 2m



VC013GL

Cleaning with the wireless activation function



VC014GL

General cleaning

*1 Measured with a hose, according to JISC9108

*2 According to EN60335-2-69

*3 Maximum suction power with the suction force adjusting knob

Powerful vacuuming for faster, more efficient cleaning

Suction power capable of lifting three 500ml bottles



Powered by 40Vmax
XGT Li-Ion battery




High-power vacuuming

High power achieved by increased motor size and rotation speed from the predecessor model



Low noise level

Low noise levels have been achieved by supporting the motor assembly with rubber components to suppress vibrations.



*1 Measured with a hose, according to JISC9108 *2 According to EN60335-2-69 *3 Maximum suction power with the suction force adjusting knob

Compact, portable and easy-to-use



Variable suction power control
The suction power can be adjusted steplessly to suit the task or application.

- Main power switch
- Battery fuel gauge
- Suction force adjusting knob



Blower function
Blower cleaning is possible by connecting the hose to the blower outlet.



Tank capacity

Dry	Wet
7.5 L	4.5 L

Continuous run time (approx.) on a full battery charge

Maximum	Minimum
22 - 120 min.	

[Battery: BL4050F]

XPT
IPX4-compatibility



Cleaning with the wireless activation function VC013GL



General cleaning VC014GL



Flexible hose
ø28mm x 0.4 - 2m



Automatic filter cleaning mechanism

When Damper and Prefilter are attached



Flexible hose
ø28mm x 0.4 - 2m



HEPA filter

Wet filter (Wet only)



Use the wet filter when picking up water repeatedly.

Improved usability during dust disposal

A dust collection bag can be attached inside the tank to suppress the spread of dust and particles during dust disposal.

Easy disposal



Filter bag

Paper filter bag

Filter bag (made of non-woven fabric)
Effectively captures fine dust particles. Suitable for cleaning with the wireless activation function.

Paper filter bag
Catches fine debris like dust and hair.



Equipped with a shutter to reduce dust spreading when disposing of the bag.

Dust stopper
When you do not use a paper pack/filter bag, place the dust stopper in storage position on the head unit.

