



Satisfy Professional's Needs

CLEANING SOLUTIONS

Industrial Wet & Dry Vacuum Cleaners – 2026



PROFESSIONAL CLEANING SOLUTIONS

www.makita.in

ABOUT MAKITA

MAKITA INDIA POWER TOOLS

Since 1915, Makita has been a global leader in professional Power Tools & Accessories. Built with Japanese engineering excellence, Makita tools are designed to perform in the world's toughest conditions.

111+

YEARS OF INNVATION



**Japanese
Engineering excellence**



**4 Distribution &
Service Centre**



**11 Factory
Service centre(FSC)**

**A CENTURY OF TRUST.
A LEGACY OF PERFORMANCE.**



INDEX

	Batteries & Chargers Chart	04
	XGT & LXT Tools Chart	06
	Icon chart	07
	Cordless Vacuum Cleaners	08
	Cordless Backpack Vacuum Cleaner	10
	Cordless Stick Vacuum Cleaner	11
	Robotic Cleaner	12
	Cordless Upright Cleaner	13
	Electric Vacuum Cleaners	14
	Cordless Polisher Scrubber	15
	Battery Powered Backpack Blower	16
	Cordless Blower	17
	Cordless Dust Blower	19
	Cordless High Pressure Washer	19
	Electric High Pressure Washer	20
	Filters & Features	21
	Comparison List	22
	Cleaning Accessories	23

Li-ion BATTERY & CHARGING TIME

REFERENCE COMPATIBILITY CHART



		Fast Charging DC40RA  DC40RB Charges two XGT batteries simultaneously 		DC40RC 	
Batteries 		The practical charging time	Full battery Charge	The practical charging time	Full battery Charge
	BL4080H 8.0Ah (Tab-less)	60 min.	76 min.	130 min.	170 min.
	BL4080F 8.0Ah	60 min.	76 min.	130 min.	170 min.
	BL4050F 5.0Ah	38 min.	50 min.	65 min.	85 min.
	BL4040F 4.0Ah (Tab-less)	31 min.	45 min.	52 min.	67 min.
	BL4040 4.0Ah	31 min.	45 min.	52 min.	67 min.
	BL4025 2.5Ah	19 min.	28 min.	27 min.	38 min.
	BL4020 2.0Ah	15 min.	22 min.	22 min.	30 min.

18V LITHIUM-ION		Fast Charging DC18RC DC18RD*	DC18SD DC18SH*	DC18WC
Batteries		Full battery Charge		
BL1860B 6.0Ah	55min.	130min.	160min.	
BL1850B 5.0Ah	45min.	110min.	135min.	
BL1840B 4.0Ah	36min.	90min.	110min.	
BL1830B 3.0Ah	22min.	60min.	80min.	
BL1820B 2.0Ah	24min.	45min.	55min.	
BL1815N 1.5Ah	15min.	30min.	40min.	

12V^{max} LITHIUM-ION		Fast Charging DC10SB DC18RE*2	DC10WD
Batteries		Full battery Charge	
BL1050B 5.0Ah	76min.	160min.	
BL1041B 4.0Ah	60min.	130min.	
BL1021B 2.0Ah	30min.	70min.	
BL1016 1.5Ah	22min.	50min.	

40V^{max} Lithium-ion 18V x2 Lithium-ion	DC4001
Batteries	Full battery Charge
PDC1200 33.5Ah	360min.
PDC1500 43.55Ah	450min.

64V^{max} LITHIUM-ION	DC64WA
Batteries	Full battery Charge
BL64100 10.0Ah	300min.
BL6440 4.0Ah	120min.

10.8V & 7.2V Lithium-ion		DC10WA
Batteries		Full battery Charge
BL1015K 1.5Ah	55min.	
BL0715 1.5Ah	35min.	

XGT 40V^{Li-ION} max

High Power
Durability
Digital
Communication



18V LITHIUM-ION



LXT

Expand Your Lithium Line Up

ICON CHART

Cleaning



-  Double Insulation
-  Variable Speed
-  Reversing
-  Anti-restart function
-  Electronic 2-Speed
-  Electronic 3-Speed
-  Electronic 4-Speed
-  Constant Speed
-  Soft Start
-  Stainless Tank
-  Revolving Hose
-  Static Free Hose
-  Dust Collection
-  Toolless blade change
-  Built-in Job Light
-  Carrying Case

CANISTER VACUUMS

XGT / LXT / AC



VC006GM - Cordless Vacuum Cleaner

40V max x2

40Vmax X2 (80Vmax) XGT Brushless Motor AWS Cordless 40L Dust Class M GYUPPA Vacuum Cleaner (Wet & Dry)

- » Dust Class M approved with Low airflow Warning Buzzer for Safety.
- » Equipped with Water Level Sensor.
- » Variable Suction Control with Low - Noise, Anti - Vibration Performance.
- » Automatic Twin - Filter Self - Cleaning ensures consistent Suction Performance.

Battery Voltage	40V X2 (80v Max)
Suction power	350 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	18 kPa
Tank Capacity	Dry / Wet: 40 / 30 L
Net Weight	18.4 - 20.8 kg



XGT **BL** **AWS** **XPT** **GYUPPA**

Standard Equipment:

VC006GMZ03: Filter bag 1910Y4-9(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Hose complete 38-2.5 195434-1(1), Front cuff 24 195546-0(1), Nozzle assembly 199455-5(1), Corner nozzle 410306-2(1), Joint 22-38 418165-8(1), Stopper 451350-0(1).

VC001GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 8L Dust Class L Vacuum Cleaner (Wet & Dry)

- » 8L Large Tank Capacity Enables Continuous Cleaning Work.
- » IPX4-rated Water - Resistance.
- » Automatically Switches to the Second Battery when the First Battery Runs Out.
- » Extreme Protection Technology (XPT) enhances Bust & water resistance for tough job site conditions.

Battery Voltage	40Vmax
Suction power	310 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry / Wet: 8 / 6 L
Net Weight	8.1 - 11.2 kg



XGT **BL** **XPT**

Standard Equipment:

VC001GLZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Nozzle assembly 191G86-8(1), Poly bag 195432-5(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

VC002GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor AWS Cordless 8L Dust Class L GYUPPA Vacuum Cleaner (Dry Only)

- » Carry handle for Easy Transport.
- » 8L large Tank Capacity enables Continuous Cleaning Work.
- » GYUPPA Automatic Self - Cleaning Filter of our Unique Design allows for Constantly High Suction Power.

Battery Voltage	40Vmax
Suction power	205 W
Dust Type	Dry Only
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry : 8 L
Net Weight	8.3 - 11.4 kg



XGT **BL** **AWS** **XPT** **GYUPPA**

Standard Equipment:

VC002GLZ: Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Front cuff 24 195546-0(1), Front cuff 22 195547-8(1), Nozzle assembly 199455-5(1), Corner nozzle 410306-2(1), Stopper 451350-0(1).

VC003GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 15L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard.
- » 15L large tank capacity enables continuous cleaning work.
- » Automatically switches to the second battery when the first battery runs out.
- » Large bumper protects wall and furniture surfaces from scratches/damages.

Battery Voltage	40Vmax
Suction power	310 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry / Wet: 15 / 12 L
Net Weight	8.4 - 11.5 kg



XGT **BL** **XPT**

Standard Equipment:

VC003GLZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Nozzle assembly 191G86-8(1), Poly bag 195432-5(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

VC004GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor AWS Cordless 15L Dust Class L GYUPPA Vacuum Cleaner (Dry Only)

- » The same high power as corded vacuum cleaners.
- » Dual 40Vmax batteries for longer runtime and high suction power.
- » Variable suction control with low-noise, anti-vibration Performance.
- » IPX4-rated and XPT-protected for durability in harsh.

Battery Voltage	40Vmax
Suction power	205 W
Dust Type	Dry Only
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry : 15 L
Net Weight	8.6 - 11.7 kg



XGT **BL** **AWS** **XPT** **GYUPPA**

Standard Equipment:

VC004GLZ: Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Front cuff 24 195546-0(1), Front cuff 22 195547-8(1), Nozzle assembly 199455-5(1), Corner nozzle 410306-2(1), Stopper 451350-0(1).

VC005GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 8L Dust Class L Vacuum Cleaner (Dry Only)

- » Extreme Protection Technology (XPT) enhances dust and water resistance for tough job site conditions.
- » IPX4-rated water-resistance.
- » Automatically switches to the second battery when the first battery runs out.

Battery Voltage	40Vmax X2
Suction Power	265w
Dust Type	Dry Only
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry : 8
Net Weight	7.9 - 11.0 kg



Standard Equipment:

VC005GLZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Nozzle assembly set 191G86-8(1), Poly bag 195432-5(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).



VC013GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor AWS Cordless 7.5 L Dust Class L Portable Vacuum Cleaner (Wet & Dry)

- » Two tools in one quickly converts from vacuum to blower for enhanced versatility
- » Variable suction power control to suit different tasks and applications.
- » Provides a runtime of up to 120 minutes with a BL4050F battery.
- » Compatible with both wet and dry dust types.

Battery Voltage	40Vmax
Suction power	25 - 165 W
Dust type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	4.5 - 15 kPa
Tank Capacity	Dry / Wet: 7.5 / 4.5 L
Net Weight	5.0 - 6.2 kg



Standard Equipment:

VC013GLZ: Hose complete 140G04-3(1), Shoulder belt 199486-4(1), Wide nozzle 458891-7(1).

VC014GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 7.5 L Dust Class L Portable Vacuum Cleaner (Wet & Dry)

- » High water-resistance compatible with XPT
- » Variable suction power control to suit different tasks and applications
- » Provides a runtime of up to 120 minutes with a BL4050F battery
- » Compatible with both wet and dry dust types

Battery Voltage	40Vmax
Suction power	25 - 165 W
Dust type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	4.5 - 15 kPa
Tank Capacity	Dry / Wet: 7.5 / 4.5 L
Net Weight	5.0 - 6.2 kg



Standard Equipment:

VC014GLZ: Hose complete 140G04-3(1), Wet filter 1915T4-4(1), Paper dust bag 1915W5-3(1), Shoulder belt 199486-4(1), Wide nozzle 458891-7(1).

DVC155L - Cordless Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 15 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard.
- » 15L Large dust bag capacity enables continuous cleaning work.
- » Flat top design for space saving in storage.
- » Large bumper protects wall and furniture surfaces from scratches/damages.

Battery Voltage	18x2 (36V)
Suction power	105 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	11 kPa
Tank Capacity	Dry / Wet: 15 / 12 L
Net Weight	7.2 - 7.9 kg



Standard Equipment:

DVC155LZX3: Tool box assembly 127607-8(1), Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Poly bag 195432-5(1), Nozzle assembly 198183-9(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

DVC865L - Cordless Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 8 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Flat top design for space saving in storage.
- » Variable suction power control by dial.
- » 8L Large dust bag capacity enables continuous cleaning work.
- » Thinner and rotatable floor nozzle for increased maneuverability.

Battery Voltage	18x2 (36V)
Suction power	105 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	11 kPa
Tank Capacity	Dry / Wet: 8 / 6 L
Net Weight	7.0 - 7.7 kg



Standard Equipment:

DVC865LZX3: Tool box assembly 127606-0(1), Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Poly bag 195432-5(1), Nozzle assembly 198183-9(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

DVC862L - Cordless Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 8 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Delivers up to 40 min of run time using BL1850B.
- » 8L large tank capacity enables continuous cleaning work.
- » Large bumper protects wall and furniture surfaces from scratches/damages.
- » Variable suction power control by dial.

Battery Voltage	18x2 (36V)
Suction power	90 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	9.8 kPa
Tank Capacity	Dry / Wet: 8 / 6 L
Net Weight	7 - 7.6 kg



36V LXT BL MOTOR XPT

Standard Equipment:

DVC862LRT2: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 38-2.5 195434-1(1), Corner nozzle 410306-2(1), Stopper 451350-0(1), Tool box 455732-8(1), Battery BL1850B 198013-4(2), FAST CHARGER DC18RC(1).

DVC862LZ: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 38-2.5 195434-1(1), Corner nozzle 410306-2(1), Stopper 451350-0(1), Tool box 455732-8(1).



BACKPACK VACUUMS

XGT / LXT



VC011G - Cordless Backpack Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless Backpack Vacuum Cleaner

- » Delivers up to 260 min of run time using two BL4050F batteries with Mode 1.
- » 2.4 m³/min of Max air flow volume and 20 kPa of Max sealed suction.
- » Makita Filter is used as the main filter to capture very fine particles effectively.
- » 6 L extra-large dust bag capacity enables continuous cleaning work.

Battery Voltage	40Vmax
Suction power	195 W
Max Air flow	2.4 m ³ /min
Noise K factor	2.5 dB(A)
Max Sealed Suction	20 kPa
Tank Capacity	Paper/Cloth : 6/5.5 L
Net Weight	6.4 - 9.5 kg



XGT BL MOTOR

Standard Equipment:

VC011GZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Hose band 166116-2(1), Filter bag 191C26-2(1), Dust bag 191C30-1(1), Nozzle assembly 191G86-8(1), Long corner nozzle 198919-6(1), Hose complete 32-1.0 199453-9(1).

VC008G - Cordless Backpack Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless Backpack Vacuum Cleaner

- » LED job light convenient for operation in dark job sites.
- » Comfortable backpack harness for reduced heat built-up.
- » Optional washable shoulder and back pad.
- » 2L large dust bag capacity (with disposable paper dust bag).

Battery Voltage	40Vmax
Suction power	195 W
Max Air flow	2.4 m ³ /min
Noise K factor	2.5 dB(A)
Max Sealed Suction	18 kPa
Tank Capacity	Paper/Cloth : 2/1.5 L
Net Weight	4.1 - 5.3 kg



XGT BL MOTOR

Standard Equipment:

VC008GZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Hose band 166116-2(1), Nozzle assembly 191G86-8(1), Dust bag assembly 197898-5(1), Filter bag 197903-8(1), Long corner nozzle 198919-6(1), Hose complete 32-1.0 199453-9(1).

DVC660 - Cordless Backpack Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless Backpack Vacuum Cleaner

- » Increased suction power for improved dust collection.
- » Delivers up to 140 min of run time using BL1860B on normal setting.
- » 6 L extra-large dust bag capacity enables continuous cleaning work.
- » Makita Filter is used as the main filter to capture very fine particles effectively.

Battery Voltage	18x2 (36V)
Suction power	Max : 95 W
Dust Type	Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	11 kPa
Tank Capacity	Paper/Cloth : 6/5.5L
Net Weight	6.1 - 6.7 kg



36V LXT BL MOTOR XPT

Standard Equipment:

DVC660Z: Nozzle assembly 127082-8(1), Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Hose band 166116-2(1), Filter bag 191C26-2(1), Nozzle 197901-2(1), Hose complete 32-1.0 199453-9(1).

CORDLESS STICK VACUUM CLEANERS



DVC261 - Cordless Backpack Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Backpack Vacuum Cleaner

- » BL motor allows 2.3 m³/min of Max air flow / 11 kPa of Max sealed suction / 105 of Suction power & long run time to go together.
- » Two 18V LXT Li-Ion batteries deliver the power & run time for corded demands without leaving the 18V LXT platform.
- » Includes floor and sash nozzles for a variety of application.
- » High-speed BL motor optimal for cordless handy cleaner.

Battery Voltage	18x2 (36V)
Dust Type	Dry
Max Sealed Suction	11 kPa
Noise K factor	2.5 dB(A)
Capacity	Paper/Cloth: 2.0/1.5 L
Suction power	Max: 105 W
Net Weight	3.8 - 4.5 kg



Standard Equipment:

DVC261Z: Nozzle assembly 123486-2(1), Telescopic pipe assembly 123584-2(1), Bent pipe assembly 126756-8(1), Hose complete 28-1.0 143787-2(1), Hose band 166116-2(1), Nozzle 197901-2(1), Filter bag 197903-8(1).

DVC261ZX2: Nozzle assembly 123486-2(1), Telescopic pipe assembly 123584-2(1), Bent pipe assembly 126756-8(1), Hose complete 28-1.0 143787-2(1), Hose band 166116-2(1), Dust bag assembly 197899-3(1), Nozzle 197901-2(1), Filter bag 197903-8(1).

DVC665 - Cordless Backpack Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor AWS Cordless Backpack Vacuum Cleaner

- » BL motor allows 1.8 m³/min of Max air flow / 11 kPa of Max sealed suction and long run time to go together.
- » Makita Filter is used as the main filter to capture very fine particles effectively.
- » Delivers up to 140 min of run time using BL1860B on normal setting.
- » 6 L Extra - Large Dust bag capacity enables continuous cleaning work.

Battery Voltage	18x2 (36V)
Dust Type	Dry
Max Sealed Suction	11 kPa
Noise K factor	2.5 dB(A)
Tank Capacity	Paper/Cloth : 6/5.5 L
Suction power	85 W
Net Weight	6.1 - 6.7 kg



Standard Equipment:

DVC665Z: Hose complete 28-1.5 152992-0(1), Hose band 166116-2(1), Filter bag 191C26-2(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1).

*For power tools

STICK VACUUMS

XGT / LXT



CL002G - Cordless Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 4-Speed Cleaner with LED Light

- » Increased 125 W suction power achieved by using 40Vmax XGT battery.
- » BL motor is electronically controlled to optimize battery energy use for longer.
- » Ergonomic soft grip handle provides increased comfort.
- » Equipped with paper disposable dust bag as well as cloth dust bag.

Battery Voltage	40Vmax
Max Air flow	1.2 m ³ /min
Max Sealed Suction	21 kPa (2,100 mmH ₂ O)
Noise level	65dB(A)
Capacity	Cloth/Paper : 500/330 mL
Dust collecting type	Paper dust bag
Net Weight	1.8 - 3.0 kg



Standard Equipment:

CL002GD201: Nozzle assembly 1918V7-0(1), Paper dust bag 198745-3(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1), Battery BL4025 191B41-0(2), Fast Charger DC40RA(1).

CL002GZ01: Nozzle assembly 1918V7-0(1), Paper dust bag 198745-3(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1).

CL003G - Cordless Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 4-Speed Cleaner with LED Light

- » High-speed BL motor optimal for cordless handy cleaner.
- » 100W suction power achieved by using the same high speed BL motor as used for CL001G.
- » Cyclonic system separates large dust particles from fine dust particles so that only fine dust particles are captured on the filter for reduced clogging.

Battery Voltage	40Vmax
Suction power	100 W
Max Air flow	1.0 m ³ /min
Noise level	65dB(A)
Max Sealed Suction	20 kPa
Capacity	250 mL
Net Weight	1.9 - 2.5 kg



Standard Equipment:

CL003GD201: Nozzle assembly 1918V7-0(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1), Battery BL4025 191B41-0(2), Fast Charger DC40RA(1).

CL003GZ: Nozzle assembly 1918V7-0(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1).

CORDLESS STICK VACUUM CLEANERS



CL004G - Cordless Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 4-Speed Cleaner with LED Light, Cyclone System, Electric Rotary Brush

- » 4-mode suction power selection with a mode memory function.
- » A high-speed brushless motor optimized for cordless cleaner.
- » The ergonomic soft grip handle provides increased comfort.
- » Sash nozzle for cleaning corners and crevices.

Battery Voltage	40Vmax
Max Air flow	1.0 m ³ /min
Max Sealed Suction	20 kPa
Noise level	66dB(A)
Dust capacity	250 mL
Dust collecting type	Cyclone type
Net Weight	1.6 - 2.2 kg



Standard Equipment:

CL004GD101 : Pipe assembly 1915P4-6(1), Nozzle assembly 1915P8-8(1), Battery BL4025 91B41-0(1), Fast Charger DC40RA(1).

CL004GZ : Pipe assembly 1915P4-6(1), Nozzle assembly 1915P8-8(1).

DCL180 - Cordless Cleaner

18V

18V LXT Li-Ion Cordless Cleaner

- » Strong suction power for fast cleaning with more run time.
- » Up to 20 min. of continuous use from a single fully charged BL1830B.
- » Compact and ergonomic design at only 999 mm long.
- » Sash nozzle for cleaning corners and crevices of a car or furniture.

Battery Voltage	18V LXT
Suction power	30 W
Max Sealed Suction	4.2 kPa
Noise level	71 dB
Max air flow	1.4 m ³ /min
Continuous use	w/ BL1830B: 20 min
Net Weight	1.2 kg



Standard Equipment:

DCL180FRFW : Nozzle assembly 123486-2(1), Battery BL1830B 197605-6(1), Sash nozzle 413770-6(1), Pipe 451241-5(1), Sash nozzle holder 451242-3(1), Fast Charger DC18RC(1).

DCL180FRW : Nozzle assembly 123486-2(1), Battery BL1830B 197605-6(1), Sash nozzle 413770-6(1), Pipe 451241-5(1), Sash nozzle holder 451242-3(1), Fast Charger DC18RC(1).

ROBOTIC VACUUM

LXT




DCL284F - Cordless Cleaner

18V

18V LXT Brushless Motor Cordless 4-Speed Cleaner with LED Light

- » High power and low noise have been achieved by using the same structure as CL001G series.
- » High-speed BL motor optimal for cordless handy cleaner.
- » Ergonomic soft grip handle provides increased comfort.
- » Convenient on-board sash nozzle storage.

Battery Voltage	18V LXT
Suction power	125 W
Max Sealed Suction	18 kPa
Noise level	65dB(A)
Capacity	730 mL
Vibration level	0.1 m/s ²
Net Weight	1.3 - 1.6 kg



Standard Equipment:

DCL284FZ : Nozzle assembly 1918V7-0(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1).

DCL284FRF : Nozzle assembly 1918V7-0(1), Battery BL1830B 197605-6(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1), Fast Charger DC18RC(1).

DCL284FRFB : Nozzle assembly 1918V8-8(1), Battery BL1830B 197605-6(1), Sash nozzle 413809-5(1), Pipe 458942-6(1), Nozzle holder 459038-6(1), Fast Charger DC18RC(1), (Black Color).

DCL284FRFW : Nozzle assembly 1918V6-2(1), Battery BL1830B 197605-6(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1), Fast Charger DC18RC(1), (Snow White).

DCL284FZW : Nozzle assembly 1918V6-2(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1).

CL200FD - Cordless Cleaner

12V max

12Vmax CXT Li-Ion Cordless 3-Speed Cleaner with LED Light

- » Low noise: Built-in small fan minimizes wind noise.
- » Sound-absorbing sponge around the motor ensures low-noise performance.
- » High speed brushless motor for reduced weight & improved suction performance.
- » Sash nozzle for cleaning corners and crevices of a car or furniture.

Battery Voltage	12Vmax
Max sealed suction	14 kPa
Noise level	63 dB(A)
Continuous use	6-20 min (BL1016)
Sound pressure level	EN50636-2-100: 80.9 dB(A)
Net Weight	1.1 kg



Standard Equipment:

CL200FDZ : Nozzle assembly 1918V6-2(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1).

CL200FDSA : Nozzle assembly 127825-8(1), Battery BL1021B 198008-7(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1), Battery Charger DC105B(1).

DRC300 - Robotic Cleaner

18V

18V LXT Brushless Motor Robotic Cleaner

- » Robotic cleaner automatically returns to starting point by mapping function.
- » Two running modes: Mapping mode and Free mode.
- » Connectable to a smartphone for smart cleaning.
- » Boundary-sensing feature using Magnet tape and cleaning range setting on app.

Battery Voltage	18V LXT
Rotation speed	Main brush: 1,600 RPM Side brush: 200 RPM
Dust box capacity	3.0L
Max registrable mapping area	10,000 m ²
Max cleaning area	w/BL1860B x2: 600 m ²
Noise level	62 dB(A)
Net Weight	9.6 - 10.6 kg



Standard Equipment:

DRC300Z : Side brush assembly 191P28-6(1).

DRC200 - Robotic Cleaner

18V

18 V LXT Brushless Motor Robotic Cleaner

- » 3-suction power mode selection push button with mode memory function.
- » On-Timer allows for automatic cleaning at night in a deserted office, warehouse, etc.
- » Delivers up to 100 min of run time using BL4050F battery in the Low noise mode.
- » 2.5 L Large dust bag capacity enables continuous cleaning work.

Battery Voltage	18V LXT
Max running speed	0.3 m/sec
Dust box capacity	2.5 L
Max cleaning area	w/ BL1850B x2: 500 m ²
	w/ BL1830B x2: 300 m ²
Net Weight	7.8 kg



UPRIGHT VACUUMS

XGT / LXT



VC010G - Cordless Upright Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 5 L Upright Cleaner

- » 3-suction power mode selection push button with mode memory function.
- » Main body able to tilt up to 90 degrees enables to clean in tight spaces under furniture, sofa, bed and more.
- » Delivers up to 100 min of run time using BL4050F battery in the Low noise mode.
- » 5 L Large dust bag capacity enables continuous cleaning work.

Battery Voltage	40Vmax
Suction power	110 W
Max Air flow	1.8 m ³ /min
Noise K factor	2.5 dB(A)
Max Sealed Suction	15 kPa
Tank Capacity	5.0 L
Net Weight	8.0 - 9.2 kg



Standard Equipment:

VC010GZ: Long sash nozzle 191D65-8(1), Round brush 191D67-4(1), Filter bag 191T96-3(1).

DVC560 - Cordless Upright Cleaner

18V x2

18V X2 (36V) LXT BL Brushless Cordless 5 L Upright Cleaner

- » Two different BL Motors, One for Vacuuming Dust & the other for Rotating Brush roll.
- » One-touch 3-suction mode selection switch with mode memory function
- » 4-stage brush roll height adjustment.
- » 5L Large dust bag capacity enables continuous cleaning work. Front bumper protects wall and furniture surfaces from scratches/damages.

Battery Voltage	18x2 (36V)
Suction power	85 W
Max Sealed Suction	12 kPa
Noise K factor	2.5 dB(A)
Capacity	Dust: 5 L
Net Weight	9.0 kg



Standard Equipment:

DVC560Z: Long sash nozzle 191D65-8(1), Round brush 191D67-4(1).



ELECTRIC VACUUM CLEANERS

VC4210L - Vacuum Cleaner

34 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard
- » For both Wet and Dry Vacuum
- » High performance; 1,200 W motor and high airflow for heavy debris
- » PTFE (Upstream main filter) Flat filter protects the turbine by holding back fine Dust & Debris

Continuous Rating Input	1,200W
Dust Type	Wet & Dry
Max Sealed Suction Tank	25.0 kPa
Sound level	60 dB(A)
Capacity	Dry / Wet: 34/30 L
Power supply cord	7.5 m (24.6 ft)
Net Weight	16 kg



Standard Equipment:

VC4210L: Adaptor 35/38 P-70421(1), Tool Adaptor 22 Regulation W107418678(1).

VC2510L - Vacuum Cleaner

25 L Dust Class L GYUPPA Vacuum Cleaner (Wet & Dry)

- » Powerful 1,050 W motor generates 3.5 m³/min of Max air flow / 22 kPa of Max sealed suction.
- » Variable suction power control by Dial.
- » Approved for Dust Class L in accordance with the EU Standard.
- » Best suitable for working with power tools.

Continuous rating input	1,050W
Dust Type	Wet & Dry
Max Sealed Suction	22.0 kPa
Noise	73db
Tank Capacity	Dry/Wet : 25/14 L
Power supply cord	5.0 m (16.40 ft)
Net Weight	10.5 kg



Standard Equipment:

VC2510LX1: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Cleaning 195439-1(1), Poly bag 195440-6(1), Corner nozzle 410306-2(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Stopper 451350-0(1), Holder 10-33 417764-3(4).

VC2510L: Hose complete 28-3.5 195433-3(1), Poly bag 195440-6(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Holder 10-33 417764-3(4).

VC2512L - Vacuum Cleaner

21 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard.
- » Push & Clean semi - automatic filter cleaning system for extended operating time and filter life.
- » Washable PET fleece filter for use with dry or wet material.

Continuous Rating Input	1,000W
Max sealed suction	3.6 m ³ /min
Max peak air flow	21.0 kPa
Sound level	72 dB(A)
Tank capacity	Dry: 21 L / Wet: 18 L
Power supply cord	5 m (16.4 ft)
Net weight	7 kg



Standard Equipment:

VC2512L: Disposal Bag P-70297(1), Filter Bag P-72899(1), Suction Tube 35X520MM 2PCS. P-72942(1), Suction Hose D32X3500 W/Tube P-81739(1), Tool Adapter With Regulation P-81745(1), Floor Nozzle 36X260MM W107402706(1), Tube Holder Kit W107409979(1), Tool adaptor 22 Quick W107418661(1), Tool Adaptor 38 VC2012-3011L W107418680(1), Nozzle Universal W142950000(1), Crevice Nozzle W295410000(1).

VC3210L - Vacuum Cleaner

32 L Dust Class L GYUPPA Vacuum Cleaner (Wet & Dry)

- » 32L Large dust bag capacity enables continuous cleaning work.
- » Powerful 1,050 W motor generates 3.5 m³/min of Max air flow / 22 kPa of Max sealed suction.
- » Large bumper protects wall and furniture surfaces from scratches/damages.
- » Simple connection to Makita power Tools.

Continuous Rating Input	1,050W
Dust Type	Wet & Dry
Max Sealed Suction Tank	22.0 kPa
Noise	73dB
Capacity	Dry/Wet : 32/27 L
Power supply cord	5.0 m (16.40 ft)
Net Weight	14.5 kg



Standard Equipment:

VC3210LX1: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Cleaning 195439-1(1), Poly bag 195440-6(1), Corner nozzle 410306-2(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Stopper 451350-0(1), Holder 10-33 417764-3(4).

VC3210L: Hose complete 28-3.5 195433-3(1), Poly bag 195440-6(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Holder 10-33 417764-3(4).

VC2000L - Vacuum Cleaner

20 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard
- » Convenient integrated carry handle for easier transportation
- » Powerful 1,000 W motor generates 21 kPa of Max sealed suction
- » Push & Clean Semi - Automatic filter Cleaning System for Longer Operation & Filter life.

Continuous Rating Input	1,000W
Tank Capacity	20 L
Max Sealed Suction	21.0 kPa
Max peak air flow	2.0 m ³ /Min
Power supply cord	5 m (16.4 ft)
Net Weight	10.5 kg



VC3012L - Vacuum Cleaner

24 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » 24 L Dust Class L Vacuum Cleaner (Wet & Dry)
- » Push & Clean semi-automatic filter cleaning system for extended operating time and filter life
- » Washable PET fleece filter for use with dry or wet materials
- » Innovative hose storage solution with flexible rubber strap.

Continuous Rating Input	1,500W
Dust Type	Wet & Dry
Max Sealed Suction Tank	25.0 kPa
Sound level	59 dB(A)
Capacity	Dry / Wet: 24/19 L
Max peak air flow	3.7 m ³ /min
Net Weight	11 kg



Standard Equipment:

VC3012L: Tool Adaptor 22 Regulation W107418678(1).

CORDLESS POLISHER SCRUBBER



PS001G - Cordless Polisher Scrubber

40V max

40Vmax XGT Brushless Motor Cordless Polisher Scrubber

- » Brush/Pad replacement without direct contact.
- » Various brushes and pads are available to suit different applications.
- » Adjustable and easy-to-grip handle design.
- » Compatible with XPT (eXtreme Protection Technology).

Battery Voltage	40Vmax
No Load Speed	High: 600 min ⁻¹
Attachment size	Brush: 190 mm (7-1/2") Floor pad: 200 mm (7-7/8")
Noise K factor	3.0 dB(A)
Main Power Switch	Yes
Telescope Pole	1,081 - 1,435 mm
Net Weight	4.5 - 5.6 kg



Standard Equipment:

PS001GZ : Pad holder 175 191454-1(1), Floor pad 200 White 191455-9(1), Floor pad 200 Red 191456-7(1), Floor pad 200 Blue 191457-5(1), Brush 190 medium 1914T1-4(1), Accessory bag 1915D1-8(1).

PS001GM101 : Pad holder 175 191454-1(1), Floor pad 200 White 191455-9(1), Floor pad 200 Red 191456-7(1), Floor pad 200 Blue 191457-5(1), Brush 190 medium 1914T1-4(1), Accessory bag 1915D1-8(1), Battery BL4040 191B31-3(1), Fast Charger DC40RA(1).

POLISHER SCRUBBER

XGT

Quick, Easy, & Effective Cleaning



CORDLESS VACUUM SWEEPER



VS001G - Cordless Vacuum Sweeper

40V max

40Vmax XGT Brushless Motor Cordless 24 L Dust Class Vacuum Sweeper

- » Handle can be folded to stand the machine upright for compact storage.
- » Designed mainly for use in construction sites or outdoor commercial facilities, featuring high cleaning performance.
- » Two main brushes (of electric rotary-type) for cleaning a wide variety of sizes of waste, such as cement powder, wood chips, paper waste, plastic bottles, etc.

Battery Voltage	40Vmax
Continuous use	Quiet: 290, 480 min/ Standard: 120, 200 min
Dust container capacity	24 L
Noise K factor	3 dB(A)
Filter cleaning function	YES (Electric)
Net Weight	29.9 - 33.1 kg



Excellent storage capability

Handle can be folded to stand the machine upright for compact storage.



XPT
eXtreme Protection
Technology
IPX4-rated water-resistance



VACUUM SWEEPER

XGT



Cleaning width
with Side brush
650 mm

LED job light

Illuminates the front of the machine, allowing user to check for dust or obstacles even in dark places such as warehouses.



Multi adapter (Optional accessory)

Portable power pack

MAKPAC



40Vmax XGT battery
(two in parallel or one)



Carry handle
Equipped with a carry
handle for easy carrying



BATTERY POWERED BACKPACK BLOWER

XGT

Tools with Portable Pack PDC1200



UB001C - Battery Powered Blower

40V max

Brushless Motor Battery Powered Variable Speed Blower

- » Powerful blowing force (**Max 20N**).
- » In Boost mode, 20N max blowing force is always available.
- » Delivers up to 90 minutes of run time using PDC1200.
- » 3-stage telescopic long nozzle with adjustment range of 100mm for user convenience.

Max Air Volume	Boost Mode: 17.6 m ³ /min C Mode: 0-15.0 m ³ /min
Max Air Velocity	Boost Mode: 70 m/s C Mode: 0-60m/s
No Load Speed (RPM)	B Mode - 24,000 C Mode - 21,000
Noise K factor	2.5 dB(A)
Net Weight	2.9 kg



Standard Equipment:

UB001CZ: Band assembly 191J48-4(1), End nozzle 80 191P97-7(1).

UB003C - Battery Powered Blower

40V max

Brushless Motor Battery Powered Variable Speed Blower

- » 3 Speed mode button.
- » Variable control trigger plus Cruise control lever.
- » Delivers up to 60 minutes of run time using PDC1500 with maximum speed mode or maximum speed with the cruise control lever.

Max Air Volume	w/ End nozzle, w/ PDC1500 Max speed mode: 17.6 m ³ /min
Max Air Velocity	w/ End nozzle, w/ PDC1500 Max speed mode: 86.0 m/s
No Load Speed(RPM)	Mode1 / Mode2 / Mode3: 4,000-10,600 / 17,700 / 22,100 min ⁻¹
Noise K factor	2.0, 1.8 dB(A)
Net Weight	3.1Kg



Standard Equipment:

UB003CZ: Band assembly 122F94-2(1).

UB002C - Battery Powered Backpack Blower

40V max

Brushless Motor Battery Powered Variable Speed Blower

- » Run time is 45 minutes in operation at maximum blowing force of **22.0N**.
- » A battery powered blower powered by Portable Power Pack PDC1500 or PDC1200.
- » High power like a 50cm³ engine backpack blower.
- » Constant speed control maintains constant speed.

Battery Voltage	40Vmax
Max air velocity	0 - 76.0 m/s
Noise level	60 dB(A)
No load speed	0 - 22,000 min ⁻¹
Sound pressure level	EN50636-2-100: 80.9 dB(A)
Net Weight	16.1 kg



UB004C - Battery Powered Backpack Blower

40V max

Brushless Motor Battery Powered Variable Speed Backpack Blower

- » Long continuous use from a single fully charged battery.
- » A battery powered blower powered by Portable Power Pack PDC1500 or PDC1200.
- » Variable speed control by trigger plus Cruise control lever.
- » High-speed BL motor optimal for cordless handy cleaner.

Battery Voltage	40Vmax
Blowing Force	25 N / 28N
No load speed	C Mode -22,500 /B-Mode 23,800
Continuous use	55 - 200 min
Sound pressure level	EN50636-2-100: 82.3 dB(A)
Noise K factor	3.1, 2.1 dB(A)
Net Weight	18.6 kg



Standard Equipment:

UB004CZ: Pipe support belt complete 162D24-9(1), Pipe belt complete 162D25-7(1), End nozzle 74 1914H0-2(1), Flat nozzle 1914H1-0(1).

CORDLESS BLOWER



BLOWER

XGT / LXT



UB004G - Cordless Backpack Blower

40V max

40Vmax XGT BL Cordless Variable 2-Speed Blower

- » Blower delivers blowing force comparable to that of a 65 cc-class engine backpack blower.
- » The blower runs on one battery at a time, & automatically switches to the second battery when the first one runs out.
- » Hook hole on the back side can be used for wall storage.
- » Telescopic nozzle offers stepless length adjustment over a range of 250 mm.

Max. blowing force	32 N
Max. air volume	19.1 m ³ /min
Max. air velocity	96.0 m/s
Noise level	94 dB(A)
Net Weight	8.8 kg (BL4080H x 2)



Standard Equipment:

UB004GZ: Pipe support belt complete 162D24-9(1), Pipe belt complete 162D25-7(1).



UB005G - Cordless Blower Vacuum

40V max

40Vmax XGT BL Cordless Variable-Speed Blower Vacuum

- » High mode delivers powerful blowing
- » Low mode reduces small-stone pickup when vacuuming leaves and extends blower runtime
- » Two wheels at the nozzle tip support ground travel for easier handling & help reduce wrist fatigue.
- » Single-action lever for selecting blower or vacuum mode.
- » 25 L dust bag with a large opening for easy emptying.

Max. blowing force	5.0 N
Max. suction power	150 W
Max. sealed suction	4.2 kPa
Noise level	93.7 dB(A)
Net Weight	5.7 kg (BL4080F)



Standard Equipment:

UB005GZ: Wide nozzle 191888-8(1).



UB003G - Cordless Blower

40V max

40Vmax XGT Brushless Cordless Variable Speed Blower

- » The maximum air volume is 13.8 m³/min for blowing and 13.0 m³/min for vacuuming.
- » Tool-less switching between blower and vacuum with one-touch pipe locking.
- » Cruise control lever to reduce finger fatigue during continuous use.
- » High water-resistance compatible with XPT (eXtreme Protection Technology).

Speed change	Yes (2 stages)
Blower function	Max blowing force: 7/ 16N
	Max air volume: 9.4/13.8 m ³ /min
Sound pressure level	86.8dB(A)
Noise K factor	1.7 dB(A)
Net Weight	6.1 kg



Standard Equipment:

UB003GZ: Vacuum Kit 1916T9-0(1), Flat Nozzle 1916V7-8(1).



UB001G - Cordless Blower

40V max

40Vmax XGT Brushless Motor Brushless Variable Speed Blower

- » Long continuous use from a single fully charged battery.
- » Ergonomic soft grip handle provides increased comfort.
- » Includes floor and sash nozzles for a variety of application.
- » High-speed BL motor optimal for cordless handy cleaner.

Max Air Volume	Boost Mode: 16.0 m ³ /min
	C Mode : 0-13.5 m ³ /min
Max Air Velocity	Boost Mode: 64 m/s
	C Mode : 53m/s
No Load Speed (RPM)	B Mode -23,000
	C Mode - 20,000
Noise K factor	3.1, 3.2 dB(A)
Net Weight	3.9 kg



Standard Equipment:

UB001GZ: Adapter pipe 85-72 191L96-5(1), End nozzle 80 191P97-7(1), Extension nozzle set 197888-8(1), Flat nozzle 197889-6(1).
 UB001GM101: Battery BL4040 191B31-3(1), Adapter pipe 85-72 191L96-5(1), End nozzle 80 191P97-7(1), Extension nozzle 197888-8(1), Flat nozzle 197889-6(1), DC40RA Fast Charger DC40RA(1).
 UB001GM201: Adapter pipe 85-72 191L96-5(1), End nozzle 80 191P97-7(1), Extension nozzle 197888-8(1), Flat nozzle 197889-6(1), Battery BL4040 191B31-3(2), DC40RA Fast Charger DC40RA(1).



DUB361 - Cordless Blower

18V x2

18V X2 (36V) LXT Li-Ion Cordless 2-Speed Blower

- » 2-Speed (10,000 & 17,000 RPM) design for optimum speed control.
- » Makita-built produces a maximum air velocity of 93 m/s.
- » Push button air volume selection (High / Low settings).
- » Low noise level suitable for use in residential areas and public spaces

Battery Voltage	18x2 (36V)
Max Air Volume	4.4 m ³ /min
No Load Speed	17,000 min ⁻¹
Max air velocity	93 m/s
Noise K factor	3 dB(A)
Net weight	3.2 kg



Standard Equipment:

DUB361Z : Long nozzle 452123-4(1).



DUB362 - Cordless Blower

18V x2

18V X2 (36V) LXT Brushless Motor Cordless Variable 6-Speed Blower

- » Powerful cordless blower yet: Amazing 54 m/s & 13.4 m³/min operation.
- » Delivers up to 28 minutes of run time at 15,800 RPM by 2 18V LXT 5.0Ah batty.
- » 3-Stage telescopic long nozzle with adjustment range of 100 mm for user convenience.

Battery Voltage	18x2 (36V)
Max Air Volume	13.4 m ³ /min
No Load Speed	11,400 - 21,500 min ⁻¹
Max air velocity	54 m/s (120 MPH)
Noise K factor	1.8, 2.3 dB(A)
Net weight	3.5-4.2 kg



36V LXT BL MOTOR XPT

Standard Equipment:

DUB362Z : Flat nozzle 183P98-9(1), Long nozzle 183R02-0(1).

DUB363 - Cordless Blower

18V x2

18V X2 (36V) LXT Brushless Motor Cordless Variable Speed Blower

- » Able to use both in Blower and Vacuuming applications.
- » Able to suction fallen leaves and to perform a long continuous operation.
- » 65 m/s high air speed with 13.4 m³/min high air volume for commercial - duty performance.
- » Vacuum kit includes an easy-to-empty bottom zip dust bag (leaf collection bag).

Battery Voltage	18V x2 (36V)
Blowing force	14.4 N
Max air volume	13.4 m ³ /min (473 CFM)
Max output	860 W
Noise K factor	1.3, 0.3 dB(A)
Net Weight	4.5-6.6 kg



36V LXT BL MOTOR XPT

Standard Equipment:

DUB363ZV : Hex. wrench 4 783202-0(1).

DUB363PT2V : Hex. wrench 4 783202-0(1), Battery BL1850B 198013-4(2), DC18RD Two Port Fast Charger DC18RD(1).

DUB184 - Cordless Blower

18V

18V LXT BL Brushless Motor Cordless Variable Speed Blower

- » BL motor delivers up to 52.1 m/s and 13.0 m³/min.
- » Compact and lightweight for single handed operation.
- » Soft grip provides increased comfort on the job.
- » Ideal for Clearing Fallen Leaves on Pavement, Grass and Hedge Clippings or other Light Debris.

Battery Voltage	18V LXT
Air volume	13.0 m ³ /min
Blower Force	10.9N
Air velocity	52.1 m/s
Noise K factor	2.7, 1.4 dB(A)
No Load Speed RPM	0-18,000 min ⁻¹
Net weight	2.5-3.0 kg



LXT BL MOTOR XPT

Standard Equipment:

DUB184Z : Hex. wrench 4 783202-0(1).

DUB184ST : Battery BL1850B 198013-4(1), Hex. wrench 4 783202-0(1), Battery Charger DC18SD(1).

DUB184T001 : Battery BL1850B 198013-4(1), Hex. wrench 4 783202-0(1), Battery Charger DC18WC(1).

DUB187 - Cordless Blower Vacuum

18V

18V LXT Brushless Motor Cordless Variable Speed Blower Vacuum

- » Excellent maneuverability and improved cost competitiveness.
- » Max air volume in vacuum operation larger than that of the competitors.
- » Variable speed control by trigger plus Cruise control.
- » 25 L dust bag with a large inlet opening.

Battery Voltage	18V LXT
No load speed (RPM)	9,000 -13,500
Max Air Volume	6.1 m ³ /min
Dust bag Capacity	25 L
Max air volume (Blower)	4.2 m ³ /min
Noise K factor	3 dB(A)
Net weight	3.7 - 4.0 kg



LXT BL MOTOR XPT

Standard Equipment:

DUB187T001 : Battery BL1850B 198013-4(1), Battery Charger DC18WC(1).

UB003G



CORDLESS DUST BLOWER & HIGH PRESSURE WASHER



AS001G - Cordless Dust Blower

40V max

40Vmax XGT Brushless Motor Cordless Dust Blower

- » 4 stage air volume; selectable according to your application.
- » One-touch nozzle replacement.
- » LED job light with preglow and afterglow functions.

Battery Voltage	40Vmax
Air volume	0 - 1.1 m ³ /min
Air pressure	0 - 29.7 kPa
Air velocity	0 - 200 m/sec
Noise K factor	3 dB(A)
Net Weight	2.3 kg



Standard Equipment:

AS001GZ: Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1).

AS001GA101: Battery BL4020 191L34-7(1), Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1), Tool bag 832074-1(1), Fast Charger DC40RC(1).

DAS180 - Cordless Dust Blower

18V

18V LXT Brushless Motor Cordless Air Duster

- » One - touch nozzle replacement; Easy nozzle replacement without tool.
- » 4 stage air volume; selectable according to your application.
- » Inflation and deflation of inner tubes, play pool and more.
- » LED job light with preglow and afterglow functions.

Battery Voltage	18V LXT
Air volume	0 - 1.1 m ³ /min
Air pressure	0 - 29.7 kPa
Air velocity	0 - 200 m/sec
Sound pressure level	79 dB(A)
Noise K factor	3 dB(A)
Net weight	1.7 kg



Standard Equipment:

DAS180Z : Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1), Hook 346317-0(1).

DAS180RT : Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide, range nozzle 191X19-5(1), Battery BL1850B 198013-4(1), Hook 346317-0(1), Tool bag 832074-1(1), Fast Charger DC18RC(1).

HIGH PRESSURE WASHER

XGT / LXT



DHW080 - Cordless High Pressure Washer

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 80 Bar High Pressure Washer

- » Stepless Pressure Adjustment close at Hand.
- » Portable Construction with High Washing Performance for Cleaning Cars & Agricultural Machinery.
- » Includes a Storage Case that also Serves as a 50 L Water Tank.

Battery Voltage	36V
Max water flow	6.3 L/min
Max permissible pressure	80 Bar
Max suction height	1 m (3.3 ft)
Tank	50 L
Noise K factor	3.6 dB(A)
Net Weight	7.7 kg



Standard Equipment:

DHW080PTZ: High pressure hose 5M 126766-5(1), Storage box assembly 127104-4(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Variable nozzle 197822-8(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1), Battery BL1850B 198013-4(2), DC18RD Two Port Fast Charger DC18RD(1).

DHW080ZK: High pressure hose 5M 126766-5(1), Storage box assembly 127104-4(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Variable nozzle 197822-8(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1).

HW001G - Cordless High Pressure Washer

40V max

Powered by 40Vmax XGT Li-Ion battery

- » 3 Operation Modes to suit the Contamination Level of the object being Cleaned.
- » New foam Nozzle with improved Foaming mesh enhances Detergent Performance.
- » Telescopic handle for easy Transportation & Storage.
- » High Water - Resistance Compatible with XPT / IPX5.

Battery Voltage	40Vmax
Max suction height	1 m (3.3 ft)
Max permissible pressure	115 Bar
Sound pressure level	71 dB(A)
Noise K factor	3.2 dB(A)
Net Weight	10.3 - 13.4 kg



Standard Equipment:

HW001GZ: High pressure hose 5M 126766-5(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Vario spray nozzle 1912Y4-1(1), Extension 191U84-6(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1).

HW001GT201: High pressure hose 5M 126766-5(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Vario spray nozzle 1912Y4-1(1), Extension 191U84-6(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1), Battery BL4050F 1918A8-1(2), Two Port Fast Charger DC40RB(1).

DHW180 - Cordless Pressure Washer

18V

18V LXT Cordless 24 Bar Pressure Washer

- » Sufficient Cleaning Power for Light - Duty Tasks.
- » Two Power Modes (High / Low).
- » 5-in-1 Nozzle allows for Easy Mode Changes by Rotating the Nozzle Head.
- » Water - Resistance Compatible with XPT.

Battery Voltage	18V
Mode switching	Yes
Max permissible pressure	24 Bar
Continuous use	18, 50 min
Max suction height	2.0 m (6.7 ft)
Noise level	84 dB(A)
Net weight	2.7 kg



Standard Equipment:

DHW180Z01: Foam Nozzle LX00000001(1), Water Bottle Adapter LX00000004(1), Cleaner Pin 0.6 LX00000063(1).

ELECTRIC HIGH PRESSURE WASHER

HIGH PRESSURE WASHER

AC



HW1200 - High Pressure Washer

120 Bar High Pressure Washer with Self-Priming Function

- » 420 L/hr Max Flow Rate.
- » IPX5 Rated for Weather & Water Resistance.
- » Cyclone Guard for Minimizing from Water Splash.
- » Foam Nozzle for Foaming the Detergent & Splashing the Bubble.

Continuous Rating Input	1,800W
Max pressure	120 bar
Max feed temperature	40°C (104°F)
Noise K factor	3.8 dB(A)
Max flow rate	420 L/h
High pressure hose length	10 m (33 ft)
Net Weight	11 kg



Standard Equipment: High pressure hose 10M 123784-4(1), Foam nozzle 1912Y2-5(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Variospray lance 197876-5(1).

HW1300 - High Pressure Washer

130 Bar High Pressure Washer with Self-Priming Function

- » Cyclone Guard for mMinimizing from Water Splash.
- » IPX5 Rated for Weather & Water Resistance.
- » Low Noise thanks to Anti - Vibration Structure.
- » Built powerful 1,800 W Motor Delivers up to 130 bar for Maximum Cleaning Power.

Continuous Rating Input	1,800W
Max pressure	130 bar
Max feed temperature	40°C (104°F)
Noise K factor	2.4 dB(A)
Max flow rate	450 L/h
Net Weight	12.7 kg



Standard Equipment: Foam nozzle 1912Y2-5(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Variospray lance 197876-5(1).

HW140 - High Pressure Washer

140 bar High Pressure Washer

- » High End Product for Sophisticated Cleaning Tasks at Farmers, in Landscaping & other Professional Applications.
- » Compact design, Large Operating Range & Efficient Cleaning Performance.
- » Total Stop System (TSS) Switches the Motor On & Off when the Lance Trigger is Operated, Prolonging the Motor Life.
- » Water Filter in Hose Adaptor Minimizes Dust and Pebbles from Entering into Pump.

Continuous Rating Input	2,300W
Max pressure	140 bar
Max feed temperature	50°C (122°F)
Noise K factor	3 dB(A)
Max flow rate	500 L/h
Net Weight	29 kg



HW151 - High Pressure Washer

150 bar High Pressure Washer

- » Double Tank for Detergent.
- » Steel Reinforced Spray Gun.
- » Double Tank for Detergent.
- » The 2.5kW Electric induction Motor helps Pump out an impressive 500 Liters an hour with a Maximum Pressure of 150 Bar.

Continuous Rating Input	2,500w
Max pressure	150 bar
Max feed temperature	50°C (122°F)
Noise K factor	3 dB(A)
Max flow rate	500 L/h
Net Weight	26.9 kg




Filters & Features

GYUPPA

Automatic Self-cleaning Filtration System achieved by two filter units

Constantly high suction power throughout operation because dust is removed from Prefilters every 10 seconds during operation.



AUTO - START WIRELESS SYSTEM

Cleaning with the wireless activation function

AWS Auto-start Wireless System

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.




EXTREME PROTECTION TECHNOLOGY


XPT

For use in outdoor applications or harsh environments, protection from dust & dripping water.

IPX4-compatibility



Because the walls are installed inside the vents, water & dust cannot enter easily.



Moreover, even if water enters, it is discharged outside.

Dust-Resistant



Drip-Resistant



COMPARISON LIST

Model No.	Dust class	Powered	Tank capacity Dust/ Water (L)	Tank type	Max Air Flow (m ³ / min)	Max Sealed Suction (kPa)	Switch of connected power tool
-----------	------------	---------	----------------------------------	-----------	--	-----------------------------	--------------------------------------

Cordless Vacuum Cleaner / Vacuum Cleaner

VC006GM	M	DC (40Vmax x2)	40 / 30	Plastic	3.7 (hose Ø 38-2.5)	18	AWS
VC001GL	L	DC (40Vmax)	8 / 6	Plastic	3.2 (hose Ø 38-2.5)	23	-
VC002GL	L	DC (40Vmax)	8 / -	Plastic	1.8 (hose Ø 28-3.5)	23	AWS
VC003GL	L	DC (40Vmax)	15 / 12	Plastic	3.2 (hose Ø 38-2.5)	23	-
VC004GL	L	DC (40Vmax)	15 / -	Plastic	1.8 (hose Ø 28-3.5)	23	AWS
VC005GL	L	DC (40Vmax)	8 / -	Plastic	2.8 (hose Ø 32-1.7)	23	-
VC013GL	L	40Vmax	7.5 / 4.5	Plastic	2.0	15	AWS
VC014GL	L	40Vmax	7.5 / 4.5	Plastic	2.0	15	-
DVC155L	L	DC (LXT18V x2)	15 / 12	Plastic	2.1 (hose Ø 32-1.7)	11	-
DVC865L	L	DC (LXT18V x2)	8 / 6	Plastic	2.1 (hose Ø 32-1.7)	9.8	-
DVC862L	L	DC (LXT18V x2)	8 / 6	Plastic	2.1 (hose Ø 32-1.7)	11	-
VC4210L	L	AC	34 / 30	Plastic	4.5	25	Automatic
VC3210L	L	AC	32 / 27	Stainless steel	2.0 (hose Ø 28-3.5)	22	Automatic
VC2510L	L	AC	25 / 14	Plastic	2.0 (hose Ø 28-3.5)	22	Automatic
VC2000L	L	AC	20 / -	Plastic	-	21	-
VC2512L	L	AC	21 / 18	Plastic	3.6	21	Automatic
VC3012L	L	AC	24 / 19	Plastic	3.7	25	Automatic

Cordless Backpack Vacuum Cleaner

VC008G	(filter)	DC (40Vmax)	Paper dust bag: 2.0 / - Cloth Dust Bag 1.5	-	2.4 (hose Ø 32-1.0)	18	-
VC011G	(filter)	DC (40Vmax)	Paper Dust bag 6.0 / - Cloth Dust bag 5.5	-	2.4	20	-
DVC665	(filter)	DC (LXT18V x2)	Paper dust bag 6.0 / - Cloth dust bag 5.5	-	1.8 (hose Ø 28-1.5)	11	AWS
DVC261	(filter)	DC (LXT18V x2)	Paper dust bag 2.0 / - Cloth dust bag 1.5	-	2.2 (hose Ø 32-1.0)	11	-
DVC660	(filter)	DC (LXT18V x2)	Paper dust bag 6.0 / - Cloth dust bag 5.5	-	2.2 (hose Ø 32-1.0)	11	-

Cordless Upright Cleaner

VC010G	L	DC (40Vmax)	5 / -	-	1.8	15	-
DVC560	L	DC (LXT18V x2)	5 / -	-	1.9	12	-



Cleaning Accessories

Hose connection 28

Hose connection 38

Hose connection 32

For Dust Collecting *for Model DVC265, DVC665, VC009G, VC012G only

Model VC006GM VC007GL	Model VC002GL VC004GL DVC157L DVC867L	Model VC3211H VC3211M VC2211M VC3210L VC2510L VC1310L	Model VC009G VC012G DVC265 DVC665 DVC350	Model VC013GL VC014GL DVC750L	Model VC3012L/M VC4210L/M	Model VC2012L VC2512L VC3011L		
Hose 28mm *Mesh sleeve hose 1.0m *143787-2 without front cuffs 1.5m A-34235 with front cuffs 22, 38 2.5m 195437-5 with front cuffs 22, 24, 38 3.5m 195433-3 with front cuffs 22, 24, 38 5.0m 191G76-1* with front cuffs 22, 24, 38 5.0m A-34229 with front cuffs 22, 38			Hose 38mm with front cuffs 38 1.5m 198757-6 2.5m 195434-1 5.0m 195435-9		Hose 38mm with front cuffs 38 5.0m 191Y12-5	Hose 28mm with front cuffs 22, 24, 38 5.0m 1915G6-9	32-B Hose 32mm 4m P-84084	32-B Hose 32mm 3.5m P-81739
Front cuffs Front cuffs 38 195545-2 Front cuffs 22 195547-8			Joint 22-38 195548-6 Front cuffs 24 195546-0		Front cuffs Front cuffs 38 195545-2 Front cuffs 22 195547-8	Tool adaptor Quicksystem ø24 (set) P-70378 Quicksystem ø38 (set) W107418688	Tool adaptor 24 D-81745	
Attachments 								
Auto-start Wireless System Wireless unit adapter 199393-1 WUT02U Converts tool-triggered AC vacuum cleaners in the market into AWS-compatible vacuum cleaners 								

Tool connection cuffs and hoses

Hose 28mm Supplied with both front cuffs 22 and 38	Rear cuffs (free) 	Front cuffs 38: Inner dia. 38.0mm, Outer dia. 44.2mm Front cuffs 22: Inner dia. 22.4mm, Outer dia. 25.0mm
Hose 38mm	Rear cuffs (free) 	Front cuffs 38: Inner dia. 38.0mm, Outer dia. 44.2mm Front cuffs are attached to the hose

How to connect front cuffs 22, 38 to front cuffs 24

Hose 28 with front cuffs 22 	Front cuffs 24 	Front cuffs 22 are on the inside
Hose 28 with front cuffs 38 		Front cuffs 38 are on the outside
Hose 38 with front cuffs 38 		

Connection of hose 38mm from front cuff 38 to front cuff 22


Hose 38mm with front cuffs 38 	Joint 22-38 	Size: Inner dia. 22.4mm, Outer dia. 25.0mm
-----------------------------------	------------------------	---

Hose to hose connection

Hose 28 with front cuffs 38 	Hose 28 Rear cuffs
Hose 38 with front cuffs 38 	Hose 38 Rear cuffs

32mm Tip attachments

Color



Cleaning Accessories

38mm Tip attachments

Hose connection 32

28mm Tip attachments

Model
VC006GM
VC007GL
VC001GL
VC003GL
VC005GL
DVC155L
DVC156L
DVC860L
DVC861L
DVC865L
DVC866L



Model
VC3211H
VC3211M
VC2211M
VC3210L
VC2510L
VC1310L



Model
VC008G
VC011G
DVC261
DVC660



DVC350

Cleaning set

-Hose complete 38-2.5
-Straight pipe
-Bending pipe
-Nozzle assembly
-Corner nozzle
195439-1



Hose 38mm

1.5m 198757-6
2.5m 195434-1
5.0m 195435-9



Bending pipe assembly 38

1912G5-3



Bent pipe

192562-3



Straight pipe

192563-1



Aluminum Telescopic pipe 38

L=606-958mm
1912G4-5



38mm Tip attachments

Nozzle assembly
Flat type (Dry)
199455-5



F/C switching t-nozzle 38
Flooring & carpet (Dry)
191G87-6



F/C switching t-nozzle
Flooring & carpet (Dry)
198184-7 / 198533-8



Universal type

(Dry/ Wet)
195551-7



Compact type A (Dry)
195549-4



Compact type B
(Wet model only)
195550-9



Wide Type

(Wet model only)
A-47846



Round brush
(Dry)
191657-9



Corner nozzle
(Dry)
410306-2



Model
VC3012L
VC4210L
VC3012M
VC4210M



Model
VC2012L
VC2512L
VC3011L



Model
DCL184
CL121D



Hose 32mm

4m
P-84084



Hose 32mm

3.5m
P-81739



Curved hand tube inox

P-70346



Extension tubes
ø35x350mm 3pcs
W107418350



Floor nozzle
D36x300(Dry/ Wet)
P-81789




Corner nozzle
ø35x300
W6084



Extension tubes

ø35x520mm black 2 pcs
P-72942



Floor nozzle

D36x260
(Dry/ Wet)
W107402706



Floor nozzle
Universal Type(Wet)
W000014295



Corner nozzle
ø35x200
Use with P-81745
W000029541



Cleaning set


A, B, C, D set
W107418349



28mm Tip attachments



Flexible rubber nozzle 28
197901-2



Blower nozzle complete
140J64-3



Cleaning Accessories



**for Dust
(Powder)**

Powder Filter Set

Damper set

Pre-filter set

Dust paper filter
or Poly bag set

**for
Wet & Dry**

Cloth filter or
Water filter
(Water only)

**Compatible with usual Poly bags or
Paper filters, allowing for:**




- Quick and easy dust disposal
- Lower-running cost compared with paper dust bag



		VC006GM, VC007GL (Wet & Dry) 	VC001GL, VC003GL (Wet & Dry) 	VC002GL, VC004GL VC005GL (Dry) 	DVC155L, DVC865L, DVC860L (Wet & Dry)  DVC156L, DVC157L, DVC861L, DVC866L, DVC867L (Dry)	VC3211H, VC3211M VC2211M, VC2201M (Wet & Dry) 	VC3210L, VC2510L (Wet & Dry) 	VC1310L (Wet & Dry) 
Use as a set	Powder filter set Dry only *HEPA filter for Dry use only	1911B6-0  *1911B7-8 	*191V70-3 	*191V70-3 	*191766-6 	VC3211H: *196251-2 VC3211M, VC2211M VC2201M: *196252-0 	195441-4 *191F82-0 	195438-3 
	Damper set	1911B4-4 	191V68-0 	191V68-0 	195552-5 	196254-6 	195552-5 	195552-5 
	Pre-filter set	1911B5-2 	191V69-8 	191V69-8 	195553-3 	196253-8 	VC3210L: 195612-3 VC2510L: 195554-1 	195553-3 
Cloth filter Wet & Dry			144625-1 	144625-1 191V71-1 VC005G only 	140248-3  191G88-4 DVC156L, DVC866L only 			
Water filter Wet only It is recommended using water filter when picking up large amount of water repeatedly.		1910N0-0 	191V67-2 		195555-9  DVC155L, DVC865L, DVC860L only		VC3210L: 195611-5 VC2510L: 195556-7 	195555-9 
Dust paper filter (5pcs) for dry powder			10L: A-48430 	10L: A-48430 	7L: A-49541  10L: A-48430			7L: A-49541 
Filter bag set 10L/15L/25L/35L (5pcs) for dry dust		35L: 1910Y4-9 	10L: 1912R3-4 VC001GL, VC002GL, VC005GL, DVC860L, DVC861, DVC865L, DVC866L, DVC867L 15L: 195557-5 VC003GL, VC004GL, DVC155L, DVC156L, DVC157L		15L: 195557-5 	25L: 195558-3 	25L: 195558-3 VC3210L only 15L: 195557-5 VC2510L only 	15L: 195557-5 
Poly bag set (10pcs)		1910R3-2 	195432-5 	195432-5 	195432-5 	195440-6 	195440-6 	195432-5 


To use powder filter, remove
the float cage and float by
removing the bolts.



Capacity up tank set

DVC860L, DVC861L, DVC865L, DVC866L, DVC867L
Part No. 191B56-7

"HEPA filter" Mark on tank
DVC861L, DVC863L, DVC864L, DVC866L, DVC867L
Part No. 191B57-5




Color

27

Cleaning Accessories


Capsule type cleaner

Model: CL001G, DCL283F, DCL284F, DCL181F, DCL180F, DCL180, CL183D, CL108FD, CL106FD, CL070D



Paper bag type cleaner

Model: CL002G, DCL285F, DCL182, DCL182F, CL114FD, CL121D, CL107FD, CL072D, DCL184, CL121D



Cyclone unit

Model: CL001G, CL003G, DCL283F, DCL284F, DCL286F


Compatible model:
CL001G, DCL283F, DCL284F, CL003G*,
DCL286F*
*Standard Equipment



Cyclone unit



Cyclone unit filter



Cleaner carrying bag

Cleaner body, battery,
charger and
accessories can be
stored together.



Except Model: CL003G, CL004G, DCL286F, DCL184, CL121D
(LxWxH: 600x210x190mm) Part No. 199901-8
with shoulder belt/ Part No. 161904-2



Model: DCL184, CL121D
(LxWxH: 490x210x230mm) Part No. 199900-0
with shoulder belt: Part No. 162544-9

Cordless Upright Cleaner

Model: DVC560, VC010G

28mm Tip attachments

Seat nozzle 28
For automobile
○ 199038-1
● 199041-2
● 199039-9

Long sash nozzle 330
○ 198919-6
● 198990-0
● 198992-6
● 191D65-8

Seat nozzle 120 set
For automobile
140H95-0

Crevice nozzle 415
199439-3

Mat nozzle 120
For automobile
459056-4

Round brush
● 198552-4
○ 198878-4
● 198553-2
● 198555-8
● 191D67-4

Brush nozzle set
191M30-1

Shelf brush
● 198537-0
○ 198873-4
● 198538-8
● 198540-1

Sash nozzle
● 413769-1
○ 413770-6
● 413859-0
● 413809-5

Soft brush 360 complete set
140H94-2

Grip assembly set
Dusts can be thrown away by removing Dust case of Cyclone attachment.
1912B1-6

Filter bag set
10pcs. set
191T96-3

Dust bag set
191Y86-6

Main filter h set
191E39-5

Brush complete set
DVC560: 1910T8-6
VC010G: 1914B1-8

Cordless Portable Vacuum Cleaner

Model: DVC750L, VC013GL, VC014GL

For Cleaning & Dust Collecting
Hose Complete
28-2.0m with Front cuffs 38
140G04-3
28-1.5m with Front cuffs 22, 24, 38
1915G6-9
38-1.5m with Front cuffs 38
191Y12-5

38mm Tip attachments

Front cuffs 38
Front cuffs 38
195545-2
Front cuffs 22
195547-8

Front cuffs 24
195546-0

Joint 38
For Front cuffs 38
418500-0

For Dust Collecting

28mm Tip attachments

Caster Set
1915G5-1
VC013GL, VC014GL

Filter bag set
10per pkg.
1915T3-6
VC013GL only

Paper filter bag set
10per pkg.
1915W5-3
VC013GL, VC014GL only

Poly bag set
10per pkg.
195432-5

Dry only

Filter complete
Dry 162518-0

Pre filter and Damper set
Dry only 199827-4

Wet only


Wet filter set
191M39-3

Shoulder Belt Set
199486-4


Cleaning Accessories

Backpack Vacuum Cleaner Model: VC008G, VC011G, VC012G, VC009G, DVC660, DVC665, DVC261, DVC265

VC011G, VC012G, DVC660, DVC665



VC008G, VC009G, DVC261, DVC265



Harness cover set

Washable harness cover made of a mesh material for improved breathability

VC008G, VC009G,
VC011G, VC012G,
DVC660, DVC665
DVC261, DVC265

191Y14-1



Protection cover set

When using Backpack vacuum cleaner in tight spaces etc., Protection cover is very helpful to prevent the scratches on surrounding objects caused by hitting cleaner.

DVC261, DVC265

1910S4-7

VC008G, VC009G

1911W4-1


1914H7-8*

*For BO001CG series with Battery case




Robotic Cleaner Model: DRC200, DRC300

DRC200



DRC300








Cleaning Accessories

Cordless Dust Blower accessories

For model:
AS001G, DAS180
*1 Used by attaching to Nozzle 13 and Air vent hose



Item	Description	Part No.
Nozzle 13 set 	Nozzle diameter: ø13mm Nozzle diameter: ø13mm (Same as the caliber of the machine) • For blow-off works • For inflating large play pools, etc.	191X15-3
Nozzle 7 set 	Nozzle diameter: ø7.0mm For filter cleaning	191X13-7
Nozzle 3 set 	Nozzle diameter: ø3.0mm	191X11-1
Flexible nozzle complete set 	Nozzle diameter: ø6.0x800 (Hose) For blowing dust away from OA equipment or narrow spaces where this machine cannot enter	191X21-8
Wide range nozzle set 	Nozzle diameter: ø6.0mm (each hole) For wide range blow-off	191X19-5
Pinch valve nozzle set 	Nozzle diameter: ø7.0mm For inflating/deflating inner tubes and beach balls	191X17-9
Long nozzle set 	Nozzle diameter: ø8.0mm • For cleaning anchor holes • For cleaning narrow spaces that are out of reach Nozzle 13 set (191X15-3) is also necessary.	191X78-9
Air vent hose complete set 	Nozzle diameter: 13mm (Same as the caliber of the machine) For inflating/deflating inner tubes and beach balls (Remove Dust cap complete from the machine and attach this hose.)	191X23-4
Rubber attachment 20 -30 set 	Nozzle diameter: 7.0mm For deflation large play pools and inflatable beds etc.*1 Air vent hose complete set (191X23-4) and nozzle 13 set (191X15-3) are also necessary.	191X25-0
Rubber attachment 65 set 	Nozzle diameter: ø65mm For deflating futon (bedding) compression bag*1 Air vent hose complete set (191X23-4) and nozzle 13 set (191X15-3) are also necessary.	191X27-6
Filter C complete set 	For use of the machine in a dusty environment (Remove Dust cap complete from the machine and attach this Filter.)	191X29-2

Cleaning

Power washer accessories for DHW080, HW1200, HW1300 & HW001G

Shape	Models	Part No.
Trigger gun set 	DHW080, HW001G HW1200, HW1300	197842-2
Variospray nozzle set 	HW001G	1912Y4-1
Variospray nozzle ext. set 	HW001G	1912Y5-9
Variospray lance set 	HW001G	1912Y6-7
Variable short gun set 	DHW080, HW001G	191M52-1 (TAIWAN)
Variable nozzle set 	DHW080, HW001G HW1200, HW1300	197822-8
Vario spray lance set 	DHW080, HW001G HW1200, HW1300	191U88-8
Vario spray nozzle set 	DHW080 HW1200, HW1300	191U86-2
Extension set 	DHW080, HW001G HW1200, HW1300	191U84-6
Variospray lance set 	DHW080, HW001G HW1200, HW1300	197876-5
Cyclone jet nozzle set 	DHW080, HW001G HW1200, HW1300	197824-4
Cyclone guard set 	DHW080, HW001G HW1200, HW1300	197864-2
Under body spray lance set 	DHW080, HW001G *HW1200, *HW1300 (*for 110-127V)	197859-5
	HW1200 **HW1300 (for 220V-240V)	198909-9
Extension pipe set (0.9m / 1.3m / 1.7m) 	DHW080, HW001G HW1200, HW1300	197870-7
Rotating brush set 	DHW080, HW001G HW1200, HW1300	197831-7
Wash brush set 	DHW080, HW001G HW1200, HW1300	197828-6
Foam nozzle set 	DHW080, HW001G HW1200, HW1300	1912Y2-5

Shape	Models	Part No.	
Pipe cleaning hose 	DHW080, HW001G HW1200, HW1300	10m	197837-5
		15m	197840-6
High pressure extension hose 	DHW080, HW001G HW1200, HW1300	5m	197845-6
		8m	197847-2
		10m	197850-3
Twist prevention joint set 	DHW080, HW001G HW1200, HW1300	197867-6	
Self-suction hose set 	DHW080, HW001G HW1200, HW1300	197873-1	
Hose assembly set (3m) 	DHW080, HW001G HW1200, HW1300	1910R1-6	
Self-suction hose set(0.6m) 	DHW080, HW001G HW1200, HW1300	1910R2-4	
Accessory joint set 	DHW080, HW001G HW1200, HW1300	197853-7	
One touch joint set 	DHW080, HW001G HW1200, HW1300	197883-8	
Cleaner pin set 	DHW080, HW001G HW1200, HW1300	197879-9	
Shoulder belt 	DHW080	199486-4	
Trolley 	DHW080	TR00000002 TR00000001 (EU)	

Cordless Pressure Washer for DHW180

Shape	Part No.
Foam nozzle 	LX00000001
Plastic bottle adapter 	LX00000004
Angle nozzle 	LX00000002
Wheel brush 	LX00000003
Cleaner pin Φ0.6 	LX00000063

Handwriting practice area with 20 sets of dashed lines.

[illegible]

Vacuum Cleaner Series



H.O.: Makita Power Tools India Pvt. Ltd.
Unit II Sy. Nos. 93/3 & 93/4, Koralur village,
Kasaba Hobli, Hoskote Taluk, Bengaluru - 560067
Email: info@makita.in Website: www.makita.in

Follow us on Social Media



Key Accounts Manager - PAN India

Tilak Kumar H G: +91-90357-51004
Email ID: tilak@makita.in

Makita Service Centre:

Assam

Guwahati: +91-90357-50726
+91-90645-25614

Delhi

New Delhi: +91-70425-97752
+91-81977-26539

Gujarat

Ahmedabad: +91-90084-37162
Vadodara: +91-63640-58617

Jharkhand

Jamshedpur: +91-82526-96785
+91-87929-75533

Karnataka

Nagarbhavi: +91-96110-28612
+91-90081-24303

Kerala

Cochin: +91-87929-17070

Maharashtra

Mumbai: +91-89518-28984
Pune: +91-90357-17615
+91-63640-60789

Madhya Pradesh

Indore: +91-97549-34593

Tamil Nadu

Chennai: +91-98400-20398
+91-89048-08574
Coimbatore: +91-96001-14608

Uttarakhand

Rudrapur: +91-70425-97756

West Bengal

kolkata: +91-85850-72684
+91-63649-45101