



CLEANING SOLUTIONS

Industrial Wet & Dry Vacuum Systems - 2026



Makita®



INDEX

Content	Page No.
Introducing XGT & LXT - DCOPE	04
Batteries & Chargers Chart	05 - 08
Icon chart	09
Cordless Vacuum Cleaners	10 - 11
Cordless Backpack Vacuum Cleaner	12 - 13

Content	Page No.
Cordless Cleaner	13 - 14
Robotic Cleaner	14
Cordless Upright Cleaner	15
Corded Vacuum Cleaners	16
Cordless Polisher Scrubber	17

ABOUT US

Makita Provides a Complete Range of Professional Cleaning Solutions, Built for everything from Light Daily Maintenance to Heavy Industrial applications. Each product is engineered for Precision, Efficiency, & Reliable Performance.

The 40V | 80V max XGT System delivers Makita's highest cordless power with Superior suction, long runtime & Durable construction perfect for demanding Commercial & Industrial use.

The 18V LXT System, the world's largest cordless Tool lineup, offers exceptional versatility across vacuums & dust extractors, ideal for offices, workshops & everyday maintenance tasks for continuous, long-hour operation.

Makita Corded Solutions ensure consistent & reliable power, making them suitable for factories, production floors & large commercial spaces.

Across XGT, LXT, & Corded platforms, Makita combines innovation, Efficiency & user comfort to deliver powerful, reliable, & easy to use cleaning solutions for every Professional Environment.



Content	Page No.
Battery Powered Backpack Blower	18
Cordless Blower	19 - 20
Cordless Dust Blower	21
Cordless High Pressure Washer	21
Corded High Pressure Washer	22

Content	Page No.
Filters & Features	23
Comparison List	24
Cleaning Accessories	25 - 35

XGT
40V L⁺ LITHIUM-ION
max

High Power
Durability
Digital
Communication



18V
LITHIUM-ION



LXT

Expand Your Lithium Line Up



40V | 80V Max

MOST POWERFUL SYSTEM

THE OPTIMUM CHARGING SYSTEM

Forced air cooling



Fast charging



40V MAX LI-ION BATTERIES



76min

CHARGE TIME
8.0Ah BL4080F

HIGH OUTPUT
with DC18RC*



50min

CHARGE TIME
5.0Ah BL4050F

HIGH OUTPUT
with DC18RC*



45min

CHARGE TIME
4.0Ah BL4040F

HIGH OUTPUT
with DC18RC*



45min

CHARGE TIME
4.0Ah BL4040
with DC18RC*



28min

CHARGE TIME
2.5Ah BL4025
with DC18RC*




22min

CHARGE TIME
2.0Ah BL4020
with DC18RC*

RAPID OPTIMUM CHARGING SYSTEM

XGT Charger and Dual Cooling Fans digitally communicates before and during the charging process, evaluating battery condition to deliver a consistent fast charge.



40V MAX CHARGERS



Fast Charger

Single Port
DC40RA



Standard Charger

Single Port
DC40RC



Multi Fast Charger

Two Port Charger
DC40RB



Multi charger

Two Port Charger
DC40WA

BATTERIES & CHARGERS

LXT

18V | 18V x2



BATTERIES	DC18RC Fast Charger	DC18SD Charger	DC18RD Fast Charger	DC18SE Automotive
1.5Ah (BL1815N)	15	30	15	30
3.0Ah (BL1830B)	22	60	22	60
4.0Ah (BL1840B)	36	90	36	90
5.0Ah (BL1850B)	45	110	45	110
6.0Ah (BL1860B)	55	130	55	130

Two batteries at one time



18V | 18V x2

LEADING THE CHARGE

Simultaneous dual port

Forced air cooling for rapid charging

Digital power display indicates battery status

Active Controls for Optimum Charging



Optimum Charging System



Our rapid chargers select the optimal charging method according to the battery's voltage, current & temperature. To lower the temperature of the battery a patented built-in forced-air system circulates air through the battery reducing charge time and extending the overall life of the battery.



RAPID CHARGER

Two Port Charger
DC18RD



RAPID CHARGER

Single Port
DC18RC



CHARGER

Single Port
DC18SD



AUTOMATIC CHARGER

Single Port
DC18SE

ICON CHART

Cleaning



-  Double Insulation
-  Variable Speed
-  Reversing
-  Anti-restart function
-  Electronic 2-Speed
-  Electronic 3-Speed
-  Electronic 4-Speed
-  Constant Speed
-  Soft Start
-  Stainless Tank
-  Revolving Hose
-  Static Free Hose
-  Dust Collection
-  Toolless blade change
-  Built-in Job Light
-  Carrying Case

CANISTER VACUUMS

XGT / LXT / AC



VC006GM - Cordless Vacuum Cleaner

40V max x2

40Vmax X2 (80Vmax) XGT Brushless Motor AWS Cordless 40L Dust Class M GYUPPA Vacuum Cleaner (Wet & Dry)

- » Dust Class M approved with Low airflow Warning Buzzer for Safety.
- » Equipped with Water Level Sensor.
- » Variable Suction Control with Low - Noise, Anti - Vibration Performance.
- » Automatic Twin - Filter Self - Cleaning ensures consistent Suction Performance.

Battery Voltage	40V X2 (80v Max)
Suction power	350 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	18 kPa
Tank Capacity	Dry / Wet: 40 / 30 L
Net Weight	18.4 - 20.8 kg



XGT **BL** **AWS** **XPT** **GYUPPA**

Standard Equipment:

VC006GMZ3: Filter bag 1910Y4-9(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Hose complete 38-2.5 195434-1(1), Front cuff 24 195546-0(1), Nozzle assembly 199455-5(1), Corner nozzle 410306-2(1), Joint 22-38 418165-8(1), Stopper 451350-0(1).

VC001GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 8L Dust Class L Vacuum Cleaner (Wet & Dry)

- » 8L Large Tank Capacity Enables Continuous Cleaning Work.
- » IPX4-rated Water - Resistance.
- » Automatically Switches to the Second Battery when the First Battery Runs Out.
- » Extreme Protection Technology (XPT) enhances Bust & water resistance for tough job site conditions.

Battery Voltage	40Vmax
Suction power	310 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry / Wet: 8 / 6 L
Net Weight	8.1 - 11.2 kg



XGT **BL** **XPT**

Standard Equipment:

VC001GLZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Nozzle assembly 191G86-8(1), Poly bag 195432-5(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

VC002GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor AWS Cordless 8L Dust Class L GYUPPA Vacuum Cleaner (Dry Only)

- » Carry handle for Easy Transport.
- » 8L large Tank Capacity enables Continuous Cleaning Work.
- » GYUPPA Automatic Self - Cleaning Filter of our Unique Design allows for Constantly High Suction Power.

Battery Voltage	40Vmax
Suction power	205 W
Dust Type	Dry Only
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry : 8 L
Net Weight	8.3 - 11.4 kg



XGT **BL** **AWS** **XPT** **GYUPPA**

Standard Equipment:

VC002GLZ: Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Front cuff 24 195546-0(1), Front cuff 22 195547-8(1), Nozzle assembly 199455-5(1), Corner nozzle 410306-2(1), Stopper 451350-0(1).

VC003GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 15L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard.
- » 15L large tank capacity enables continuous cleaning work.
- » Automatically switches to the second battery when the first battery runs out.
- » Large bumper protects wall and furniture surfaces from scratches/damages.

Battery Voltage	40Vmax
Suction power	310 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry / Wet: 15 / 12 L
Net Weight	8.4 - 11.5 kg



XGT **BL** **XPT**

Standard Equipment:

VC003GLZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Nozzle assembly 191G86-8(1), Poly bag 195432-5(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

VC004GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor AWS Cordless 15L Dust Class L GYUPPA Vacuum Cleaner (Dry Only)

- » The same high power as corded vacuum cleaners.
- » Dual 40Vmax batteries for longer runtime and high suction power.
- » Variable suction control with low-noise, anti-vibration Performance.
- » IPX4-rated and XPT-protected for durability in harsh.

Battery Voltage	40Vmax
Suction power	205 W
Dust Type	Dry Only
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry : 15 L
Net Weight	8.6 - 11.7 kg



XGT **BL** **AWS** **XPT** **GYUPPA**

Standard Equipment:

VC004GLZ: Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Front cuff 24 195546-0(1), Front cuff 22 195547-8(1), Nozzle assembly 199455-5(1), Corner nozzle 410306-2(1), Stopper 451350-0(1).

VC005GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 8L Dust Class L Vacuum Cleaner (Dry Only)

- » Extreme Protection Technology (XPT) enhances dust and water resistance for tough job site conditions.
- » IPX4-rated water-resistance.
- » Automatically switches to the second battery when the first battery runs out.

Battery Voltage	40Vmax X2
Suction Power	265w
Dust Type	Dry Only
Noise K factor	2.5 dB(A)
Max Sealed Suction	23 kPa
Tank Capacity	Dry : 8
Net Weight	7.9 - 11.0 kg



Standard Equipment:

VC005GLZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Nozzle assembly set 191G86-8(1), Poly bag 195432-5(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).



VC013GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor AWS Cordless 7.5 L Dust Class L Portable Vacuum Cleaner (Wet & Dry)

- » Two tools in one quickly converts from vacuum to blower for enhanced versatility
- » Variable suction power control to suit different tasks and applications.
- » Provides a runtime of up to 120 minutes with a BL4050F battery.
- » Compatible with both wet and dry dust types.

Battery Voltage	40Vmax
Suction power	25 - 165 W
Dust type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	4.5 - 15 kPa
Tank Capacity	Dry / Wet: 7.5 / 4.5 L
Net Weight	5.0 - 6.2 kg



Standard Equipment:

VC013GLZ: Hose complete 140G04-3(1), Shoulder belt 199486-4(1), Wide nozzle 458891-7(1).

VC014GL - Cordless Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 7.5 L Dust Class L Portable Vacuum Cleaner (Wet & Dry)

- » High water-resistance compatible with XPT
- » Variable suction power control to suit different tasks and applications
- » Provides a runtime of up to 120 minutes with a BL4050F battery
- » Compatible with both wet and dry dust types

Battery Voltage	40Vmax
Suction power	25 - 165 W
Dust type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	4.5 - 15 kPa
Tank Capacity	Dry / Wet: 7.5 / 4.5 L
Net Weight	5.0 - 6.2 kg



Standard Equipment:

VC014GLZ: Hose complete 140G04-3(1), Wet filter 1915T4-4(1), Paper dust bag 1915W5-3(1), Shoulder belt 199486-4(1), Wide nozzle 458891-7(1).

DVC155L - Cordless Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 15 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard.
- » 15L Large dust bag capacity enables continuous cleaning work.
- » Flat top design for space saving in storage.
- » Large bumper protects wall and furniture surfaces from scratches/damages.

Battery Voltage	18x2 (36V)
Suction power	105 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	11 kPa
Tank Capacity	Dry / Wet: 15 / 12 L
Net Weight	7.2 - 7.9 kg



Standard Equipment:

DVC155LZX3: Tool box assembly 127607-8(1), Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Poly bag 195432-5(1), Nozzle assembly 198183-9(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

DVC865L - Cordless Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 8 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Flat top design for space saving in storage.
- » Variable suction power control by dial.
- » 8L Large dust bag capacity enables continuous cleaning work.
- » Thinner and rotatable floor nozzle for increased maneuverability.

Battery Voltage	18x2 (36V)
Suction power	105 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	11 kPa
Tank Capacity	Dry / Wet: 8 / 6 L
Net Weight	7.0 - 7.7 kg



Standard Equipment:

DVC865LZX3: Tool box assembly 127606-0(1), Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Poly bag 195432-5(1), Nozzle assembly 198183-9(1), Long corner nozzle 198919-6(1), Hose complete 32-1.7 199493-7(1), Stopper 451350-0(1).

DVC862L - Cordless Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 8 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Delivers up to 40 min of run time using BL1850B.
- » 8L large tank capacity enables continuous cleaning work.
- » Large bumper protects wall and furniture surfaces from scratches/damages.
- » Variable suction power control by dial.

Battery Voltage	18x2 (36V)
Suction power	90 W
Dust Type	Wet & Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	9.8 kPa
Tank Capacity	Dry / Wet: 8 / 6 L
Net Weight	7 - 7.6 kg



36V LXT BL MOTOR XPT

Standard Equipment:

DVC862LRT2: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 38-2.5 195434-1(1), Corner nozzle 410306-2(1), Stopper 451350-0(1), Tool box 455732-8(1), Battery BL1850B 198013-4(2), FAST CHARGER DC18RC(1).

DVC862LZ: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Poly bag 195432-5(1), Hose complete 38-2.5 195434-1(1), Corner nozzle 410306-2(1), Stopper 451350-0(1), Tool box 455732-8(1).



BACKPACK VACUUMS

XGT / LXT



VC008G - Cordless Backpack Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless Backpack Vacuum Cleaner

- » LED job light convenient for operation in dark job sites.
- » Comfortable backpack harness for reduced heat built-up.
- » Optional washable shoulder and back pad.
- » 2L large dust bag capacity (with disposable paper dust bag).

Battery Voltage	40Vmax
Suction power	195 W
Max Air flow	2.4 m ³ /min
Noise K factor	2.5 dB(A)
Max Sealed Suction	18 kPa
Tank Capacity	Paper/Cloth : 2/1.5 L
Net Weight	4.1 - 5.3 kg



XGT BL MOTOR

Standard Equipment:

VC008GZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Hose band 166116-2(1), Nozzle assembly 191G86-8(1), Dust bag assembly 197898-5(1), Filter bag 197903-8(1), Long corner nozzle 198919-6(1), Hose complete 32-1.0 199453-9(1).

VC011G - Cordless Backpack Vacuum Cleaner

40V max

40Vmax XGT Brushless Motor Cordless Backpack Vacuum Cleaner

- » Delivers up to 260 min of run time using two BL4050F batteries with Mode 1.
- » 2.4 m³/min of Max air flow volume and 20 kPa of Max sealed suction.
- » Makita Filter is used as the main filter to capture very fine particles effectively.
- » 6 L extra-large dust bag capacity enables continuous cleaning work.

Battery Voltage	40Vmax
Suction power	195 W
Max Air flow	2.4 m ³ /min
Noise K factor	2.5 dB(A)
Max Sealed Suction	20 kPa
Tank Capacity	Paper/Cloth : 6/5.5 L
Net Weight	6.4 - 9.5 kg



XGT BL MOTOR

Standard Equipment:

VC011GZ: Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Hose band 166116-2(1), Filter bag 191C26-2(1), Dust bag 191C30-1(1), Nozzle assembly 191G86-8(1), Long corner nozzle 198919-6(1), Hose complete 32-1.0 199453-9(1).

DVC660 - Cordless Backpack Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless Backpack Vacuum Cleaner

- » Increased suction power for improved dust collection.
- » Delivers up to 140 min of run time using BL1860B on normal setting.
- » 6 L extra-large dust bag capacity enables continuous cleaning work.
- » Makita Filter is used as the main filter to capture very fine particles effectively.

Battery Voltage	18x2 (36V)
Suction power	Max : 95 W
Dust Type	Dry
Noise K factor	2.5 dB(A)
Max Sealed Suction	11 kPa
Tank Capacity	Paper/Cloth : 6/5.5L
Net Weight	6.1 - 6.7 kg



36V LXT BL MOTOR XPT

Standard Equipment:

DVC660Z: Nozzle assembly 127082-8(1), Telescopic pipe complete 140G19-0(1), Bent pipe complete 140G26-3(1), Hose band 166116-2(1), Filter bag 191C26-2(1), Nozzle 197901-2(1), Hose complete 32-1.0 199453-9(1).

DVC261 - Cordless Backpack Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Backpack Vacuum Cleaner

- » BL motor allows 2.3 m³/min of Max air flow / 11 kPa of Max sealed suction / 105 of Suction power & long run time to go together.
- » Two 18V LXT Li-Ion batteries deliver the power & run time for corded demands without leaving the 18V LXT platform.
- » Includes floor and sash nozzles for a variety of application.
- » High-speed BL motor optimal for cordless handy cleaner.

Battery Voltage	18x2 (36V)
Dust Type	Dry
Max Sealed Suction	11 kPa
Noise K factor	2.5 dB(A)
Capacity	Paper/Cloth: 2.0/1.5 L
Suction power	Max: 105 W
Net Weight	3.8 - 4.5 kg



Standard Equipment:

DVC261Z : Nozzle assembly 123486-2(1), Telescopic pipe assembly 123584-2(1), Bent pipe assembly 126756-8(1), Hose complete 28-1.0 143787-2(1), Hose band 166116-2(1), Nozzle 197901-2(1), Filter bag 197903-8(1).

DVC665 - Cordless Backpack Vacuum Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor AWS Cordless Backpack Vacuum Cleaner

- » BL motor allows 1.8 m³/min of Max air flow / 11 kPa of Max sealed suction and long run time to go together.
- » Makita Filter is used as the main filter to capture very fine particles effectively.
- » Delivers up to 140 min of run time using BL1860B on normal setting.
- » 6 L Extra - Large Dust bag capacity enables continuous cleaning work.

Battery Voltage	18x2 (36V)
Dust Type	Dry
Max Sealed Suction	11 kPa
Noise K factor	2.5 dB(A)
Tank Capacity	Paper/Cloth : 6/5.5 L
Suction power	85
Net Weight	6.1 - 6.7 kg



Standard Equipment:

DVC665Z : Hose complete 28-1.5 152992-0(1), Hose band 166116-2(1), Filter bag 191C26-2(1), Front cuff 22 4147765-1(1), Front cuff 24 2424379-9(1).

STICK VACUUMS

XGT / LXT



CL002G - Cordless Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 4-Speed Cleaner with LED Light

- » Increased 125 W suction power achieved by using 40Vmax XGT battery.
- » BL motor is electronically controlled to optimize battery energy use for longer.
- » Ergonomic soft grip handle provides increased comfort.
- » Equipped with paper disposable dust bag as well as cloth dust bag.

Battery Voltage	40Vmax
Max Air flow	1.2 m ³ /min
Max Sealed Suction	21 kPa (2,100 mmH ₂ O)
Noise level	65dB(A)
Capacity	Cloth/Paper : 500/330 mL
Dust collecting type	Paper dust bag
Net Weight	1.8 - 3.0 kg



Standard Equipment:

CL002GD201 : Nozzle assembly 127827-4(1), Paper dust bag 198745-3(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1), Battery BL4025 191B41-0(2), Fast Charger DC40RA(1).

CL002GZ01 : Nozzle assembly 127827-4(1), Paper dust bag 198745-3(1) Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1).

CL003G - Cordless Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 4-Speed Cleaner with LED Light

- » High-speed BL motor optimal for cordless handy cleaner.
- » 100W suction power achieved by using the same high speed BL motor as used for CL001G.
- » Cyclonic system separates large dust particles from fine dust particles so that only fine dust particles are captured on the filter for reduced clogging.

Battery Voltage	40Vmax
Suction power	100 W
Max Air flow	1.0 m ³ /min
Noise level	65dB(A)
Max Sealed Suction	20 kPa
Capacity	250 mL
Net Weight	1.9 - 2.5 kg



Standard Equipment:

CL003GD201 : Nozzle assembly 127827-4(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1), Battery BL4025 191B41-0(2), Fast Charger DC40RA(1)

CL003GZ : Nozzle assembly 127827-4(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1)

CL004G - Cordless Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 4-Speed Cleaner with LED Light, Cyclone System, Electric Rotary Brush

- » 4-mode suction power selection with a mode memory function.
- » A high-speed brushless motor optimized for cordless cleaner.
- » The ergonomic soft grip handle provides increased comfort.
- » Sash nozzle for cleaning corners and crevices.

Battery Voltage	40Vmax
Max Air flow	1.0 m ³ /min
Max Sealed Suction	20 kPa
Noise level	66dB(A)
Dust capacity	250 mL (8.5 oz)
Dust collecting type	Cyclone type
Net Weight	1.6 - 2.2 kg



Standard Equipment:

CL004GD101 : Pipe assembly 1915P4-6(1), Nozzle assembly 1915P8-8(1), Battery BL4025 91B41-0(1), Fast Charger DC40RA(1).

CL004GZ : Pipe assembly 1915P4-6(1), Nozzle assembly 1915P8-8(1).

DCL180 - Cordless Cleaner

18V

18V LXT Li-Ion Cordless Cleaner

- » Strong suction power for fast cleaning with more run time.
- » Up to 20 min. of continuous use from a single fully charged BL1830B.
- » Compact and ergonomic design at only 999 mm long.
- » Sash nozzle for cleaning corners and crevices of a car or furniture.

Battery Voltage	18V LXT
Suction power	30 W
Max Sealed Suction	4.2 kPa
Noise level	71dB
Max air flow	1.4 m ³ /min
Continuous use	w/ BL1830B: 20 min
Net Weight	1.2 kg



Standard Equipment:

DCL180FRFW: Nozzle assembly 123486-2(1), Battery BL1830B set 197605-6(1), Sash nozzle 413770-6(1), Pipe 451241-5(1), Sash nozzle holder 451242-3(1), Fast Charger DC18RC(1).

DCL180RFW: Nozzle assembly 123486-2(1), Battery BL1830B set 197605-6(1), Sash nozzle 413770-6(1), Pipe 451241-5(1), Sash nozzle holder 451242-3(1), FAST CHARGER DC18RC(1).


DCL284F - Cordless Cleaner

18V

18V LXT Brushless Motor Cordless 4-Speed Cleaner with LED Light

- » High power and low noise have been achieved by using the same structure as CL001G series.
- » High-speed BL motor optimal for cordless handy cleaner.
- » Ergonomic soft grip handle provides increased comfort.
- » Convenient on-board sash nozzle storage.

Battery Voltage	18V LXT
Suction power	125 W
Max Sealed Suction	18 kPa
Noise level	65dB(A)
Capacity	730 mL (24.7 oz)
Vibration level	0.1 m/s ²
Net Weight	1.3 - 1.6 kg



Standard Equipment:

DCL284FZ: Nozzle assembly 127827-4(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1).

DCL284FRF: Nozzle assembly 127827-4(1), Battery BL1830B 197605-6(1), Sash nozzle 413859-0(1), Nozzle holder 459355-4(1), Pipe 459356-2(1), FAST CHARGER DC18RC(1).

DCL284FRFB: Nozzle assembly 127828-2(1), Battery BL1830B 197605-6(1), Sash nozzle 413809-5(1), Pipe 458942-6(1), Nozzle holder 459038-6(1), FAST CHARGER DC18RC(1).

DCL284FRFW: Nozzle assembly 127825-8(1), Battery BL1830B 197605-6(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1), FAST CHARGER DC18RC(1).

DCL284FZW: Nozzle assembly 127825-8(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1).

ROBOTIC VACUUM

LXT



DRC300 - Robotic Cleaner

18V

18V LXT Brushless Motor Robotic Cleaner w/ Mapping Function

- » Robotic cleaner automatically returns to starting point by mapping function.
- » Two running modes: Mapping mode and Free mode.
- » Connectable to a smartphone for smart cleaning.
- » Boundary-sensing feature using Magnet tape and cleaning range setting on app.

Battery Voltage	18V LXT
Rotation speed	Main brush: 1,600 RPM Side brush: 200 RPM
Dust box capacity	3.0L
Max registrable mapping area	10,000 m ²
Max cleaning area	w/BL1860B x2: 600 m ²
Noise level	62 dB(A)
Net Weight	9.6 - 10.6 kg



Standard Equipment:

DRC300Z: Side brush assembly 191P28-6(1).

DRC200 - Robotic Cleaner

18V

18V LXT Brushless Motor Robotic Cleaner

- » 3-suction power mode selection push button with mode memory function.
- » Main body able to tilt up to 90 degrees enables to clean in tight spaces under furniture, sofa, bed and more.
- » Delivers up to 100 min of run time using BL4050F battery in the Low noise mode.
- » 2.5 L Large dust bag capacity enables continuous cleaning work.

Battery Voltage	18V LXT
Max running speed	0.3 m/sec
Dust box capacity	2.5 L
Max cleaning area	w/ BL1850B x2: 500 m ² w/ BL1830B x2: 300 m ²
Net Weight	7.8 kg



UPRIGHT VACUUMS

XGT / LXT



VC010G - Cordless Upright Cleaner

40V max

40Vmax XGT Brushless Motor Cordless 5 L Upright Cleaner

- » 3-suction power mode selection push button with mode memory function.
- » Main body able to tilt up to 90 degrees enables to clean in tight spaces under furniture, sofa, bed and more.
- » Delivers up to 100 min of run time using BL4050F battery in the Low noise mode.
- » 5 L Large dust bag capacity enables continuous cleaning work.

Battery Voltage	40Vmax
Suction power	110 W
Max Air flow	1.8 m ³ /min
Noise K factor	2.5 dB(A)
Max Sealed Suction	15 kPa
Tank Capacity	5.0 L (1.3 gal)
Net Weight	8.0 - 9.2 kg



Standard Equipment:

VC010GZ: Long sash nozzle 191D65-8(1), Round brush 191D67-4(1), Filter bag 191T96-3(1).

DVC560 - Cordless Upright Cleaner

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 8 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Two different BL Motors, One for Vacuuming Dust & the other for Rotating Brush roll.
- » One-touch 3-suction mode selection switch with mode memory function
- » 4-stage brush roll height adjustment.
- » 5L Large dust bag capacity enables continuous cleaning work. Front bumper protects wall and furniture surfaces from scratches/damages.

Battery Voltage	18x2 (36V)
Suction power	85 W
Max Sealed Suction	12 kPa
Noise K factor	2.5 dB(A)
Capacity	Dust: 5 L
Net Weight	8.3 - 9.0 kg



Standard Equipment:

DVC560Z: Long sash nozzle 191D65-8(1), Round brush 191D67-4(1).



CORDED VACUUM CLEANERS

VC4210L - Vacuum Cleaner

34 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard
- » For both Wet and Dry Vacuum
- » High performance; 1,200 W motor and high airflow for heavy debris
- » PTFE (Upstream main filter) Flat filter protects the turbine by holding back fine Dust & Debris

Continuous Rating Input	1,200W
Dust Type	Wet & Dry
Max Sealed Suction Tank	25.0 kPa
Sound level	60 dB(A)
Capacity	Dry / Wet: 34/30 L
Power supply cord	7.5 m (24.6 ft)
Net Weight	16 kg



Standard Equipment:

VC4210L: Adaptor 35/38 P-70421(1), Tool Adaptor 22 Regulation W107418678(1).

VC2510L - Vacuum Cleaner

25 L Dust Class L GYUPPA Vacuum Cleaner (Wet & Dry)

- » Powerful 1,050 W motor generates 3.5 m³/min of Max air flow / 22 kPa of Max sealed suction.
- » Variable suction power control by Dial.
- » Approved for Dust Class L in accordance with the EU Standard.
- » Best suitable for working with power tools.

Continuous rating input	1,050W
Dust Type	Wet & Dry
Max Sealed Suction	22.0 kPa
Noise	73db
Tank Capacity	Dry/Wet : 25/14 L
Power supply cord	5.0 m (16.40 ft)
Net Weight	10.5 kg



Standard Equipment:

VC2510LX1: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Cleaning 195439-1(1), Poly bag 195440-6(1), Corner nozzle 410306-2(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Stopper 451350-0(1), Holder 10-33 417764-3(4).

VC2510L: Hose complete 28-3.5 195433-3(1), Poly bag 195440-6(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Holder 10-33 417764-3(4).

VC2512L - Vacuum Cleaner

21 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » Approved for Dust Class L in accordance with the EU standard.
- » Push & Clean semi - automatic filter cleaning system for extended operating time and filter life.
- » Washable PET fleece filter for use with dry or wet material.

Continuous Rating Input	1,000W
Max sealed suction	3.6 m ³ /min
Max peak air flow	21.0 kPa
Sound level	72 dB(A)
Tank capacity	Dry: 21 L / Wet: 18 L
Power supply cord	5 m (16.4 ft)
Net weight	7 kg



Standard Equipment:

VC2512L: Disposal Bag P-70297(1), Filter Bag P-72899(1), Suction Tube 35X520MM 2PCS. P-72942(1), Suction Hose D32X3500 W/Tube P-81739(1), Tool Adapter With Regulation P-81745(1), Floor Nozzle 36X260MM W107402706(1), Tube Holder Kit W107409979(1), Tool adaptor 22 Quick W107418661(1), Tool Adaptor 38 VC2012-3011L W107418680(1), Nozzle Universal W142950000(1), Crevice Nozzle W295410000(1).

VC3210L - Vacuum Cleaner

32 L Dust Class L GYUPPA Vacuum Cleaner (Wet & Dry)

- » 32L Large dust bag capacity enables continuous cleaning work.
- » Powerful 1,050 W motor generates 3.5 m³/min of Max air flow / 22 kPa of Max sealed suction.
- » Large bumper protects wall and furniture surfaces from scratches/damages.
- » Simple connection to Makita power Tools.

Continuous Rating Input	1,050W
Dust Type	Wet & Dry
Max Sealed Suction Tank	22.0 kPa
Noise	73dB
Capacity	Dry/Wet : 32/27 L
Power supply cord	5.0 m (16.40 ft)
Net Weight	14.5 kg



Standard Equipment:

VC3210LX1: Nozzle assembly 122512-4(1), Bent pipe 192562-3(1), Straight pipe 192563-1(1), Hose complete 28-3.5 195433-3(1), Hose complete 38-2.5 195434-1(1), Cleaning 195439-1(1), Poly bag 195440-6(1), Corner nozzle 410306-2(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Stopper 451350-0(1), Holder 10-33 417764-3(4).

VC3210L: Hose complete 28-3.5 195433-3(1), Poly bag 195440-6(1), Front cuff 22 417765-1(1), Front cuff 24 424379-9(1), Holder 10-33 417764-3(4).

VC2000L - Vacuum Cleaner

20 L Dust Class L Vacuum Cleaner

- » Approved for Dust Class L in accordance with the EU standard
- » Convenient integrated carry handle for easier transportation
- » Powerful 1,000 W motor generates 21 kPa of Max sealed suction
- » Push & Clean Semi - Automatic filter Cleaning System for Longer Operation & Filter life.

Continuous Rating Input	1,000W
Tank Capacity	20 L
Max Sealed Suction	21.0 kPa
Max peak air flow	2.0 m ³ /Min
Power supply cord	5 m (16.4 ft)
Net Weight	10.5 kg



VC3012L - Vacuum Cleaner

24 L Dust Class L Vacuum Cleaner (Wet & Dry)

- » 24 L Dust Class L Vacuum Cleaner (Wet & Dry)
- » Push & Clean semi-automatic filter cleaning system for extended operating time and filter life
- » Washable PET fleece filter for use with dry or wet materials
- » Innovative hose storage solution with flexible rubber strap.

Continuous Rating Input	1,500W
Dust Type	Wet & Dry
Max Sealed Suction Tank	25.0 kPa
Sound level	59 dB(A)
Capacity	Dry / Wet: 24/19 L
Max peak air flow	3.7 m ³ /min
Net Weight	11 kg



Standard Equipment:

VC3012L: Tool Adaptor 22 Regulation W107418678(1).

CORDLESS POLISHER SCRUBBER



PS001G - Cordless Polisher Scrubber

40V max

40Vmax XGT Brushless Motor Cordless Polisher Scrubber

- » Brush/Pad replacement without direct contact.
- » Various brushes and pads are available to suit different applications.
- » Adjustable and easy-to-grip handle design.
- » Compatible with XPT (eXtreme Protection Technology).

Battery Voltage	40Vmax
No Load Speed	High: 600 min ⁻¹
Attachment size	Brush: 190 mm (7-1/2") Floor pad: 200 mm (7-7/8")
Noise K factor	3.0 dB(A)
Main Power Switch	Yes
Telescope Pole	1,081 - 1,435 mm
Net Weight	4.5 - 5.6 kg



Standard Equipment:

PS001GZ : Pad holder 175 191454-1(1), Floor pad 200 White 191455-9(1), Floor pad 200 Red 191456-7(1), Floor pad 200 Blue 191457-5(1), Brush 190 medium 1914T1-4(1), Accessory bag 1915D1-8(1).

PS001GM101 : Pad holder 175 191454-1(1), Floor pad 200 White 191455-9(1), Floor pad 200 Red 191456-7(1), Floor pad 200 Blue 191457-5(1), Brush 190 medium 1914T1-4(1), Accessory bag 1915D1-8(1), Battery BL4040 191B31-3(1), Fast Charger DC40RA(1).

POLISHER SCRUBBER

XGT

Quick, Easy, & Effective Cleaning



CORDLESS VACUUM SWEEPER



VS001G - Cordless Vacuum Sweeper

40V max

40Vmax XGT Brushless Motor Cordless 24 L Dust Class Vacuum Sweeper

- » 40Vmax XGT BL Cordless 24 L Dust Class HEPA Vacuum Sweeper.
- » Designed mainly for use in construction sites or outdoor commercial facilities, featuring high cleaning performance.
- » Two main brushes (of electric rotary-type) for cleaning a wide variety of sizes of waste, such as cement powder, wood chips, paper waste, plastic bottles, etc.

Battery Voltage	40Vmax
Continuous use	Quiet: 290, 480 min/ Standard: 120, 200 min
Dust container capacity	24 L
Noise K factor	3 dB(A)
Filter cleaning function	YES (Electric)
Net Weight	29.9 - 33.1 kg



Standard Equipment: VS001GZ - Side Brush (1No.)



Excellent storage capability

Handle can be folded to stand the machine upright for compact storage.



XPT
eXtreme Protection
Technology
IPX4-rated water-resistance



VACUUM SWEEPER

XGT



LED job light

Illuminates the front of the machine, allowing user to check for dust or obstacles even in dark places such as warehouses.



Multi adapter (Optional accessory) Portable power pack MAKPAC



40Vmax XGT battery (two in parallel or one)



Carry handle Equipped with a carry handle for easy carrying



BATTERY POWERED BACKPACK BLOWER



XGT

Tools with Portable Pack PDC1200



191N62-4 (XGT Adaptor)

Charger

UB001C - Battery Powered Blower

40V max

Brushless Motor Brushless Battery Powered Variable Speed Blower

- » Powerful blowing force (Max 20N).
- » In Boost mode, 20N max blowing force is always available.
- » Delivers up to 90 minutes of run time using PDC1200.
- » 3-stage telescopic long nozzle with adjustment range of 100mm for user convenience.

Max Air Volume	Boost Mode: 17.6 m ³ /min C Mode: 0-15.0 m ³ /min
Max Air Velocity	Boost Mode: 70 m/s C Mode: 0-60m/s
No Load Speed (RPM)	B Mode - 24,000 C Mode - 21,000
Noise K factor	2.5 dB(A)
Net Weight	2.6 - 2.9 kg



Standard Equipment:

UB001CZ: Band assembly 191J48-4(1), End nozzle 80 191P97-7(1).

UB003C - Battery Powered Blower

40V max

Brushless Motor Brushless Battery Powered Variable Speed Blower

- » Brushless Battery Powered Variable Speed Blower.
- » Variable control trigger plus Cruise control lever.
- » Delivers up to 60 minutes of run time using PDC1500 with maximum speed mode or maximum speed with the cruise control lever.

Max Air Volume	w/ End nozzle, w/ PDC1500 Max speed mode: 17.6 m ³ /min
Max Air Velocity	w/ End nozzle, w/ PDC1500 Max speed mode: 86.0 m/s
No Load Speed(RPM)	Mode1 / Mode2 / Mode3: 4,000-10,600 / 17,700 / 22,100 min ⁻¹
Noise K factor	2.0, 1.8 dB(A)
Net Weight	2.8 - 3.1Kg



Standard Equipment:

UB003CZ: Band assembly 122F94-2(1).

UB002C - Battery Powered Backpack Blower

40V max

Brushless Motor Brushless Battery Powered Variable Speed Blower

- » Run time is 45 minutes in operation at maximum blowing force of 22.0N.
- » A battery powered blower powered by Portable Power Pack PDC1500 or PDC1200.
- » High power like a 50cm³ engine backpack blower.
- » Constant speed control maintains constant speed.

Battery Voltage	40Vmax
Max air velocity	0 - 76.0 m/s
Noise level	60 dB(A)
Continuous use	78 min.
Sound pressure level	EN50636-2-100: 80.9 dB(A)
Net Weight	15.9 - 16.1 kg



Standard Equipment:

UB002CZ: 1 no -Tool , Adapter, Harness, Belt, Nozzle For Blower, Cleaner.

UB004C - Battery Powered Backpack Blower

40V max

Brushless Motor Brushless Battery Powered Variable Speed Backpack Blower

- » Long continuous use from a single fully charged battery.
- » A battery powered blower powered by Portable Power Pack PDC1500 or PDC1200.
- » Variable speed control by trigger plus Cruise control lever.
- » High-speed BL motor optimal for cordless handy cleaner.

Battery Voltage	40Vmax
Blowing Force	25 N / 28N
No load speed	C Mode -22,500 /B-Mode 23,800
Continuous use	55 - 200 min
Sound pressure level	3.1, 2.1 dB(A)
Noise K factor	EN50636-2-100: 82.3 dB(A)
Net Weight	16.5 - 18.6 kg



Standard Equipment:

UB004CZ: Pipe support belt complete 162D24-9(1), Pipe belt complete 162D25-7(1), End nozzle 74 1914H0-2(1), Flat nozzle 1914H1-0(1).

BLOWER

XGT / LXT



UB001G - Cordless Blower

40V max

40Vmax XGT Brushless Motor Brushless Variable Speed Blower

- » Long continuous use from a single fully charged battery.
- » Ergonomic soft grip handle provides increased comfort.
- » Includes floor and sash nozzles for a variety of application.
- » High-speed BL motor optimal for cordless handy cleaner.

Max Air Volume	Boost Mode: 16.0 m ³ /min C Mode : 0-13.5 m ³ /min
Max Air Velocity	Boost Mode: 64 m/s C Mode : 53m/s
No Load Speed (RPM)	B Mode -23,000 C Mode - 20,000
Noise K factor	3.1, 3.2 dB(A)
Net Weight	3.1 - 3.9 kg



Standard Equipment:

UB001GZ: Adapter pipe 85-72 191L96-5(1), End nozzle 80 191P97-7(1), Extension nozzle set 197888-8(1), Flat nozzle 197889-6(1).
UB001GM101: Battery BL4040 191B31-3(1), Adapter pipe 85-72 191L96-5(1), End nozzle 80 191P97-7(1), Extension nozzle 197888-8(1), Flat nozzle 197889-6(1), DC40RA Fast Charger DC40RA(1).
UB001GM201: Adapter pipe 85-72 191L96-5(1), End nozzle 80 191P97-7(1), Extension nozzle 197888-8(1), Flat nozzle 197889-6(1), Battery BL4040 191B31-3(2), DC40RA Fast Charger DC40RA(1).

DUB362 - Cordless Blower

18V x2

18V X2 (36V) LXT Brushless Motor Cordless Variable 6-Speed Blower

- » Powerful cordless blower yet: Amazing 54 m/s & 13.4 m³/min operation.
- » Delivers up to 28 minutes of run time at 15,800 RPM by 2 18V LXT 5.0Ah batty.
- » 3-Stage telescopic long nozzle with adjustment range of 100 mm for user convenience.

Battery Voltage	18x2 (36V)
Max Air Volume	13.4 m ³ /min
No Load Speed	11,400 - 21,500 min ⁻¹
Max air velocity	54 m/s (120 MPH)
Noise K factor	1.8, 2.3 dB(A)
Net weight	3.5-4.2 kg



Standard Equipment:

DUB362Z: Flat nozzle 183P98-9(1), Long nozzle 183R02-0(1).

DUB184 - Cordless Blower

18V

18V LXT BL Brushless Motor Cordless Variable Speed Blower

- » BL motor delivers up to 52.1 m/s and 13.0 m³/min.
- » Compact and lightweight for single handed operation.
- » Soft grip provides increased comfort on the job.
- » Ideal for Clearing Fallen Leaves on Pavement, Grass and Hedge Clippings or other Light Debris.

Battery Voltage	18V LXT
Air volume	13.0 m ³ /min
Blower Force	10.9N
Air velocity	52.1 m/s
Noise K factor	2.7, 1.4 dB(A)
No Load Speed RPM	0-18,000 min ⁻¹
Net weight	2.5-3.0 kg



Standard Equipment:

DUB184Z: Hex. wrench 4 783202-0(1).

DUB184ST: Battery BL1850B 198013-4(1), Hex. wrench 4 783202-0(1), DC185D Battery Charger DC185D(1).

DUB363 - Cordless Blower

18V x2

18V X2 (36V) LXT Brushless Motor Cordless Variable Speed Blower

- » Able to use both in Blower and Vacuuming applications.
- » Able to suction fallen leaves and to perform a long continuous operation.
- » 65 m/s high air speed with 13.4 m³/min high air volume for commercial - duty performance.
- » Vacuum kit includes an easy-to-empty bottom zip dust bag (leaf collection bag).

Battery Voltage	18V x2 (36V)
Blowing force	14.4 N
Max air volume	13.4 m ³ /min (473 CFM)
Max output	860 W
Noise K factor	1.3, 0.3 dB(A)
Net Weight	4.5-6.6 kg



Standard Equipment:

DUB363ZV: Hex. wrench 4 783202-0(1).

DUB363PT2V: Hex. wrench 4 783202-0(1), Battery BL1850B 198013-4(2), DC18RD Two Port Fast Charger DC18RD(1).

DUB187 - Cordless Blower Vacuum

18V

18V LXT Brushless Motor Cordless Variable Speed Blower Vacuum

- » Excellent maneuverability and improved cost competitiveness.
- » Max air volume in vacuum operation larger than that of the competitors.
- » Variable speed control by trigger plus Cruise control.
- » 25 L dust bag with a large inlet opening.

Battery Voltage	18V LXT
No load speed (RPM)	9,000 -13,500
Max Air Volume	6.1 m ³ /min
Dust bag Capacity	25 L
Max air volume (Blower)	4.2 m ³ /min
Noise K factor	3 dB(A)
Net weight	3.7 - 4.0 kg



Standard Equipment:

DUB187Z: 1no - Tool, Nozzle For Blower, Cleaner

DUB187T001: Battery BL1850B 198013-4(1), Battery Charger DC18WC(1).



CORDLESS BLOWER

XGT

UB003G - Cordless Blower

40V max

40Vmax XGT Brushless Cordless Variable Speed Blower

- » The maximum air volume is 13.8 m³/min for blowing and 13.0 m³/min for vacuuming.
- » Tool-less switching between blower and vacuum with one-touch pipe locking.
- » Cruise control lever to reduce finger fatigue during continuous use.
- » High water-resistance compatible with XPT (eXtreme Protection Technology).

Speed change	Yes (2 stages)
Blower function	Max blowing force:7/ 16N
	Max air volume:9.4/13.8 m ³ /min
Sound pressure level	86.8dB(A)
Noise K factor	1.7 dB(A)
Net Weight	5.0 - 6.1 kg



XGT **BL** **XPT**

Standard Equipment:

UB003GZ: Vacuum Kit 1916T9-0(1), Flat Nozzle 1916V7-8(1).

CORDLESS CLEANER

CXT



CL200FD - Cordless Cleaner

12V max

12Vmax CXT Li-Ion Cordless 3-Speed Cleaner with LED Light

- » Low noise: Built-in small fan minimizes wind noise.
- » Sound-absorbing sponge around the motor ensures low-noise performance.
- » High speed brushless motor for reduced weight & improved suction performance.
- » Sash nozzle for cleaning corners and crevices of a car or furniture.

Battery Voltage	12Vmax
Max sealed suction	14 kPa
Noise level	63 dB(A)
Continuous use	6-20 min
Sound pressure level	EN50636-2-100: 80.9 dB(A)
Net Weight	15.9 - 16.1 kg



CXT **BL** **MOTOR**

Standard Equipment:

CL200FDZ: Nozzle assembly 127825-8(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1).

CL200FDSA: Nozzle assembly 127825-8(1), Battery BL1021B 198008-7(1), Sash nozzle 413770-6(1), Pipe 459353-8(1), Nozzle holder 459354-6(1), Battery Charger DC105B(1).

AS001G - Cordless Dust Blower

40V max

40Vmax XGT Brushless Motor Cordless Dust Blower

- » 4 stage air volume; selectable according to your application.
- » One-touch nozzle replacement.
- » LED job light with preglow and afterglow functions.

Battery Voltage	40Vmax
Air volume	0 - 1 m ³ /min
Air pressure	0 - 29.7 kPa
Air velocity	0 - 200 m/sec
Noise K factor	3 dB(A)
Net Weight	1.5 - 2.3 kg



Standard Equipment:

AS001GZ: Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1).

AS001GA10: Battery BL4020 191L34-7(1), Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1), Tool bag 832074-1(1), DC40RC Fast Charger DC40RC(1).

DAS180 - Cordless Dust Blower

18V

18V LXT Brushless Motor Cordless Air Duster

- » One - touch nozzle replacement; Easy nozzle replacement without tool.
- » 4 stage air volume; selectable according to your application.
- » Inflation and deflation of inner tubes, play pool and more.
- » LED job light with preglow and afterglow functions.

Battery Voltage	18V LXT
Air volume	0 - 1.1 m ³ /min
Air pressure	0 - 29.7 kPa
Air velocity	0 - 200 m/sec
Sound pressure level	79 dB(A)
Noise K factor	3 dB(A)
Net weight	1.2 - 1.7 kg



Standard Equipment:

DAS180Z: Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1).

DAS180RT: Nozzle 3 191X11-1(1), Nozzle 7 191X13-7(1), Nozzle 13 191X15-3(1), Pinch valve nozzle 191X17-9(1), Wide range nozzle 191X19-5(1), Battery BL1850B 198013-4(1), Tool bag 832074-1(1), DC18RC FAST CHARGER DC18RC(1).

HIGH PRESSURE WASHER

XGT / LXT



HW001G - Cordless High Pressure Washer

40V max

Powered by 40Vmax XGT Li-Ion battery (two in parallel or one)

- » 3 Operation Modes to suit the Contamination Level of the object being Cleaned.
- » New foam Nozzle with improved Foaming mesh enhances Detergent Performance.
- » Telescopic handle for easy Transportation & Storage.
- » High Water - Resistance Compatible with XPT / IPX5.

Battery Voltage	40Vmax
Max suction height	1 m (3.3 ft)
Max permissible pressure	11.5 MPa
Sound pressure level	71 dB(A)
Noise K factor	3.2 dB(A)
Net Weight	10.3 - 13.4 kg



Standard Equipment:

HW001GZ: High pressure hose 5M 126766-5(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Vario spray nozzle 1912Y4-1(1), Extension 191U84-6(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1).

HW001GT201: High pressure hose 5M 126766-5(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Vario spray nozzle 1912Y4-1(1), Extension 191U84-6(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1), BATTERY BL4050F 1918A8-1(2), DC40RB TWO PORT FAST CHARGER DC40RB(1).



DHW080 - Cordless High Pressure Washer

18V x2

18V X2 (36V) LXT Brushless Motor Cordless 8 MPa High Pressure Washer

- » Stepless Pressure Adjustment close at Hand.
- » Portable Construction with High Washing Performance for Cleaning Cars & Agricultural Machinery.
- » Includes a Storage Case that also Serves as a 50 L Water Tank.

Battery Voltage	36V
Max water flow	6.3 L/min
Max permissible pressure	8.0 MPa
Max suction height	1 m (3.3 ft)
Tank	50 L
Noise K factor	3.6 dB(A)
Net Weight	7.1 - 7.7 kg



Standard Equipment:

DHW080PT2: High pressure hose 5M 126766-5(1), Storage box assembly 127104-4(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Variable nozzle 197822-8(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1), Battery BL1850B 198013-4(2), DC18RD Two Port Fast Charger DC18RD(1).

DHW080ZK: High pressure hose 5M 126766-5(1), Storage box assembly 127104-4(1), Hose assembly 1910R1-6(1), Strainer assembly 1910R2-4(1), Variable nozzle 197822-8(1), Trigger gun 197842-2(1), Cleaner pin 197879-9(1).

DHW180 - Cordless Pressure Washer

18V

18V LXT Cordless 2.4 MPa Pressure Washer

- » Sufficient Cleaning Power for Light - Duty Tasks.
- » Two Power Modes (High / Low).
- » 5-in-1 Nozzle allows for Easy Mode Changes by Rotating the Nozzle Head.
- » Water - Resistance Compatible with XPT.

Battery Voltage	18V
Mode switching	Yes
Max permissible pressure	2.4 MPa
Continuous use	18, 50 min
Max suction height	2.0 m (6.7 ft)
Noise level	84 dB(A)
Net weight	2.3 - 2.7 kg



Standard Equipment:

DHW180Z01: Foam Nozzle LX00000001(1), Water Bottle Adapter LX00000004(1), Cleaner Pin 0.6 LX00000063(1).



CORDED HIGH PRESSURE WASHER

HIGH PRESSURE WASHER



AC

HW1200 - High Pressure Washer

12 MPa (120 Bar) High Pressure Washer with Self-Priming Function

- » 420 L/hr Max Flow Rate.
- » IPX5 Rated for Weather & Water Resistance.
- » Cyclone Guard for Minimizing from Water Splash.
- » Foam Nozzle for Foaming the Detergent & Splashing the Bubble.

Continuous Rating Input	1,800W
Max pressure	12 Mpa (120 bar, 1,740 PSI)
Max feed temperature	40°C (104°F)
Noise K factor	3.8 dB(A)
Max flow rate	420 L/h
High pressure hose length	10 m (33 ft)
Net Weight	11 kg



Standard Equipment: High pressure hose 10M 123784-4(1), Foam nozzle 1912Y2-5(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Variospray lance 197876-5(1).

HW1300 - High Pressure Washer

13 MPa (130 Bar) High Pressure Washer with Self-Priming Function

- » Cyclone Guard for mMinimizing from Water Splash.
- » IPX5 Rated for Weather & Water Resistance.
- » Low Noise thanks to Anti - Vibration Structure.
- » Built powerful 1,800 W Motor Delivers up to 13 MPa (130 bar) for Maximum Cleaning Power.

Continuous Rating Input	1,800W
Max pressure	13 Mpa (130 bar, 1,885 PSI)
Max feed temperature	40°C (104°F)
Noise K factor	2.4 dB(A)
Max flow rate	450 L/h
Net Weight	12.7 kg



Standard Equipment: Foam nozzle 1912Y2-5(1), Cyclone jet nozzle 197824-4(1), Trigger gun 197842-2(1), Variospray lance 197876-5(1).

HW140 - High Pressure Washer

14 MPa (140 bar) High Pressure Washer

- » High End Product for Sophisticated Cleaning Tasks at Farmers, in Landscaping & other Professional Applications.
- » Compact design, Large Operating Range & Efficient Cleaning Performance.
- » Total Stop System (TSS) Switches the Motor On & Off when the Lance Trigger is Operated, Prolonging the Motor Life.
- » Water Filter in Hose Adaptor Minimizes Dust and Pebbles from Entering into Pump.

Continuous Rating Input	2,300W
Max pressure	14 Mpa (140 bar, 2,030 PSI)
Max feed temperature	50°C (122°F)
Noise K factor	3 dB(A)
Max flow rate	500 L/h
Net Weight	29 kg



HW151 - High Pressure Washer

15 MPa (150 bar) High Pressure Washer

- » Double Tank for Detergent.
- » Steel Reinforced Spray Gun.
- » Double Tank for Detergent.
- » The 2.5kW Electric induction Motor helps Pump out an impressive 500 Liters an hour with a Maximum Pressure of 150 Bar.

Continuous Rating Input	2,500w
Max pressure	15 Mpa (150 bar, 2,175 PSI)
Max feed temperature	50°C (122°F)
Noise K factor	3 dB(A)
Max flow rate	500 L/h
Net Weight	26.9 kg




Filters & Features

GYUPPA

Automatic Self-cleaning Filtration System achieved by two filter units

Constantly high suction power throughout operation because dust is removed from Prefilters every 10 seconds during operation.



AUTO - START WIRELESS SYSTEM

Cleaning with the wireless activation function

AWS Auto-start Wireless System

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



AWS connects to power tool with Bluetooth

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Makita is under license. Other trademarks and trade names are those of their respective owners.




EXTREME PROTECTION TECHNOLOGY


XPT

For use in outdoor applications or harsh environments, protection from dust & dripping water.

IPX4-compatibility



Because the walls are installed inside the vents, water & dust cannot enter easily.



Moreover, even if water enters, it is discharged outside.



COMPARISON LIST

Model No.	Dust class	Powered	Tank capacity Dust/ Water (L)	Tank type	Max Air Flow (m ³ / min)	Max Sealed Suction (kPa)	Switch of connected power tool
-----------	------------	---------	-------------------------------	-----------	-------------------------------------	--------------------------	--------------------------------

Cordless Vacuum Cleaner / Vacuum Cleaner

VC006GM	M	DC (40Vmax x2)	40 / 30	Plastic	3.7 (hose Ø 38-2.5)	18	AWS
VC001GL	L	DC (40Vmax)	8 / 6	Plastic	3.2 (hose Ø 38-2.5)	23	-
VC002GL	L (HEPA filter)	DC (40Vmax)	8 / -	Plastic	1.8 (hose Ø 28-3.5)	23	AWS
VC003GL	L	DC (40Vmax)	15 / 12	Plastic	3.2 (hose Ø 38-2.5)	23	-
VC004GL	L (HEPA filter)	DC (40Vmax)	15 / -	Plastic	1.8 (hose Ø 28-3.5)	23	AWS
VC005GL	L	DC (40Vmax)	8 / -	Plastic	2.8 (hose Ø 32-1.7)	23	-
VC013GL	L (HEPA filter)	40Vmax	7.5 / 4.5	Plastic	2.0	15	AWS
VC014GL	L (HEPA filter)	40Vmax	7.5 / 4.5	Plastic	2.0	15	-
DVC155L	L	DC (LXT18V x2)	15 / 12	Plastic	2.1 (hose Ø 32-1.7)	11	-
DVC865L	L	DC (LXT18V x2)	8 / 6	Plastic	2.1 (hose Ø 32-1.7)	9.8	-
DVC862L	L	DC (LXT18V x2)	8 / 6	Plastic	2.1 (hose Ø 32-1.7)	11	-
VC4210L	L	AC	34 / 30	Plastic	4.5	25	Automatic
VC3210L	L	AC	32 / 27	Stainless steel	2.0 (hose Ø 28-3.5)	22	Automatic
VC2510L	L	AC	25 / 14	Plastic	2.0 (hose Ø 28-3.5)	22	Automatic
VC2000L	L	AC	20 / -	Plastic	-	21	-
VC2512L	L	AC	21 / 18	Plastic	3.6	21	Automatic
VC3012L	L	AC	24 / 19	Plastic	3.7	25	Automatic

Cordless Backpack Vacuum Cleaner

VC008G	(HEPA filter)	DC (40Vmax)	Paper dust bag: 2.0 / - Cloth Dust Bag 1.5	-	2.4 (hose Ø 32-1.0)	18	-
VC011G	(HEPA filter)	DC (40Vmax)	Paper Dust bag 6.0 / - Cloth Dust bag 5.5	-	2.4	20	-
DVC665	(HEPA filter)	DC (LXT18V x2)	Paper dust bag 6.0 / - Cloth dust bag 5.5	-	1.8 (hose Ø 28-1.5)	11	AWS
DVC261	(HEPA filter)	DC (LXT18V x2)	Paper dust bag 2.0 / - Cloth dust bag 1.5	-	2.2 (hose Ø 32-1.0)	11	-
DVC660	(HEPA filter)	DC (LXT18V x2)	Paper dust bag 6.0 / - Cloth dust bag 5.5	-	2.2 (hose Ø 32-1.0)	11	-

Cordless Upright Cleaner

VC010G	L(HEPA filter)	DC (40Vmax)	5 / -	-	1.8	15	-
DVC560	L(HEPA filter)	DC (LXT18V x2)	5 / -	-	1.9	12	-



Cleaning Accessories

Hose connection 28

Hose connection 38

Hose connection 32

For Dust Collecting *for Model DVC265, DVC665, VC009G, VC012G only

Model VC006GM VC007GL 	Model VC002GL VC004GL DVC157L DVC867L 	Model VC3211H VC3211M VC2211M VC3210L VC2510L VC1310L 	Model VC009G VC012G DVC265 DVC665 DVC350 	Model VC013GL VC014GL DVC750L 	Model VC3012L/M VC4210L/M 	Model VC2012L VC2512L VC3011L 
---	---	---	---	---	---	--

Hose 28mm *Mesh sleeve hose 1.0m *143787-2 without front cuffs 1.5m A-34235 with front cuffs 22, 38 2.5m 195437-5 with front cuffs 22, 24, 38 3.5m 195433-3 with front cuffs 22, 24, 38 5.0m 191G76-1* with front cuffs 22, 24, 38 5.0m A-34229 with front cuffs 22, 38	Hose 38mm with front cuffs 38 1.5m 198757-6 2.5m 195434-1 5.0m 195435-9	Hose 38mm with front cuffs 38 5.0m 191Y12-5	Hose 28mm with front cuffs 22, 24, 38 5.0m 1915G6-9	32-B Hose 32mm 4m P-84084	32-B Hose 32mm 3.5m P-81739
---	---	---	---	-------------------------------------	---------------------------------------

Front cuffs Front cuffs 38 195545-2  Front cuffs 22 195547-8 	Front cuffs 24 195546-0 	Joint 22-38 195548-6 	Front cuffs 24 195546-0 	Front cuffs Front cuffs 38 195545-2  Front cuffs 22 195547-8 	Tool adaptor Quicksystem ø24 (set) P-70378 Quicksystem ø38 (set) W107418688 	Tool adaptor 24 D-81745 
--	--	---	--	--	---	--



AWS
Auto-start Wireless System

Wireless unit adapter WUT02
Converts tool-triggered AC vacuum cleaners in the market into AWS-compatible vacuum cleaners



Tool connection cuffs and hoses

Hose 28mm Supplied with both front cuffs 22 and 38

Rear cuffs (free)

Screw-in type, replaceable

Front cuffs 38: Inner dia. 38.0mm, Outer dia. 44.2mm

Front cuffs 22: Inner dia. 22.4mm, Outer dia. 25.0mm

Hose 38mm

Rear cuffs (free)

Front cuffs are attached to the hose

Front cuffs 38: Inner dia. 38.0mm, Outer dia. 44.2mm

How to connect front cuffs 22, 38 to front cuffs 24

Hose 28 with front cuffs 22


Hose 28 with front cuffs 38

Hose 38 with front cuffs 38

Front cuffs 24

Front cuffs 22 are on the inside

Front cuffs 38 are on the outside



Connection of hose 38mm from front cuff 38 to front cuff 22

Hose 38mm with front cuffs 38

Size: Inner dia. 22.4mm, Outer dia. 25.0mm

Joint 22-38

Hose to hose connection

Hose 28 with front cuffs 38

Hose 38 with front cuffs 38

Hose 28 Rear cuffs

Hose 38 Rear cuffs



Cleaning Accessories

with front sleeve

28mm Tip attachments

32mm Tip attachments

For Cleaning

*for Model DVC261, DVC265, DVC660, DVC665, VC008G, VC009G, VC011G, VC012G only

Color

Model	Model	Model	
VC006GM VC007GL VC001GL VC003GL VC005GL DVC155L	DVC156L DVC860L DVC861L DVC865L DVC866L	VC3211H VC3211M VC2211M VC3210L VC2510L VC1310L	VC008G VC011G DVC261 DVC660 DVC350
Hose 38mm with front sleeve (front cuffs 32A) 1.5m 199388-4		Hose 32mm with front sleeve 1.0m*199453-9 1.7m 199493-7	
Bending pipe assembly with pipe lock without sleeve 140G26-3 (front cuffs 32A)		Bending pipe assembly with pipe lock with sleeve 127093-3	
Cyclone attachment set with pipe lock* ○ 191D71-3 / 191D70-5 ● 191D73-9 / 191D72-1		Cyclone attachment set* ○ 199491-1 / 191D74-7 ● 191D75-5 / 199553-5	
Straight pipe with pipe lock Aluminum Telescopic pipe 28L (L=590-942mm) 199633-7 Bending pipe assembly with pipe lock (140G26-3) set 191B15-1 Plastic Telescopic pipe 28L (L=590-950mm) 127605-2 Plastic straight pipe 28L with pipe lock (L=479mm) ○ 459353-8 ● 459356-2 ● 458942-6		Straight pipe Plastic Telescopic pipe 28 (L=500-850mm) 198560-5 Plastic straight pipe 28 (L=465mm) ● 451424-7 ○ 451241-5 ● 451244-9 ● 456587-4	
Aluminum Telescopic pipe 28L (L=591-43mm) 191X62-4 for others vacuum cleaner nozzles 32mm (1-1/4")		Aluminum joint pipe (L=465mm) 199844-4 Aluminum straight pipe 32 (L=465mm) 199843-6 for others vacuum cleaner nozzles 32mm (1-1/4")	
Plastic straight pipe 28L with pipe lock (L=340mm) ○ 191D76-3 ● 191D77-1		Plastic straight pipe 28 (L=320mm) for Cyclone attachment set ○ 191D79-7 ● 191D80-2	
28mm Tip attachments Rotary brush nozzle set 28 Carpet 1914Y6-9*1		F/C switching t-nozzle 28 Flooring & carpet ○ 198183-9 ● 199431-9	
Nozzle assembly Flat type 199454-7		Seat nozzle 28 For automobile seat ○ 199038-1 ● 199041-2 ● 199039-9	
F/C switching t-nozzle 28 Flooring & carpet 191G86-8		Seat nozzle 120 set For automobile seat 140H95-0	
Nozzle assembly Floor t-nozzle 28 ○ 127825-8 ● 127827-4 ● 127828-2		Mat nozzle 120 For automobile floor 459056-4	
Nozzle assembly Floor/carpet t-nozzle 28 ○ 191X06-4		Brush nozzle set 191M30-1	
Nozzle assembly Floor t-nozzle 28 ○ 123485-4 ○ 123486-2 ● 123488-8 ● 123539-7		Sash nozzle ○ 413770-6 ● 413859-0 ● 413809-5	
Floor/carpet t-nozzle For rug / carpet ○ 198149-9 ○ 198528-1 ● 198527-3 ● 198529-9		Long sash nozzle 330 ○ 198919-6 ● 198990-0 ● 198992-6 ● 191D65-8	
Nozzle assembly For rug / carpet 122291-4		Crevice nozzle 415 199439-3	
Hard floor nozzle assembly set Backpack Vacuum Cleaner only 1911J4-0		Round brush ○ 198552-4 ○ 198878-4 ● 198553-2 ● 198555-8	
Rotary brush nozzle set 28 Carpet 1914Y6-9*1		Shelf brush ○ 198537-0 ○ 198873-4 ● 198538-8 ● 198540-1	
Nozzle assembly Flat type 199454-7		Soft brush 360 complete set 140H94-2	
F/C switching t-nozzle 28 Flooring & carpet 191G86-8		Angle attachment set 191A47-9	
Nozzle assembly Floor t-nozzle 28 ○ 127825-8 ● 127827-4 ● 127828-2		Rubber nozzle 330 set *422437-5	
Nozzle assembly Floor/carpet t-nozzle 28 ○ 191X06-4		Flexible rubber nozzle 28 *197901-2	

*1 Brush complete set (replacement brush) 1915W7-9

*These nozzles cannot be attached directly to Bending pipe assembly use with telescopic pipes or straight pipes.

Cleaning Accessories

38mm Tip attachments

Hose connection 32

28mm Tip attachments

Model
VC006GM
VC007GL
VC001GL
VC003GL
VC005GL
DVC155L
DVC156L
DVC860L
DVC861L
DVC865L
DVC866L



Model
VC3211H
VC3211M
VC2211M
VC3210L
VC2510L
VC1310L



Model
VC008G
VC011G
DVC261
DVC660



DVC350



Cleaning set

- Hose complete 38-2.5
 - Straight pipe
 - Bending pipe
 - Nozzle assembly
 - Corner nozzle
- 195439-1



Hose 38mm

- 1.5m 198757-6
- 2.5m 195434-1
- 5.0m 195435-9



Bending pipe assembly 38

1912G5-3



Bent pipe

192562-3



Straight pipe

192563-1



Aluminum Telescopic pipe 38

L=606-958mm
1912G4-5



38mm Tip attachments

Nozzle assembly

Flat type (Dry)
199455-5



F/C switching t-nozzle 38

Flooring & carpet (Dry)
191G87-6



F/C switching t-nozzle

Flooring & carpet (Dry)
198184-7 / 198533-8



Universal type

(Dry/ Wet)
195551-7



Compact type A (Dry)

195549-4



Compact type B

(Wet model only)
195550-9



Wide Type

(Wet model only)
A-47846



Round brush

(Dry)
191657-9



Corner nozzle

(Dry)
410306-2



Model
VC3012L
VC4210L
VC3012M
VC4210M



Model
VC2012L
VC2512L
VC3011L



Model
DCL184
CL121D



Hose 32mm

4m
P-84084



Hose 32mm

3.5m
P-81739



Curved hand tube inox

P-70346



Extension tubes

ø35x350mm 3pcs
W107418350



Extension tubes

ø35x520mm black 2 pcs
P-72942



Floor nozzle

D36x300(Dry/ Wet)
P-81789



Corner nozzle

ø35x300
W6084



Floor nozzle

D36x260
(Dry/ Wet)
W107402706



Floor nozzle

Universal Type(Wet)
W000014295



Corner nozzle

ø35x200
Use with P-81745
W000029541



Cleaning set

A, B, C, D set
W107418349



28mm Tip attachments



Flexible rubber nozzle 28

197901-2




Blower nozzle complete

140J64-3



Cleaning Accessories



for Dust (Powder)

- Powder Filter Set
- Damper set
- Pre-filter set
- Dust paper filter or Poly bag set

for Wet & Dry

Cloth filter or Water filter (Water only)

Compatible with usual Poly bags or Paper filters, allowing for:




- Quick and easy dust disposal
- Lower-running cost compared with paper dust bag



	VC006GM, VC007GL (Wet & Dry)	VC001GL, VC003GL (Wet & Dry)	VC002GL, VC004GL, VC005GL (Dry)	DVC155L, DVC865L, DVC860L (Wet & Dry)	VC3211H, VC3211M, VC2211M, VC2201M (Wet & Dry)	VC3210L, VC2510L (Wet & Dry)	VC1310L (Wet & Dry)	
Use as a set	Powder filter set Dry only *HEPA filter for Dry use only	1911B6-0 *1911B7-8 	*191V70-3 	*191V70-3 	*197166-6 	VC3211H: *196251-2 VC3211M, VC2211M VC2201M: *196252-0 	195441-4 *191F82-0 	195438-3
	Damper set	1911B4-4 	191V68-0 	191V68-0 	195552-5 	196254-6 	195552-5 	195552-5
	Pre-filter set	1911B5-2 	191V69-8 	191V69-8 	195553-3 	196253-8 	VC3210L: 195612-3 VC2510L: 195554-1 	195553-3
Cloth filter Wet & Dry		144625-1 	144625-1 191V71-1 VC005G only 	140248-3 191G88-4 DVC156L, DVC866L only 				
Water filter Wet only It is recommended using water filter when picking up large amount of water repeatedly.	1910N0-0 	191V67-2 		195555-9 DVC155L, DVC865L, DVC860L only 		VC3210L: 195611-5 VC2510L: 195556-7 	195555-9 	
Dust paper filter (5pcs) for dry powder			10L: A-48430 	7L: A-49541 10L: A-48430 			7L: A-49541 	
Filter bag set 10L/15L/25L/35L (5pcs) for dry dust	35L: 1910Y4-9 	10L: 1912R3-4 VC001GL, VC002GL, VC005GL, DVC860L, DVC861, DVC865L, DVC866L, DVC867L 15L: 195557-5 VC003GL, VC004GL, DVC155L, DVC156L, DVC157L 		15L: 195557-5 10L: A-48430 	25L: 195558-3 	25L: 195558-3 VC3210L only 15L: 195557-5 VC2510L only 	15L: 195557-5 	
Poly bag set (10pcs)	1910R3-2 	195432-5 	195432-5 	195432-5 	195440-6 	195440-6 	195432-5 	


To use powder filter, remove the float cage and float by removing the bolts.



Capacity up tank set


DVC860L, DVC861L, DVC865L, DVC866L, DVC867L
Part No. 191B56-7

"HEPA filter" Mark on tank
DVC861L, DVC863L, DVC864L, DVC866L, DVC867L
Part No. 191B57-5



Cleaning Accessories

Capsule type cleaner Model: CL001G, DCL283F, DCL284F, DCL181F, DCL180F, DCL180, CL183D, CL108FD, CL106FD, CL070D



HEPA filter
1914X6-2
HEPA filter
Except Model: CL183D

HEPA filter + Pre filter

HEPA filter + Easy shake off dust filter

Pre filter
1914X5-4

Stay (Filter flame)
458467-0

Filter
10per pkg
198915-4


Pre filter with HEPA filter set
1915A8-3
HEPA filter

Valve
424208-6

Sponge sheet 57
422268-2
Except Model:
CL070D, CL183D

Easy shake off dust filter
(High performance filter)
199966-0

Paper bag type cleaner Model: CL002G, DCL285F, DCL182, DCL182F, CL114FD, CL121D, CL107FD, CL072D, DCL184, CL121D



Cordless Cleaner

Sponge sheet 76-110
(Recessed wall)
424804-0

Guard
413J77-0
CL002G only

Paper filter Anti-bacterial type
(High performance filter)
10per pkg.
198744-5
5per pkg.
198745-3

Dust bag
198747-9

Valve stay complete (Dust stopper)
143677-9
DCL184, DCL182,
DCL182F, CL114FD,
CL121D, CL107FD,
140K23-3
CL002G

Easy shake off dust bag
198749-5
Except Model:
CL002G, DCL285F


Sponge sheet 90
422440-6

High performance dust bag set
1910M4-5
CL002G, DCL285F only

DCL184, CL121D

Cyclone unit Model: CL001G, CL003G, DCL283F, DCL284F, DCL286F

Compatible model:
CL001G, DCL283F, DCL284F, CL003G*,
DCL286F*
*Standard Equipment



Part No. 1910D3-4 Part No. 1910D4-2 Part No. 1910D5-0

Cyclone unit



Cyclone unit filter



HEPA filter **HEPA filter**

Model:
CL004G, CL200FD
1915P2-0
Other Model:
1910C9-5



High performance filter set

Model: CL004G, CL200FD
1915P0-4
Other Model:
1910C7-9
(Standard Equipment)



Cleaner carrying bag

Cleaner body, battery,
charger and
accessories can be
stored together.



Except Model: CL003G, CL004G, DCL286F, DCL184, CL121D
(LxWxH: 600x210x190mm) Part No. 199901-8
with shoulder belt/ Part No. 161904-2



Model: DCL184, CL121D
(LxWxH: 490x210x230mm) Part No. 199900-0
with shoulder belt: Part No. 162544-9

Cleaning Accessories

Color

Cordless Upright Cleaner Model: DVC560, VC010G

28mm Tip attachments

Seat nozzle 28
For automobile
199038-1
199041-2
199039-9

Seat nozzle 120 set
For automobile
140H95-0

Mat nozzle 120
For automobile
459056-4

Brush nozzle set
191M30-1

Sash nozzle
413769-1
413770-6
413859-0
413809-5

Long sash nozzle 330
198919-6
198990-0
198992-6
191D65-8

Crevice nozzle 415
199439-3

Round brush
198552-4
198878-4
198553-2
198555-8
191D67-4

Shelf brush
198537-0
198873-4
198538-8
198540-1

Soft brush 360 complete set
140H94-2

Grip assembly set
Dusts can be thrown away by removing Dust case of Cyclone attachment.
1912B1-6

Filter bag set
10pcs. set
191T96-3

Dust bag set
191Y86-6

Main filter h set
191E39-5
HEPA filter

Brush complete set
DVC560: 1910T8-6
VC010G: 1914B1-8

Cordless Portable Vacuum Cleaner Model: DVC750L, VC013GL, VC014GL

For Cleaning & Dust Collecting

Hose Complete
28-2.0m with Front cuffs 38
140G04-3
28-1.5m with Front cuffs 22, 24, 38
1915G6-9
38-1.5m with Front cuffs 38
191Y12-5

Dry only

Wet only

Filter complete (HEPA filter)
Dry 162518-0
HEPA filter

Pre filter and Damper set
Dry only 199827-4

Wet filter set
191M39-3

Shoulder Belt Set
199486-4

38mm Tip attachments

Front cuffs 38
Front cuffs 38
195545-2
Front cuffs 22
195547-8

Front cuffs 24
195546-0

Joint 38
For Front cuffs 38
418500-0

For Dust Collecting

28mm Tip attachments

Filter bag set
10per pkg.
1915T3-6
VC013GL only

Paper filter bag set
10per pkg.
1915W5-3
VC013GL,
VC014GL only

Poly bag set
10per pkg.
195432-5

Caster Set
1915G5-1
VC013GL, VC014GL

Cleaning Accessories

Backpack Vacuum Cleaner Model: VC008G, VC011G, VC012G, VC009G, DVC660, DVC665, DVC261, DVC265

VC011G, VC012G, DVC660, DVC665

Dust bag assembly
191C30-1
191Y84-0
(VC012G, DVC660, DVC665)

Filter bag set (Paper dust bag)
10per pkg.
191C26-2

Main filter H set (HEPA filter)
191D12-9 **HEPA filter**

VC008G, VC009G, DVC261, DVC265

Dust bag assembly
197898-5
197899-3(EU)

Filter bag set (Paper dust bag)
10per pkg.
197903-8

Filter set assembly (HEPA filter) **HEPA filter**
191Y27-2 (VC008G, VC009G)
127725-2 (DVC261, DVC265)

Harness cover set

Washable harness cover made of a mesh material for improved breathability

VC008G, VC009G,
VC011G, VC012G,
DVC660, DVC665
DVC261, DVC265

191Y14-1



Protection cover set

When using Backpack vacuum cleaner in tight spaces etc., Protection cover is very helpful to prevent the scratches on surrounding objects caused by hitting cleaner.

DVC261, DVC265

1910S4-7

VC008G, VC009G

1911W4-1


1914H7-8*

*For BO001CG series with Battery case



Robotic Cleaner Model: DRC200, DRC300

DRC200



Boundary line tape (15m roll)

SH00000231(EU)
SH00000240 (USA, AU)



Turn brush cover

SH00000064



Side brushes

SH00000321 (Soft)
SH00000065 (Standard)



Power brush

SH00000320 (Soft)
SH00000063 (Standard)
SH00000319 (Combination)




Filter

SH00000213



DRC300



Side brush assembly set

191P26-0 (Soft) for tatami mats, etc.
191P28-6 (Standard)




Main brush complete set

191P20-2 (Soft) for tatami mats, etc.
191P22-8 (Standard)

Soft

Standard



Bottom plate assembly set

191P24-4



Magnet tape set

191P18-9
5m long,
with double-sided tape



Filter H complete set

191P31-7 **HEPA filter**



Sponge sheet set

191X35-7

Sponge part to be attached to Bumper for protection of surrounding objects from damage



Cleaning Accessories

Cordless Polisher Scrubber Model: PS001G

Brush 190

Brush bristle type: Soft
Application: For cleaning wooden floors, decks, etc.

1914T0-6



Brush bristle type: Medium
Application: For cleaning general interior floors.

1914T1-4



Brush bristle type: Hard
Application: For cleaning exterior concrete floors and removing grease stains from kitchens and similar areas.

1914T2-2



Brush bristle type: Hard (with abrasive)
Application: For cleaning porcelain tiles and similar surfaces.

1914T3-0



Floor pad

Color*1:	Cleaning ability*2	Cleaning surface	Application
White 1914S5-9	Low ↑ ↓ High	Smooth ↑ ↓ Rough	For surface polishing of resin wax.
Red 1914S6-7			
Blue 1914S7-5			For cleaning of resin wax.
Brown 1914S8-3			For removing resin wax.
Black 1914S9-1			

*1 The brighter and lighter the color, the finer the grit; the darker and deeper the color, the coarser the grit (industry standard).


*2 Stain and wax removal power



Pad holder 175 set

Pad holder for Floor pad 200 (used with Floor pad 200)
Attachment portion for the floor pad: hook and loop fastener

1914S4-1



Various pads can be attached to the hook-and-loop side.

Accessory bag set

An accessory bag made of water-resistant materials for carrying wet accessories. Capable of storing all accessories for this model.

1915D1-8



Cordless Vacuum Sweeper Model: VS001G

Multi adapter set

- MAKPAC (all types) can be installed, which is also convenient for storing cleaning accessories.
- Portable power pack PDC01 /1200 /1500 can be installed to improve run time.

1913F5-2



Dust bag set

- Capacity: 47L (12.4 gal)
- Dust bag suitable for collecting waste such as fallen leaves.
- Dust bag can be reused.

1913F7-8



Main filter H set

191D12-9









Cleaning Accessories

Cordless Dust Blower accessories

For model:
AS001G, DAS180

*1 Used by attaching to Nozzle 13 and Air vent hose

Item	Description	Part No.
Nozzle 13 set 	Nozzle diameter: ϕ 13mm Nozzle diameter: ϕ 13mm (Same as the caliber of the machine) • For blow-off works • For inflating large play pools, etc.	191X15-3
Nozzle 7 set 	Nozzle diameter: ϕ 7.0mm For filter cleaning	191X13-7
Nozzle 3 set 	Nozzle diameter: ϕ 3.0mm	191X11-1
Flexible nozzle complete set 	Nozzle diameter: ϕ 6.0x800 (Hose) For blowing dust away from OA equipment or narrow spaces where this machine cannot enter	191X21-8
Wide range nozzle set 	Nozzle diameter: ϕ 6.0mm (each hole) For wide range blow-off	191X19-5
Pinch valve nozzle set 	Nozzle diameter: ϕ 7.0mm For inflating/deflating inner tubes and beach balls	191X17-9
Long nozzle set 	Nozzle diameter: ϕ 8.0mm • For cleaning anchor holes • For cleaning narrow spaces that are out of reach Nozzle 13 set (191X15-3) is also necessary.	191X78-9
Air vent hose complete set 	Nozzle diameter: 13mm (Same as the caliber of the machine) For inflating/deflating inner tubes and beach balls (Remove Dust cap complete from the machine and attach this hose.)	191X23-4
Rubber attachment 20 -30 set 	Nozzle diameter: 7.0mm For deflation large play pools and inflatable beds etc.*1 Air vent hose complete set (191X23-4) and nozzle 13 set (191X15-3) are also necessary.	191X25-0
Rubber attachment 65 set 	Nozzle diameter: ϕ 65mm For deflating futon (bedding) compression bag*1 Air vent hose complete set (191X23-4) and nozzle 13 set (191X15-3) are also necessary.	191X27-6
Filter C complete set 	For use of the machine in a dusty environment (Remove Dust cap complete from the machine and attach this Filter.)	191X29-2

Cleaning

Power washer accessories for DHW080, HW1200, HW1300 & HW001G

Shape	Models	Part No.
	DHW080, HW001G HW1200, HW1300	197842-2
	HW001G	1912Y4-1
	HW001G	1912Y5-9
	HW001G	1912Y6-7
	DHW080, HW001G	191M52-1 (TAIWAN)
	DHW080, HW001G HW1200, HW1300	197822-8
	DHW080, HW001G HW1200, HW1300	191U88-8
	DHW080 HW1200, HW1300	191U86-2
	DHW080, HW001G HW1200, HW1300	191U84-6
	DHW080, HW001G HW1200, HW1300	197876-5
	DHW080, HW001G HW1200, HW1300	197824-4
	DHW080, HW001G HW1200, HW1300	197864-2
	DHW080, HW001G *HW1200, *HW1300 (*for 110-127V)	197859-5
	HW1200 **HW1300 (for 220V-240V)	198909-9
	DHW080, HW001G HW1200, HW1300	197870-7
	DHW080, HW001G HW1200, HW1300	197831-7
	DHW080, HW001G HW1200, HW1300	197828-6
	DHW080, HW001G HW1200, HW1300	1912Y2-5

Shape	Models	Part No.	
	DHW080, HW001G HW1200, HW1300	10m	197837-5
		15m	197840-6
	DHW080, HW001G HW1200, HW1300	5m	197845-6
		8m	197847-2
		10m	197850-3
	DHW080, HW001G HW1200, HW1300	197867-6	
	DHW080, HW001G HW1200, HW1300	197873-1	
	DHW080, HW001G HW1200, HW1300	1910R1-6	
	DHW080, HW001G HW1200, HW1300	1910R2-4	
	DHW080, HW001G HW1200, HW1300	197853-7	
	DHW080, HW001G HW1200, HW1300	197883-8	
	DHW080, HW001G HW1200, HW1300	197879-9	
	DHW080	199486-4	
	DHW080	TR00000002 TR00000001 (EU)	

Cordless Pressure Washer for DHW180

Shape	Part No.
	LX00000001
	LX00000004
	LX00000002
	LX00000003
	LX00000063

Vacuum Cleaner Series



H.O.: Makita Power Tools India Pvt. Ltd.
Unit II Sy. Nos. 93/3 & 93/4, Koralur village,
Kasaba Hobli, Hoskote Taluk, Bengaluru - 560067
Email: info@makita.in Website: www.makita.in

Follow us on Social Media



Key Accounts Manager - PAN India

Tilak Kumar H G: +91-90357-51004
Email ID: tilak@makita.in

Makita Service Centre:

Assam

Guwahati: +91-90357-50726
+91-90645-25614

Delhi

New Delhi: +91-70425-97752
+91-81977-26539

Gujarat

Ahmedabad: +91-90084-37162
Vadodara: +91-63640-58617

Jharkhand

Jamshedpur: +91-82526-96785
+91-87929-75533

Karnataka

Nagarbhavi: +91-96110-28612
+91-90081-24303

Kerala

Cochin: +91-87929-17070

Maharashtra

Mumbai: +91-89518-28984
Pune: +91-90357-17615
+91-63640-60789

Madhya Pradesh

Indore: +91-97549-34593

Tamil Nadu

Chennai: +91-98400-20398
+91-89048-08574
Coimbatore: +91-96001-14608

Uttarakhand

Rudrapur: +91-70425-97756

West Bengal

kolkata: +91-85850-72684
+91-63649-45101