

Also available

**Cordless Blower series**

**UB001G** (Blower function only)

Powerful blowing force (Max 17N)



**UB003G**

Blowing and vacuuming performance comparable to 28cc-class engine models.



**UB005G**

Lightweight yet powerful for professional use.



Accessories

**Cushion belt complete set**

Waist belt for reduced hand reaction force and improved comfort.

Part No. 1917R2-6



**Battery holder set**

A spare battery holder that attaches to the Cushion belt complete set.

Part No. 1917R0-0



Cushion belt complete set

Battery holder set

**End nozzle 81 set**

A nozzle with a large air volume that is suitable for blowing away large amounts of fallen leaves.

Part No. 1918E9-7



Charging Time

	DC40RA	DC40RC
<b>BL4020</b> 2.0Ah	22 min	30 min
<b>BL4025</b> 2.5Ah	28 min	38 min
<b>BL4040</b> 4.0Ah	45 min	67 min
*1 <b>BL4040F</b> 4.0Ah	45 min	67 min
*1 <b>BL4050F</b> 5.0Ah	50 min	85 min
*1 <b>BL4080F/H</b> 8.0Ah	76 min	170 min

\*1 Recommended battery

**Cordless Backpack Blower**

**UB004G**

Variable Speed	End nozzle diameter	71 mm (2-13/16")
Anti-restart function	Blowing force (Other conditions) (Battery)	0 - 17 (Low speed) / 23 (High speed) N (BL4080F x2), 0 - 17 (Low speed) / 32 (High speed) N (BL4080H x2)
Electronic 2-Speed	Max air velocity (Battery) (Attachment)	81.4 m/s (BL4080F x2), 96.0 m/s (BL4080H x2)
Constant Speed	Air volume (Other conditions) (Battery)	0 - 13.8 (Low speed) / 16.2 (High speed) m <sup>3</sup> /min (BL4080F x2), 0 - 13.8 (Low speed) / 19.1 (High speed) m <sup>3</sup> /min (BL4080H x2)
	Continuous use (Other conditions) (Attachment)	190* - 38 (Low speed) / 17 (High speed) min. (BL4080F x2), 190* - 38 (Low speed) / 14 (High speed) min. (BL4080H x2)
	Vibration level	0.2 m/s <sup>2</sup> (EN IEC62841-4-6, Mode: operation without load)
	Uncertainty (K) for Vibration	1.5 m/s <sup>2</sup> (EN IEC62841-4-6, Mode: operation without load)
	Sound pressure level	81.2 dB (A) (EN IEC62841-4-6)
	Sound power level	94.4 dB (A) (EN IEC62841-4-6)
	Uncertainty (K) for Noise	2.9 dB (A) (Sound pressure level, EN IEC62841-4-6), 2.1 dB (A) (Sound power level, EN IEC62841-4-6)
	Dimensions (L x W x H)	242 x 585 x 522 mm (9-1/2 x 23 x 20-1/2")
	Net weight (Battery)	8.8 kg (19.4 lbs.) (BL4080H x 2)

Standard Equipment :

UB004GZ: Pipe support belt complete 162D24-9(1), Pipe belt complete 162D25-7(1).

**Lightweight, yet powerful**  
**Comparable to 65 cc-class engine blowers**



Max air volume\*<sup>1</sup>  
**19.1**  
m<sup>3</sup>/min  
With BL4080H x1

Max air velocity\*<sup>1</sup>  
**96.0**  
m/s  
With BL4080H x1

Run time\*<sup>2</sup> With BL4080H x2

Low mode	High mode
About <b>38 min</b>	About <b>14 min</b>

\*<sup>1</sup> With End nozzle

\*<sup>2</sup> With max blowing force



Lightweight at **8.8 kg**  
With BL4080H x2  
**40% lighter**  
Compared with our previous model

**Backpack style**

The backpack design reduces recoil and arm fatigue.



Recoil

**Dual-battery system**

runs on one battery at a time.



Automatically switches to the second battery when the first one runs out.


**Adjustable air volume from gentle breeze to strong wind**

**One-touch airflow lock via push-button cruise control**



Press the button at any trigger position to hold the airflow level.

**Large control display with high-brightness LEDs for excellent visibility.**



The photo is for illustrative purpose.

**Mode switch button** provides tactile feedback for quick switching.



Low mode High mode



Clear click feedback even with gloves

**Stepless adjustment within a 250mm range**



Telescopic pipe with lock ring

**Nozzles for different applications**

**End nozzle 71**

For blowing away fallen leaves and heavy debris



**End nozzle 81 (Optional accessory)**

Larger diameter nozzle for higher air volume



**Flat nozzle**

Concentrated horizontal airflow toward the ground for wet fallen leaves and heavier debris



**Grip position adjustment**

Adjustable to suit the operator and working posture — 180 mm front-to-rear and 90° to the left and right.

**BL MOTOR**

Equipped with a high-power brushless motor



**Blowing away wet leaves**



**Blowing away fallen leaves tangled in the lawn**



**Comfortable shoulder harness**

Optimal materials and shape help reduce fatigue, and a mesh construction improves breathability.



A thick, breathable pad distributes weight to help reduce fatigue.

**Large air-intake**

helps reduce blockage from fallen leaves and other debris.



**Compact storage**

One-touch buckle secures the nozzle quickly and easily.



**XPT eXtreme Protection Technology**

High water-resistance compatible with XPT (eXtreme Protection Technology)